



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	_			
Contact information *	Lenovo Global Environmental Affairs	Oh	OVO _T		
e-mail address	Alvin L Carter	LCIL			
	alcarter@lenovo.com				
Internet site *	ttp://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo D27-20/C27-20				
Model number *	65F5, 65F6, 61E3				
Issue date *	2019/07/15				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		65F5, 61E3, 65F6 Logo		010			
Issue date * 2019/		2019/07/15	-	_en		D _{TM}	
Product	environ	mental attributes - Legal requirements	R	Require	men	t met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	Products		\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1 ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated (PCT) in preparations (see legal reference).	t				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon ator ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ns in the				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cr al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	n²/week				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact) www.lenovo.com/social_responsibility/us/en/environment.html	:				
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disportant Information on proper disposal is provided in user manual. (See legal reference)	osal			\boxtimes	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal referelaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-d		\boxtimes			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	-	d information is; ☐ given in item P15 or added to this document, ☐ available at (add URL): lenovo.com/us/en/compliance/eco-declar	ration				
P5	Product	packaging	<u>utrorr</u>				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury, cadment chromium by weight of these together.	ium and				
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature of the m se legal reference).	aterial(s)				
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Montreal al reference). nt: Legal reference has no maximum concentration values.	Protocol				
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	65F5, 61E3, 65F6	Logo	Lanava
Issue date *	2019/07/15		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		X	╁
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			∺
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		+	+
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	+
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\blacksquare	+
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			П
P7.8*	Upgrading can be done using commonly available tools	X	Ħ	Ħ
P7.9	Spare parts are available after end of production for: 5 years			\pm
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			Ц_
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
·-	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	า 📙		Ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	i _		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		\boxtimes	Ш
	2. Chemical name: , CAS #: "Gee NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\square	
	assigned the following Risk phrases; and Hazard statements:	_		_
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES: at least one of the two alternatives below shall be answered:			
1	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
1	a percentage of total plastic by weight) is 2.3%. (EPEAT calculation) / 85% (TCO calculation)			
	Or h) The weight of recycled material is 26.6 a			
	b) The weight of recycled material is 36.6 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65F5, 61E3, 65F6		Lonovo
Issue date *	2019/07/15		Lei Iovo,

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)						
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of the biobased plastic material is 0 g.								
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries Battery chemical composition:								
P8.1*		•							
P9		tion (See NOTE B8)	s or energy consumption	ana ara rapartad:					
Energy mo	do *	Power level at	Power level at	Power level at	Reference/Standard for energy				
Ellergy Illo	ue	100 V AC	115 V AC	230 V AC	modes and test method *				
ENERGY S (System Id	STAR® On Mode* le)	15.77	15.53	15.7	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
ENERGY S Sleep Mod	STAR® Low Power e*	0.19	0.19	0.19	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
ENERGY STAR® Off / Apparent Off Mode*		0.13	0.13	0.13	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
		T	T	T					
PTEC * Typical Ene	ergy Consumption	W	W	W					
ETEC * Annual Energy Consumption		42.29 kWh/year	41.66 kWh/year	42.11 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.6 + P _{sleep} x 0.1 + P _{idle} x 0.3)				
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	otocol) * :					
Display res	solution* : 1920*10	80 megapixels			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
Default tim	e to enter energy sa	ave mode: 15 minutes			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
P9.2*	Information about	the energy save function	on is provided with the	product.					
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Product category: Display .								
P10	Emissions								
			ISO 9296 (See NOTE						
P10.1		Mode description		Statistical upper limi	t A-weighted sound power level, L _{WA,c} (B)				
		HDD: Idle		*					
		HDD: Operating		*					
		Declared A-weighted soun	<i>p</i> Am		sition desktop – idle)				
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	(operator po	sition desktop – operating)				
	Measured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74)								
	Other (only if not covered by ECMA-14)								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	mber *	65F5, 61E3, 65I	- 6				Logo				
Issue date	Issue date * 2019/07/15						Leno	VO	тм		
Product	environr	nental attribute	es - Market requirer	ments (cor	ntinued)				Require	ment	met
Item									Yes	No	n.a.
	Electron	nagnetic emissi	ons								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):								\boxtimes		
P12		nics for comput	ing products								
P12.1*	The disp	lay meets the ero	onomic requirements of	of ISO 9241-	307 for visual displa	v technolo	gies			$\overline{}$	$\overline{}$
P12.2*			meets the requirement			-	9100.			∺	
P13		ng and docume	•			<u> </u>					
P13.1*	Product Product Product	packaging materi	al type(s): Carton Box al type(s): Cusion al type(s): Bag	weight (kg weight (kg weight (kg weight (kg	g): 0.4 g): 0.04						
P13.2*	Product	plastic primary pa	ckaging is free from P	VC.					\boxtimes		
P13.3*		luct primary correr er recovered fiber	ugated fiberboard pac content: 80%	kaging, spe	cify the contained p	ercentage	of minimu	m pos	st-		
P13.4*	Specify I		d product documentation Other	on (tick box):							
P13.5	Ùser and		s item if paper docume entation on paper media								
	Element	hlorine-free al chlorine-free ed chlorine-free									
P14	Volunta	ry programs									
P14.1	ENERG' Eco-labe Eco-labe	Y STAR® el: el:	quirements of the follow Criteria version: 8. Criteria version: Criteria version:		y program(s): Date: 2019/07/02 Date: Date:	Product of	category: L category: category:	CD Mo	onitor		
P15	Addition	nal information (See NOTE B10)								
P9	Energy	consumption of	specific configuration	n may vary;	description of the	tested pro	oduct conf	igurat	ion:		
	informati knowled	on contained in the ge available at the here is approxim	o representations, guar- nis document. All inform e time of completion, a late and provided for in	nation provice nd supplier s	led by supplier in thi shall have no obligat	s documer ion to upda	nt is provide ate such inf	ed base ormati	ed on supp on. The inf	olier's formati	ion

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays

P9

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1