



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Display				
Commercial name *	D19-10/C19-10				
Model number *	61E0/66A0				
Issue date *	2019/07/05				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

+wodei n		Error! Reference source not found. 61EU/66AU	Logo	Lend	WC	
Issue date	e *	2019/07/05		Leik		тм
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*				(
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/about/sustainability					
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	al		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				X
P3	Conforn	nity verification& Eco design (ErP)				
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is;	-declaration			
P5	Product	packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	, cadmium a	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the material	(s) 🔀		
P5.3*	* The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference).		ol 🔀			
P6		nt: Legal reference has no maximum concentration values. nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Error! Reference source not found.61E0/66A0	Logo	Lonovo
Issue date *	2019/07/05		LEI IOVO.

	environmental attributes - Market requirements (See General NOTE GN below)							
	nvironmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable			П				
P7.2*	Plastic materials in covers/housing have no surface coating.		∺	Ħ				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	Ħ				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		+	Ħ				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	\pm				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels/ carton labels).		+	\vdash				
17.0	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\square				
P7.8*	Upgrading can be done using commonly available tools	- =	H					
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years			+				
17.10	Material and substance requirements							
P7.11*	Product cover/housing material type(e.g. plastics, metal, aluminum):							
	Material type: ABS Material type: STEEL Material type: PC							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		X					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%							
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			_				
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	3						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n	\boxtimes					
	as defined in IEC61249-2-21. (See NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:							
P7.17	Marking: <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
1 7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin, CAS #:							
	68928-70-1							
	Alt. 2:Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g			\square				
	according ISO 1043-4:		ш					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n						
	concentrations above 0,1%:			\boxtimes				
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "							
	3. Chemical name: , CAS #: "							
	Alt. 2:Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	-#	₩					
1 7.10	assigned the following Risk phrases; and Hazard statements:	ш	ш					
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):							
			ш					
	If YES; at least one of the two alternatives below shall be answered;							
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 83.64 %. 	1						
	or							
<u> </u>	b) The weight of recycled plastic material is 542.05 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61E0/66A0	Logo	Lonovo
Issue date *	2019/07/05		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements (co	ontinued)						
P7.21*		naterial content is used in		ee NOTEB7):				\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material content (calculated as a percentage of total plastic by weight) is great and the plant of the biobased plastic material content (calculated as a percentage of total plastic by weight) is great and the plant of the biobased plastic material content (calculated as a percentage of total plastic by weight) is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the biobased plastic material is great and the plant of the plan								
P7.22*	b) The weight of the biobased plastic material is g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
F1.22	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg								
P8	Batteries								
P8.1*	Battery chemical c	y chemical composition:							
P9		tion (See NOTEB8)							
P9.1		e following power levels of	or energy consu	mptions are rep	oorted:				
Energy mod	* et	Power level at 100 V AC	Power level at 115V AC	Power level a 230 V AC	energy m method *	nodes and test			
ENERGY S Mode*(Sys		9.55W @ 50Hz 9.57W @ 60Hz	10.02W	9.93W		STAR® Program nts for Computer /er. 7.1			
	ENERGY STAR® Low Power Sleep Mode* 0.11W@ 50Hz 0.15W 0.15W 0.17W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1								
ENERGY S Apparent C	STAR® Off / off Mode*	0.09W @ 50Hz 0.09W @ 60Hz	0.10W	0.12W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1				
		<u> </u>	1						
PTEC * Typical Ene	ergy Consumption	3.41W @ 50Hz 3.42W @ 60Hz	3.61W	3.58W	$P_{TEC} = P_{on}$ 0.65	x 0.35 + P _{sleep} x		Ш	
	ergy Consumption	29.9Wh/year @ 50Hz 30.0Wh/year @ 60Hz	31.6Wh/year	31.4Wh/year	P _{sleep} x 0.6	6 x (P _{on} x 0.35 + 5)			
External Po	wer Supply Efficien	ncy Level (International E	fficiency Markin	g Protocol) * :	VI				
Display res	olution* : 1.05 meg	japixels				ENERGY STAR® P Requirements for Co Monitors: Ver. 7.1	omputer		
	e to enter energy sa	ave mode: 60 seconds				ENERGY STAR® P Requirements for Co Monitors: Ver. 7.1	0		
P9.2*	Information about the energy save function is provided with the product.								
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.1 Product category: Display								
P10	Emissions								
D10.1		- Declared according to IS	50 9296 (See N		al unnau li!	A unsighted against as		1 /	(D)
P10.1	ModeMode descriptionStatistical upper limit A-weighted sound power level, $L_{WA,c}(E)$ IdleN/AN/A			(B)					
	Operation N	N/A		N/A					\boxtimes
	Other mode N	N/A		N/A					
		N/A		N/A					
	Measured according	ng to: 🛛 ISO 7779 🔲 E0	CMA-74						
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	61E0/66A0	Logo	Lonovo
Issue date *	2019/07/05		LEI IOVO

Product e	environmental attributes - Market requirements (continued)	Require	ment	met
Item	·	Yes	No	n.a.
	Electromagnetic emissions			
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO8.0, JEITA, MPRII, IAO 9241 307,			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Carton Product packaging material type(s): Cushion Product packaging material type(s): EPE Bag weight (kg): 0.479 weight (kg): 0.115 weight (kg): 0.015			
P13.2*	Product plastic primary packaging is free from PVC.	\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %	•		
P13.4*	Specify media for user and product documentation (tick box): ☐ Electronic, ☐ Paper, Other			
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:			
	Totally chlorine-free	\boxtimes		
	Elemental chlorine-free			
	Processed chlorine-free			
P14	Voluntary programs			
P14.1	The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 7.1 Date: 2019-6-12 Product category: D Low Blue Light Criteria version: / Date: 2019-6-27 Product category: D TCO Certified Edge Criteria version: 2.0 Date: 2019-7-2 Product category: D Displays	isplay		
	TCO Certified Displays Criteria version: 8.0 Date: 2019-6-28 Product category: D	isplay		
P15				
P9	Energy consumption of specific configuration may vary; description of the tested product configuration	n:		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, information contained in this document. All information provided by supplier in this document is provided based knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation.	d on supp n. The inf	lier's ormat	ion
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays			

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1