



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		ODOVO
e-mail address	Alvin L Carter		Lenovo
	<u>alcarter@lenovo.com</u>		
Internet site *	https://www.lenovo.com/us/en/about/sustainability		
Additional information	The latest version of this document can be found at:		
	https://www.lenovo.com/us/en/compliance/eco-declaration		

	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo Yoga C740-14
Model number *	81TC
Issue date *	2019-8-19
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81TC Logo	Lon		
Issue dat	te *	2019-8-19	Lend		D _{TM}
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item		·	Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), comofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated // (PCT) in preparations (see legal reference).			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legale)	I 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conforr	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	d 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).	s) 🔀		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		ent information			
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81TC	Logo	Lanova
Issue date *	2019-8-19		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	_ <u></u> _
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			\blacksquare
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: >PC< Material type: >PC+ABS<			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌	\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resins , CAS #: 26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations is concentrations above 0.1%: 1.Chemical name: <i>Oligomeric phosphorous compound</i> , CAS #: <i>CONFIDENTIA</i> Alt. 2	n 🔀		
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes	П	П
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of recycled material is q.	_		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81TC	Logo	Lonovo
Issue date *	2019-8-19		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(acation ad)			
P7.21*			d in the product (See NO	OTE B7\·		_
1 7.21	biobased plastic in	naterial content is used	in the product (See No	JIL 01).		
			es below shall be answe			
			the biobased plastic ma	aterial content (calcula	ted as a percentage of	
	•	y weight) is 0 %.				
	or b) The weight o	f the biobased plastic r	material is g.			
P7.22*			less than 0,1 mg/lamp.		\boxtimes \square \square	
		specify: Number of lar		um mercury content pe		
P8	Batteries					
P8.1*	Battery chemical of	composition: LI-ION	1			
P9	Energy consump	tion (See NOTE B8)				
P9.1	For the product the	e following power level	s or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	v 1					
Categor	<u>y </u>					
Short Idle	State - WOL	4.14 W	4.07 W	4.09 W	Use for ENERGY STAR V7.1	
Enabled					registration (P _{idle})	
Long Idle	State - WOL	0.58 W	0.59 W	4.09 W	Use for ENERGY STAR V7.1	
Enabled	Otate - WOL	0.00 **	0.00 **	4.00 VV	registration (P _{idle})	
					region aren (riane)	
Sleep (S3)	- WOL Enabled	0.58 W	0.59 W	0.60 W	Use for ENERGY STAR V7.1	
,					registration(P _{sleep})	
Sloop (S2)	- WOL Disabled	0.58 W	0.59 W	0.60 W	Reference	
Sieep (33)	- WOL Disabled	0.36 VV	U.39 VV	0.00 VV	Reference	
Off (S5) - 1	NOL Enabled	0.24 W	0.24 W	0.27 W	Use for ENERGY STAR V7.1	
					registration(P _{off})	
Off (S5) - 1	NOL Disabled	0.24 W	0.24 W	0.27 W	Use for ErP	
EPS No-loa		0.050 W	0.067 W	0.055 W		
(External power s wall outlet but dis	supply / charger plugged in the connected from the product.)					
ETEC *		13.69 kWh/year	13.57 kWh/year	13.71 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+	
		D 00014 ((05) 14(0.5.44.5	M 1 (00) 14(0) 5 11	Pshort_Idle x 0.30)	
Futor: -! D	Ower Complete Cff:				ed; P _{idle} : Idle State - WOL Enabled	_
		•	l Efficiency Marking Pro	nocol) " : VI		
	solution * : 1920*10					
Default tim		ave mode: 10 minutes				
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				X
P10	Emissions					
		- Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode	Mode description	,	Statistical upper limi	it A-weighted sound power level, LwA,c (B)
	Idle *	SSD:Idle		* 2.2		
]	Operation *	SSD: Operating		* 3.4		一
			d pressure level (dB) $L_{p{\sf Am}}$		tion desktop – idle)	
			d pressure level (dB) $L_{p{ m Am}}$		· · · · ·	
	Other mode		u pressure level (ub) L_{pAm}	24.9 (operator posit	tion desktop – operating)	
	Measured accordi	ng to: 🔀 ISO 7779 🛚	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

woder nun		8110			Logo	Lano	VO	
Issue date	*	2019-8-19				Leno	VO.	4
Product 6	environn	nental attributes	- Market requirements (c	ontinued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissions	5					
P10.4		er display meets the (s): MPR-II(3 pin AC	requirement for low frequency adapter only)	v electromagnetic fields	of the following voluntary			
P12		nics for computing						
P12.1*	The disp	lay meets the ergone	omic requirements of ISO 924	1-307 for visual displa	y technologies.			
P12.2*	The phys	sical input device me	ets the requirements of ISO 9	9995 and ISO 9241-410).			
P13		ng and documenta						
P13.1*	Product Product Product	packaging material t packaging material t	ype(s): paper(manual) ype(s): corner paper weight ype(s): EPE weight	(kg): 0.273 weight (kg): 0.021 (kg): 0.035 (kg): 0.040				
P13.2*	Product	plastic primary packa	aging is free from PVC.					
P13.3*	For prod	luct primary corruga er recovered fiber co	nted fiberboard packaging, sp ntent: 100 %	pecify the contained p	ercentage of minimum po	st-		
P13.4*		media for user and p ic ⊠, Paper ⊠, Ot	roduct documentation (tick bo	x):				
P13.5	Ùser and		em if paper documentation us ution on paper media is chlorir					
	•	hlorine-free al chlorine-free						
	Processe	ed chlorine-free						
P14	Voluntai	ry programs						
P14.1	The prod	duct meets the requir	rements of the following volun	tary program(s):				
		Y STAR® el: EPEAT	Criteria version: 7.1 Criteria version:	Date: 2019/06/27 Date:	Product category: 1 Product category:			
	Eco-labe	el:	Criteria version:	Date:	Product category:			
P15	Addition	nal information (See	e NOTE B10)					
P9			ecific configuration may vai					
	informati knowledg provided informati	on contained in this ge available at the til here is approximate on.	presentations, guarantees, as document. All information pro me of completion, and supplie and provided for information	vided by supplier in this or shall have no obligati al purposes only. See a	s document is provided bas on to update such informat a Lenovo Account Represe	ed on supp ion. The inf	lier's ormati	on
P9			otebooks & Tablet Computers dex.cfm?fuseaction=find_a_p					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga C740-14	Logo	
Model number *	81TC		Lonovo
Issue date *	2019-8-19		Lenovo.
Additional information			

(d)	Year of manufacture:				2019	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
·)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	16	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(,	
ents sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
adjustm ring tee	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
сара	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.20				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);	<u> </u>	<u> </u>	<u>I</u>	A : 3.43	
h)	Sleep mode power demand (Watts);				A : 0.69	
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A : 0.69	
j)	Off mode power demand (Watts);				A : 0.30	
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : 0.30	
I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ige S			
m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 88.62%					
o)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES					
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) – ir	nternal PSU efficiency:	<u> </u>	

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU ef EPA "Test Method for calculating the Energy Eifficiency of Single-Voltage External AC-DC a AC Power Suppler" dated August 11,2014		e-Voltage External AC-DC and AC-		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles bat IEC61916 measurement methodology			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: **IEC62321/IEC EN50564:2011 measurement methodology**			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: IEC62321/IEC EN50564:2011 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: *refer to power management, 30mins automatically reaches sleep mode*			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u)				NA
(v)				10
(w)				
(x)	User information on how to enable the power management functionality: *refer to user manual*			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301				
Additional Notebook Battery Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
-				

т)
The battery[ies] in this product cannot be easily replaced by users themselves.
Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.