



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	1 . <u> </u>
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	IdeaPad 3 17ADA6
Model number *	82KS
Issue date *	2021-05-08
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nur	mber *	82KS	Logo	Lend	240	
Issue date	) *	2021-05-08		Len		ТН
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$	$\overline{}$	
1 1.0	hydrobro trichloroe concentr	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m eation values.	aximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	X		
	https://v	vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			_	_
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	$\boxtimes$		
P2.2*		Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium (Coo logo	N [7]		$\overline{}$
	referenc	e)	ilum. (See lega		Ш	
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*	The D	www.lenovo.com/us/en/compliance/eu-doc for EU and	gal reference). mail address	s):		
	https://v	vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		$\boxtimes$		
		al reference).				-
	Required	d information is; Signature in item P15 or added to this document,			Ш	ш
	https://w	☑ available at (add URL): vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature on the legal reference).	· ·			
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Protoc	ol 🔀		
		nt: Legal reference has no maximum concentration values.				
P6 1*		nt information				
P6.1*	miormati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		Ш

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82KS	Logo	Len		
Issue dat	:e *	2021-05-08		Leii		TH.
Product	environ	mental attributes - Market requirements (See General NOTE GN b	pelow)			
		onmental conscious design	,	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling at have to be treated separately are easily separable			$\overline{}$	
P7.2*		naterials in covers/housing have no surface coating.			$\square$	H
P7.3*		arts > 100 g consist of one material or of easily separable materials.			-	#
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			∺	+
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools		H	$\vdash$
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	H
	Product	11.5				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
D= 44#		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <b>PC+ABS</b> Material type: <b>Steel</b>				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	retardants, an	d 💆		
P7.15		circuit boards, PCBs (without components) are low halogen: all  PCBs > 25 g  de in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c	. ,			
	TBBPA <b>26265-0</b>	(additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy</b>	Resins, CAS #	#:		
	Alt. 2: Ch	o-7 nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substances.	/preparations i	in 🗆		
	1. Chem 2. Chem	ent: No legal limits exist, this is a market requirement.  ical name: CAS #: ical name: CAS #: ical name: CAS #:				
	Chemica FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411;H413 rec(s) for these classifications is/are found at (add URL(s)): European Counc				
	67/548/E		on Directive			
P7.20*	Postcons If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%.  The weight of recycled material is g.	(calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82KS	Logo	Lanova
Issue date *	2021-05-08		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

	Material and subs	tance requirements	(continued)			
P7.21*			I in the product (See N	OTE B7):		П
	a) Of total plastic by total plastic by	c parts' weight > 25 g,	or .	ered; aterial content (calcula	ted as a percentage of	
P7.22*			less than 0,1 mg/lamp.	_	$\square$	$\overline{\Box}$
		specify: Number of lan		um mercury content pe	er lamp: mg	ш
P8	Batteries		•	,		
P8.1*	Battery chemical c	omposition: LI-ION Po	lymer battery and lith	hium-metal battery		
P9	Energy consumpt	tion (See NOTE B8)				
P9.1			s or energy consumption	ons are reported:		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	6.32 W	6.51 W	6.65 W	Energy Star Computers V8.0	
Long Idle Enabled	State - WOL	4.34 W	4.42 W	4.54 W	Energy Star Computers V8.0	
Sleep (S3) Disabled	- WOL Enabled /	0.36W	0.38W	0.40W	Energy Star Computers V8.0	
Off (S5) - V Disabled	WOL Enabled /	0.30 W	0.32 W	0.33 W	Energy Star Computers V8.0, use for ErP	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	7.29 W	7.33 W	7.50 W	Energy Star Computers V8.0	
Long Idle Enabled	State - WOL	4.76 W	4.89 W	5.01 W	Energy Star Computers V8.0	
Sleep (S3) Disabled	- WOL Enabled /	0.48W	0.49W	0.51W	Energy Star Computers V8.0	
Off (S5) - V Disabled	WOL Enabled /	0.32 W	0.32 W	0.34 W	Energy Star Computers V8.0, Use for ErP	
EPS No-loa (External power s wall outlet but dis	ad supply / charger plugged in the connected from the product.)	0.105 W	0.11 W	0.11 W		
PTEC * Typical Ene	ergy Consumption	W	W	W		
ETEC * Annual Ene	ergy Consumption	25.50 kWh/year (1) 22.17 kWh/year (2)	25.75 kWh/year (1) 22.85 kWh/year (2)	26.40 kWh/year (1) 23.40 kWh/year (2)	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short_ldle</sub> x 0.30)	
					d; P <sub>idle</sub> : Idle State - WOL Enabled	
			Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : <b>2.07</b> mega	apixels				
Default tim	e to enter energy sa	ve mode: 10 minutes				
P9.2*	Information about t	he energy save function	on is provided with the	product.	<u> </u>	$\overline{\sqcap}$
P9.3	Energy efficiency of	class (monitors only):				
					1	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions				
	Noise emission	n – Declared according to ISO 9296 (See NOTE I	39)		
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle	* Idle (Operating)	* 2.6		
	Operation	* HDD:Operation CPU:Operation	* 2.6 4.3		
1		CPU:Operation			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	17.3 (operator position desktop – idle)		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	36.4 (operator position desktop – operating)		
	Measured acco	ording to: SO 7779 ECMA-74			
		Other (only if not covered by E	ECMA-74)		

Model num	ber *	82KS				Logo	Long	V/0	
Issue date	*	2021-05-08					Leno	VO.	e <sup>3</sup>
Product e	nvironn	nental attributes	- Market requiremen	nts (continued)	)		Require	ment	met
Item							Yes	No	n.a.
		nagnetic emission							
	program(	(s): MPR-II(3 pin A		quency electroma	gnetic fields of the fol	lowing volunta	ry 🔀		
P12		mics for computing							
P12.1*			nomic requirements of IS			gies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements o	f ISO 9995 and IS	SO 9241-410.		$\boxtimes$		
P13		ng and documenta							
P13.1*	Product p		type(s): <b>paper(manual)</b> type(s): <b>corner paper</b> v						
P13.2*	Product	plastic primary pack	aging is free from PVC.				$\square$		
P13.3*		luct primary corruger recovered fiber co	ated fiberboard packag ontent: 100 %	ing, specify the o	contained percentage	of minimum	post-		
P13.4*			product documentation (	(tick box):					П
	Electroni	ic 🔀, Paper 🔀, C	ther						_
P13.5	<b>User</b> and		em if paper documentat ation on paper media is						
	Totally cl	hlorine-free							
	Elementa	al chlorine-free					$\overline{\boxtimes}$		
	Processe	ed chlorine-free							
P14	Voluntar	ry programs							
P14.1	The prod	luct meets the requ	irements of the following	y voluntary progra	m(s):				
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se							
P9			pecific configuration m						
	informati knowledg	on contained in this ge available at the t here is approximat	epresentations, guarante document. All informati ime of completion, and s e and provided for inforr	on provided by su supplier shall have	upplier in this documer e no obligation to upda	nt is provided l ate such inforn	based on supposed in the interest of the contraction of the contractio	plier's formati	ion
P9			lotebooks & Tablet Com /www.energystar.gov/pr						
	_								
·		·		·	·	·			· <u>-</u>

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 17ADA6	Logo	
Model number *	82KS		Lenovo
Issue date *	2021-05-08		reliovo.
Additional information			

d)	Year of manufacture:				2021
е)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
·)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	, ,		3
capability adjustments applied during testing	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.40			
Test re	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	•		*	5.01
ו)	Sleep mode power demand (Watts);				0.51
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.51
)	Off mode power demand (Watts);				0.34
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.34
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	70% 90.88%			
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that	the batteries can withst	and (applies only to r	notebook computers):	300CYCLES
o-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) – i	nternal PSU efficiency:	:
p-2)	Measurement methodology used to dete	ermine information men		external PSU efficiend	cy:

(p-3)	o-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
EN 62623:2013 measurement methodology					
(q)	q) Sequence of steps for achieving a stable condition with respect to power demand::				
EN 62623:2013 measurement methodology					
(r)	Description of how sleep and/or off mode was selected or programmed:				
By selecting sleep and/or off mode thru Windows operating system					
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode				
(t)	(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes)			30	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)		re the display sleep mode is set to activate after		10	
(w)					
User information described in User Guide and Power Manager under IdeaPad 3 17ADA6 menu in all programs					
(x)	User information on how to enable the power management functionality:				
User information described in User Guide and Power Manager under IdeaPad 3 17ADA6 menu in all programs					
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
230V, 50GHz, Total Harmonic Distortion <2 %					
Additional Notebook Battery Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
<u> </u>					
<i>)</i> 'he hatterylies	I in this product connet be a	asily replaced by users themselves			

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.