



ECMA/TC38-TG3/2015/026 (Rev. 1 – 27 Feb 2019)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LETIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook computer			
Commercial name *	Ideapad 3 Chrome 14M836			
Model number *	82KN			
Issue date *	2021/3/15			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### **About Annex B2**

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	OZICIY		Lend	21/6	
Issue date *	2021/3/15		LEIK		тн
Product enviror	mental attributes - Legal requirements		Require	ment	met
Item			Yes	No	n.a.
	ous substances and preparations				
P1.1* Produc	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$		
Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
hydrobi trichlord concen					
	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	lorinated			
P1.5* Produc	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
(see leg	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2 Batteri	es e				
	oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	$\boxtimes$		
	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	ıl 🔀		
	s and accumulators are readily removable. (See legal reference)		$\square$	$\overline{}$	
	mity verification & Eco design (ErP)				
P3.1* The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): claration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2* The pro	duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	d information is; Siven in item P15 or added to this document, Savailable at (add URL):				
	www.lenovo.com/us/en/compliance/eco-declaration				
P5 Produc	t packaging				
hexava	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.		_		
	kaging materials are marked with abbreviations and numbers indicating the nature see legal reference).	of the material(	s) 🔀		
P5.3* The pro	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In telegal reference has no maximum concentration values.	Montreal Protoc	ol 🔀		
	ent information				_
	ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82KN	Logo	Lanova
Issue date *	2021/3/15		LEI IOVO.

Product env	ironmental attributes - Market requirements (See General NOTE GN below)			
- En	vironmental conscious design Requir	ement	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$	<u>Ц</u>	
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		$\boxtimes$	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+ABS Material type: Aluminum			
P7.12	Insulation materials of external electrical cables are PVC free.			Щ.
P7.13	Insulation materials of internal electrical cables are PVC free.	_ <u> </u>		_ <u>_</u> _
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	$\boxtimes$	Ш	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-TD15FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐ Other:, CAS #:	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR(16)	$\boxtimes$		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:	$\boxtimes$		
	1. Chemical name: BDP, CAS #: 181028-79-5 (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	$\bowtie$		
	,	_		
D7.10	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)		<u>Ц</u>	Щ.
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: <b>H411</b>		Ш	
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
	67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0.3%.			
	or b) The weight of recycled material is 1.8 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	82KN 2021/3/15	Logo	Len	ovc	) <sub>IM</sub>
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

11

2						
		stance requirements				
P7.21*	Biobased plastic m	naterial content is use	d in the product (See N	NOTE B7):		
	If YES: at least one	e of the two alternative	es below shall be ansv	vered:		
					ated as a percentage of	
	total plastic by	y weight) is %.				
	or					
D7 00*		the biobased plastic		_		_
P7.22*		ree from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp	o. num mercury content p	or lamp: ma	Ш
P8	Batteries	specify. Number of la	ilips. aliu iliaxii	num mercury content p	er lamp: mg	
P8.1*		omposition: Lithium i	ion			$\overline{}$
P9		tion (See NOTE B8)	<del></del>			
P9.1			ls or energy consumpt	ions are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
",		100 V AC	115 V AC	230 V AC	modes and test method *	ш
Peak (On-	·max)	45 W	45 W	45 W	Full load	
Cotogo	n. 1					
Categor	<u>y 1</u>					
Short Idle	State - WOL	3.50W	3.51W	3.63W	Use for ENERGY STAR V8.0	
Enabled					registration (P <sub>idle</sub> )	
Long Idlo	State - WOL	1.04W	1.07W	1.10W	Use for ENERGY STAR V8.0	
Enabled	State - WOL	7.04	7.07 VV	1.10	registration (P <sub>idle</sub> )	
					Toground to Truley	
Sleep (S3	) - WOL Disabled	0.37W	<b>0.40</b> W	0.41 W	Use for ENERGY STAR V8.0	
					registration	
Off (\$5) -	WOL Disabled	<b>0.26</b> W	0.26 W	0.29 W	Use for ErP	
, ,					030 107 211	
EPS No-lo		0.062 W	0.065 W	<b>0.134</b> W		
(External power wall outlet but di	supply / charger plugged in the sconnected from the product.)					
PTEC *		W	W	W		$\boxtimes$
	ergy Consumption					
ETEC *		11.81 kWh/year	11.96 kWh/year	12.40 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual En	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30)	
ł		Poff: Off Mode(S5) - W	OL Enabled: Paleon: Slee	n Mode(S3) - WOL Enabl	led; P <sub>idle</sub> : Idle State - WOL Enabled	
External P	ower Supply Efficien		I Efficiency Marking P			
	solution * : 1920*108	• •	,	,		$\dashv$
		ve mode: 30 minutes				$\overline{\Box}$
P9.2* Information about the energy save function is provided with the product.						$\overline{\Box}$
P9.3		class (monitors only):	io promatoa martino	- F. 2000		X
. 0.0	Energy emolericy c	nace (morniors only).				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOT	E B9)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* System Idle	* NA
	Operation	* CPU;Operation	* NA
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	NA (operator position desktop – idle)
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	NA (operator position desktop – operating)
	Measured acco	ording to: ISO 7779 ECMA-74	
		Other (only if not covered by	by ECMA-74)

Model number *	82KN	Logo	Lanova
Issue date *	2021/3/15		Lei Iovo.

Droduct	anvironmental attributor	s - Market requirements (	continued)		Require	mont	mot
Item	environmental attributes	s - Market requirements (	continueu)		Yes	No	n.a.
Item	Electromagnetic emission	20			103	110	11.4.
P10.4		e requirement for low frequen	cy electromagnetic fields	s of the following voluntary			
P12	Ergonomics for computing						
P12.1*		nomic requirements of ISO 92	241-307 for visual displa	y technologies.	$\square$	П	
P12.2*	The physical input device n	neets the requirements of ISO	9995 and ISO 9241-41	0.		Ħ	Ħ
P13	Packaging and document	tation					
P13.1*		I type(s): Corrugated Carton I type(s): Polyethylene Cush I type(s): Others weigh	ions weight (k	7kg g): 0.16kg			
P13.2*	Product plastic primary pac	kaging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrug	gated fiberboard packaging, content: <b>70</b> %	specify the contained p	percentage of minimum pos	st-		
P13.4*	Specify media for user and Electronic, Paper,	product documentation (tick b Other	oox):				
P13.5		item if paper documentation u tation on paper media is chlor					
	Totally chlorine-free Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the requ	uirements of the following volu	ntary program(s):				
	ENERGY STAR® Eco-label: Eco-label:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2021/01/27</b> Date: Date:	Product category: <i>II</i> Product category: Product category:			
P15	Additional information (S	•					
P9		pecific configuration may v					
	information contained in thi knowledge available at the	representations, guarantees, as document. All information pritime of completion, and supplite and provided for information	ovided by supplier in thi ier shall have no obligat	s document is provided bas ion to update such informati	ed on suppi ion. The inf	olier's formati	on
P9		Notebooks & Tablet Computer index.cfm?fuseaction=find_a_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Ideapad 3 Chrome 14M836	Logo	
Model Number	82KN		Lenovo
Issue Date	2021/3/15		Lenovo.
Additional information		•	

d)	Year of manufacture:				2020		
:)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	4GB					
	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
Test results	Category of discrete graphics Card(s)	NA					
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.21					
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
)	Idle state power demand (Watts);	•	<b>'</b>	1	2.54		
)	Sleep mode power demand (Watts);				0.83		
	Sleep mode with WOL enabled power de	NA					
	Off mode power demand (Watts);						
)	Off mode with WOL enabled power demand (Watts) (where enabled);						
	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50%	100% Avera	age				
1)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 45W:85.71%	,88.35%,87.80%,88.70	0%				
)	*internal note: show values for all available external power supplies  Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):						
,					300 cycles		
-1)	Measurement methodology used to dete	:					

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)									
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:   ≥70% of Cmin								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	IEC 62623								
(q)	Sequence of steps for achieving a stable condition with respect to power demand::								
Power on -> Wait 5 minutes -> Stable condition									
(r)	r) Description of how sleep and/or off mode was selected or programmed:								
		Begin menu -> Power -> Select sleep or o	off mode						
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: <i>NA</i>								
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  10min								
(w)	Information on the energy-saving potential of power management functionality: Refer to User Guide								
(x)	User information on how to enable the power management functionality: Refer to User Guide								
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301									
Additional Notebook Battery Information:									
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/built-in Battery		$\boxtimes$							
External/detachable Battery									
Bios Backup Battery									
Other:									
Additiona	l information								
)									

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.