



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo	1 . <u> </u>		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	IdeaPad 5 Chrome 14ITL6; Lenovo Slim 5 Chromebook			
Model number *	82M8; 82R2			
Issue date *	2021-5-17			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82M8; 82R2	Logo	Long	N/6	
Issue date	e *	2021-5-17		Lenc	JVC	тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.				
P1.4*	Products					
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega	ı 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		X	П	
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). mail address	s):		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is;				
P5		packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature (see legal reference).	of the material(	s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In teference). In the Legal reference has no maximum concentration values.	/lontreal Protoc	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82M8; 82R2	Logo	Lon	27/0	
Issue da	te *	2021-5-17		Len		TH.
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b>		Disassembly, recycling at have to be treated separately are easily separable		<u> </u>		
P7.2*		naterials in covers/housing have no surface coating.				+
P7.3*		arts > 100 g consist of one material or of easily separable materials.				<del>  </del>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<del>  </del>	<del>  </del>
	-	arts are free from metal inlays or have inlays that can be removed with commonly			<u> </u>	<u> </u>
P7.5 P7.6*			<u> </u>	<u>Н</u>		
P7.0	Labels a					
P7.7*	Product	ng can be done e.g. with processor, memory, cards or drives		<u> </u>		
P7.8*		ng can be done using commonly available tools			+	+
P7.0		<u> </u>			Ш	<u> </u>
		arts are available after end of production for: 5 years				<u> </u>
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
- 7.11		type: <i>PC+ABS</i> Material type:				
P7.12		n materials of external electrical cables are PVC free.			X	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ħ
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0.19	% 🔀		$\overline{H}$
	weight (	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam	e retardants, an	ıd 🔼	ш	
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containin	g		
P7.15		In 25% post-consumer recycled content.	7 1 1			
	as define	circuit boards, PCBs (without components) are low halogen: all ∐ PCBs > 25 g	_	n 🔲		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 3594	48-25- <b>5</b>			
	Alt. 2: Cl	nemical specifications of flame retardants in printed circuit boards (without compon	ents) > 25 g			
	accordin	g ISO 1043-4:				
D7.40	A 14 - 4					
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substance	s/nrenarations i	in 🖂		
		rations above 0.1%:	o, proparations i	"' 🔼	Ш	Ш
	Comm	ent: No legal limits exist, this is a market requirement.				
		ical name: halogen-free organic phosphorus compound CAS #: confidention	al			
		ical name: CAS #:				
		ical name: CAS #: ical name: CAS #:				
	Alt. 2	ical fiame. CAS #.				
	Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
DT 11				F-7		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; confidential and Hazard statements:confidential	h have been		Ш	Ш
		rce(s) for these classifications is/are found at (add URL(s)): , (See note	e B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	If YES; a	at least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	nt (calculated as			
	-	ercentage of total plastic by weight) is 3.22%.				
	or b) The	e weight of recycled material is <b>13.1</b> g.				
	,	<u> </u>				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	2021-5-17 nental attributes - Market requirements (continued)		Requirement met
Model number *	82M8; 82R2	Logo	Lenovo

M	Material and substance requirements (continued)						
			in the product (See NO	OTE B7):			
lf a)	) Of total plastic		s below shall be answe the biobased plastic m	ered; aterial content (calculate	ed as a percentage of		
oı b'	r ' '	the biobased plastic n	naterial is — a				
			less than 0,1 mg/lamp.				
		specify: Number of lan	nps: and maximi	um mercury content per			
	atteries						
		omposition: LI-ION Po	iymer				
	Energy consumption (See NOTE B8) For the product the following power levels or energy consumptions are reported:						
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-ma	x)	<b>45</b> W	<b>45</b> W	45 W	Full load		
Category 1	<u>l</u>						
Short Idle Sta Enabled	ate - WOL	3.67 W	3.66 W	3.76 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )		
Long Idle Sta Enabled	ate - WOL	1.41 W	1.41 W	1.46 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )		
Sleep (S3) - V	NOL Enabled	0.55 W	0.55 W	0.57 W	Use for ENERGY STAR V8.0 registration (P <sub>sleep</sub> )		
Off (S5) - WO	L Enabled	0.42 W	0.42 W	0.44 W	Use for ENERGY STAR V8.0 registration (P <sub>off</sub> ) Use for ErP		
Category 2	2				3 ( 30)		
Short Idle Sta Enabled	ate - WOL	3.95 W	4.03 W	4.05 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )		
Long Idle Sta Enabled	ate - WOL	1.26 W	1.27 W	1.36 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )		
Sleep (S3) - V	WOL Enabled	0.57 W	0.57 W	0.59 W	Use for ENERGY STAR V8.0 registration (P <sub>sleep</sub> )		
Off (S5) - WO	L Enabled	<b>0.41</b> W	<b>0.41</b> W	0.46 W	Use for ENERGY STAR V8.0 registration (Poff) Use for ErP		
EPS No-load (External power suppl wall outlet but disconn	ly / charger plugged in the lected from the product.)	<b>0.06</b> W	<b>0.06</b> W	0.06 W			
PTEC * Typical Energ	y Consumption	W	W	W			
ETEC * Annual Energ	y Consumption	Cat1: 13.49; Cat2: 14.13 kWh/year	Cat1: 13.46; Cat2: 14.35 kWh/year	Cat1: 13.87; Cat2: 14.65 kWh/year Mode(S3) - WOL Enabled	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short_ldle</sub> x 0.30)		
Poff: Off Mode(S5) - WOL Enabled; Psteep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI							
Display resolution *: 2.07 megapixels 1920*1080							
. ,		ve mode: 7.5 minutes					
			on is provided with the	product			
		lass (monitors only):	providod with the	p. 5440ti			
. J.J	5.5 Energy emolency class (monitors only).						

NOTE B8 A Guidance document on Energy Efficiency is available;

Item

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Yes

No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)
Ì	Idle	* SSD:Idle	* 2.2
ĺ	Operation	* SSD: Operating	* 2.4
1	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	18 (operator position desktop – operating)
	Measured acco	ording to: SO 7779 ECMA-74	
		Other (only if not covered by I	ECMA-74)

Model number *		82M8; 82R2				Logo	Long	1/0	
Issue date *		2021-5-17					Lenc	JVO,	*
Product er	vironm	nental attributes	- Market requirements (	continued)			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emission							
L F	orogram(	(s): MPR-II(3 pin A		y electromagnetic field	s of the foll	owing voluntary	у 🔀		
		nics for computing							
	-	•	omic requirements of ISO 92	•	-	gies.	$\boxtimes$		
P12.2* 1	The phys	sical input device m	eets the requirements of ISO	9995 and ISO 9241-41	0.		$\boxtimes$		
		ng and documenta							
F F F	Product p Product p Product p	packaging material packaging material packaging material packaging material	type(s): corrugated weight type(s): paper(manual) type(s): corner paper weight type(s): EPE weight	weight (kg): 0.05					
P13.2* F	Product p	olastic primary pack	aging is free from PVC.				$\boxtimes$		
		uct primary corrug	ated fiberboard packaging, s ontent: 100 %	specify the contained p	percentage	of minimum p	oost-		
			product documentation (tick b	ox):					
E	Electroni	c 🔀, Paper 🔀, O	ther						
ĺ	Jser and		em if paper documentation us ation on paper media is chlori						
٦	Γotally ch	nlorine-free					$\boxtimes$		
E	Elementa	al chlorine-free					$\overline{\boxtimes}$		
F	Processe	ed chlorine-free							
P14 \	/oluntar	y programs					_		
P14.1 7	The prod	uct meets the requi	rements of the following volu	ntary program(s):					
E E	Eco-labe Eco-labe	l:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2021/4/29</b> Date: Date:	Product of	category: <b>1,2</b> category: category:			
		al information (Se					_		
			ecific configuration may va						
k ii	nformation (nowledg	on contained in this ge available at the ti here is approximat	epresentations, guarantees, a document. All information pro- ime of completion, and suppli- e and provided for information	ovided by supplier in th er shall have no obligat	is documer tion to upda	nt is provided bate such inform	ased on suppation. The in	plier's format	ion
			otebooks & Tablet Computer dex.cfm?fuseaction=find_a_p			code=CO			
-				-					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 5 Chrome 14ITL6; Lenovo Slim 5 Chromebook	Logo	
Model number *	82M8; 82R2		Lonovo
Issue date *	2021-5-17		Lenovo.
Additional information			

d)	Year of manufacture:				2021		
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cenable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	4					
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.03					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
)	Idle state power demand (Watts);				A : 1.60		
)	Sleep mode power demand (Watts);				A : 0.59		
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:NA		
	Off mode power demand (Watts);				A : 0.44		
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : NA		
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
1)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 87,98%,88,6	3%,88,83%					
	*internal note: show values for all available external p	ower supplies					
)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300CYCLES		
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:		
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficience	cy:		

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology				
(p-4)	Measurement metho power as defined in I	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	EN 62623:2013 measurement methodology					
(r)	Description of how sleep and/or off mode was selected or programmed:					
		EN 62623:2013 measurement methodo	ology			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
	refe	er to power management, 30mins automatically re	eaches sleep mode			
(t)		te condition before the computer automatically research the applicable power demand requirement		8.5		
(u)	Length of time after	a period of user inactivity in which the compute	r automatically reaches a power	NA		
(v)		ver power demand requirement than sleep mode (in tre the display sleep mode is set to activate after		7.5		
(w)		nergy-saving potential of power management function		7.0		
		refer to user manual				
(x)	User information on	now to enable the power management functionality:				
		refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50GHz, Total Harmonic Distortion	1 <2 %			
Addition	al Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Bac	kup Battery					
Other:						
Additiona	I information			·		
				·		
)						
	1 the Alexander of Control of Control	and the control of th				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.