

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	nformation * Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	he latest version of this document can be found at: http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Flex 3 CB 11IJL6				
Model number *	82N3				
Issue date *	2021/4/8				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82N3 Logo	Lan		
Issue date *		2021/4/8	Lend	_enovo	
Produc	t environ	mental attributes - Legal requirements	Require		met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). Iaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Require	d information is; given in item P15 or added to this document,	\boxtimes		
	https://	vww.lenovo.com/us/en/compliance/eco-declaration			
P5		packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material e legal reference).	(s) 🔀		
P5.3*	The prod (see leg	Juct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		nt information			
		on for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82N3	Logo			
Issue dat	te *	2021/4/8		Len	ovc	тн.
Product	environ	mental attributes - Market requirements (See General NOTE GN	l below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
					<u> </u>	<u> </u>
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u>Ц</u>	Ц_
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly				Ц_
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels)	•	\square		
D7 7	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				<u> </u>
P7.8*		ng can be done using commonly available tools		\square		
P7.9		arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: PC+ABS+15%talc Material type: PC+ABS Mate n materials of external electrical cables are PVC free.	rial type:			
P7.12		n materials of external electrical cables are PVC free.				<u> </u>
			harmine and O		<u> </u>	<u> </u>
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flan chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine an 25% post-consumer recycled content.	me retardants, a	and 🚺		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g [ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	jen 🔀		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-	4:	\boxtimes		
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without PA (additive),TBBPA (reactive) (See NOTE B3), ⊠Other: <i>Phosphorus Mod</i>		\boxtimes		
	<u>Alt. 2: C</u> ł	CAS #: Confidential nemical specifications of flame retardants in printed circuit boards (without compo	onents) > 25 g			
P7.18	Alt. 1: Fl concentr 1.	g ISO 1043-4: ame retarded plastic parts > 25 g contain the following flame retardant substan rations above 0,1%: Chemical name: Confidential , CAS #: Confidential (See NOTE B4)	ces/preparations	; in		
	3. Chem	ical name: , CAS #: " ical name: , CAS #: "		_	_	_
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 10			<u> </u>	<u> </u>
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used whi the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>H411, F</i>	1413			
D7 00*			(See note B5)			
P7.20*	Posicons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a pe or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contr ercentage of total plastic by weight) is 2.44% . e weight of recycled material is 14.4 g.	ent (calculated a	S		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82N3	Logo	Lenovo
Issue date *	2021/4/8		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

	Material and s	ubstance requirements	s (continued)				
P7.21*		ic material content is use		OTE B7):			
	If YES: at least	If YES; at least one of the two alternatives below shall be answered;					
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
		ic by weight) is %.					
	or b) The weigh	nt of the biobased plastic	material is q.				
P7.22*		Light sources are free from mercury, i.e. less than 0,1 mg/lamp.					
	If mercury is us	ed specify: Number of la		um mercury content p			
P8	Batteries						
P8.1*	Battery chemical composition: <i>Li-ion</i>						
P9		mption (See NOTE B8)					
P9.1 Energy m		the following power level Power level at	Power level at	ons are reported: Power level at	Reference/Standard for energy		
		100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On	n-max)	65 W	65 W	65 W	Full load		
Catego	ry 1						
Short Idl	e State - WOL	2.88 W	3.30 W	2.87 W	Use for ENERGY STAR V8		
Enabled					registration (P _{idle})		
Long Idle Enabled	e State - WOL	1.30 W	1.30 W	1.32 W	Use for ENERGY STAR V8		
Enabled					registration (P _{idle})		
Sleep (S	3) - WOL Disable	d 0.33 W	0.32 W	0.29 W	Reference		
Off (S5) -	WOL Disabled	0.23 W	0.23 W	0.23 W	Use for ErP		
EPS No-I		0.062 W	0.062 W	0.062 W			
(External powe wall outlet but o	er supply / charger plugged in disconnected from the produce	the ct.)					
PTEC *		1.22 W	1.35 W	1.21 W			
Typical E	nergy Consumptio				F = (0760/4000) × (D × 0.05		
	nergy Consumptio	10.22 kWh/year	11.30 kWh/year	10.09 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25) + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + $		
					P _{short Idle} x 0.30)		
External [Power Supply Effi	ciency Level (Internation			led; Pidle: Idle State - WOL Enabled		
	esolution * : 1.049	,					
		.	_				
	0.	/ save mode: 8.5 minute		www.elu.et			
P9.2*		but the energy save func	tion is provided with the	product.			
P9.3		cy class (monitors only):					
P10	Emissions	n Declared coostring		(P0)			
P10.1	Mode	n – Declared according Mode description	10 130 9290 (See NOTE		hit A-weighted sound power level, L_{WAG} (B)		
	Idle	* HDD idle					
	Operation	* Operating (CPU)		* 2.5			
	Other mode	Declared A-weighted sound pressure level (dB) L _{pAn}			on desktop – idle)		
	Other mode		nd pressure level (dB) L_{pAm}		on desktop – operating)		
	Measured acco		ECMA-74		· · · ·		
		Other	(only if not covered by	ECMA-74)			
	•			· · · · · · · · · · · · · · · · · · ·			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	82N3			Logo			
lssue dat	te *	2021/4/8				Lenc	ovo	R
Product	environ	nental attribut	es - Market requirements (c	ontinued)		Require	ment	met
ltem						Yes	No	n.a.
		magnetic emiss						
P10.4	program	(s): MPR-II(3 pii	the requirement for low frequency AC adapter only)	y electromagnetic field	ls of the following volunt	tary 🔀		
P12		mics for compu						
P12.1*	•		gonomic requirements of ISO 924	•		\square		
P12.2*	The phy	sical input device	e meets the requirements of ISO §	9995 and ISO 9241-41	10.	\boxtimes		
P13		ing and docume						
P13.1*			ial type(s): Corrugated Fiberboa ial type(s): PE weight (kg): 0.075		(g): 0.322			
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\square		
P13.3*		duct primary cor er recovered fibe	rugated fiberboard packaging, s r content: 80 %	pecify the contained	percentage of minimun			
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (tick bo	ox):				
P13.5	Ùser an		is item if paper documentation us entation on paper media is chlorir					
	Element	hlorine-free al chlorine-free				\boxtimes		
		ed chlorine-free						
P14		ry programs						
P14.1	The pro	duct meets the re	equirements of the following volun	tary program(s):				
D46	Eco-labo Eco-labo Eco-labo	el:	Criteria version: <i>8.0</i> Criteria version: <i>Ver.13</i> Criteria version: Criteria version:	Date: 2021/4/26 Date: 2021/5/21 Date: Date:	Product category: 1 Product category: Product category: Product category:			
P15 P9			(See NOTE B10)					
<u>P9</u>	NOTE: S informat knowled	Supplier makes n ion contained in ge available at th I here is approxir	f specific configuration may val o representations, guarantees, as this document. All information pro the time of completion, and supplie nate and provided for information	ssurances or warrantie vided by supplier in th sr shall have no obliga	es whether express or ir is document is provided tion to update such info	nplied, regardir based on sup rmation. The in	plier's format	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Computers v/index.cfm?fuseaction=find_a_p					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Flex 3 CB 11IJL6	Logo		
Model Number	82N3		Lonovo	
Issue Date	2021/4/8		Lenovo	
Additional information				

(d)	Year of manufacture:				2021		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	4					
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap; app	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NA					
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.03					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);		I	ll.	1.20		
h)	Sleep mode power demand (Watts);				0.40		
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);				
j)	Off mode power demand (Watts);				0.29		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);				
I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 45W: 87,98%	6,88,63%,88,83%, 65W	V: 89,41%,88,62%,88,	.96%			
	*internal note: show values for all available external p	ower supplies					
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	otebook computers):	500 cycles		
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:		
(p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:		

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	blogy			
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 62623:2013 measurement methodo	blogy			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		EN 62623:2013 measurement methodo	blogy			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
	refe	r to power management, 8.5mins automatically r	eaches sleep mode			
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement	• •	7.5		
(u)	Length of time after	r a period of user inactivity in which the compute	r automatically reaches a power	NA		
(v)		ver power demand requirement than sleep mode (in the display sleep mode is set to activate after		8.5		
(w)	Information on the er	nergy-saving potential of power management functio	nality:			
		refer to user manual				
(x)	User information on	now to enable the power management functionality:				
		refer to user manual				
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the in				
	used for electrical te	sting: 230V, 50Hz, Total Harmonic Distortion	<2 %			
Addition	nal Notebook Batter		- //			
Additio	la Notebook Datter	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾				
Internal/	built-in Battery					
External	/detachable Battery					
Bios Bao	ckup Battery					
Other:						
Addition	al information					
) he battery[ies	s] in this product cannot be e	asily replaced by users themselves.				
кумулаторна	ата[ите] батерия[и] в този п	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.			
ýměnu bateri	ie/baterií v tomto výrobku by	neměli provádět sami uživatelé. teriet/batterierne i dette produkt.				
er Akku/die A		können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.			
μπαταρία[-ε	ς] στο προϊόν αυτό δεν μπορ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες				
orisnik ne mo	ože lako zamijeniti Bateriju sa		x-memes.			
	patterie in questo prodotto no evar nomainīt šā ražojuma a	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us).				
	aterijos [baterijų] pats vartoto mulátorát/akkumulátorait a fé	as negali lengvai pakeisti. Ihasználó nem tudja egyedül egyszerűen kicserélni.				
-batterija/batt		jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.				
e batterij(en)	in dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar.				
ou as bateria	as deste produto não podem	wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.				
ateria (bateri		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.				
aterij/baterije	v tem izdelku uporabniki sar	ni ne morejo zlahka zamenjati.				
	n akku [akut] ei[vät] ole helpo					

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.