



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	NB				
Commercial name *	IdeaPad Gaming 3 15IHU6				
Model number *	82K1,82MG				
Issue date *	2021/4/29				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model num	02K1,02WG		Logo	Lend	21/6	
Issue date	202114/23			Leik		J _{TM}
Product e	nvironr	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1 F	Hazardo	us substances and preparations				
P1.1* F	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
h ti	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5* F	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	ne 🔀		
P1.6* F	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7* F	REACH A	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2 E	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal			
	Batteries eference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	al 🔀		
P2.3* E	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3 C	Conform	nity verification & Eco design (ErP)				
P3.1* T	The prod	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
		uct complies with the Eco design requirements for energy-related products, il reference).		\boxtimes		
,	•	information is; given in item P15 or added to this document,	,			
	declarati	available at: https://www.lenovo.com/us/en/complian	ce/eco-			
		packaging				
P5.1* F	Packagin	ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium a	nd 🔀		
		nt chromium by weight of these together. aging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) X		
U	ısed (se	e legal reference).		`		
(:	see lega	uct packaging material is free from ozone depleting substances as specified in the ${\tt N}$ ${\tt II}$	/Iontreal Proto	col 🔀		
		t: Legal reference has no maximum concentration values.				
		nt information				
P6.1* Ir	ntormatio	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue dat	e *	2021/4/29		_enc		Tru .	
Product	environ	mental attributes - Market requirements (See General NOTE GN I	helow)				
Troudot		onmental conscious design	*	equire	ment i	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling					
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		\boxtimes			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives		<u> </u>			
P7.8*	. 0	g can be done using commonly available tools			\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years						
P7.10		s available after end of production for: 5 years					
D7 44*		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>plastic</i> Material type: <i>metal</i> Materia	l typo:				
P7.12		n materials of external electrical cables are PVC free.	п туре.		\square	$\neg \neg$	
P7.13		n materials of internal electrical cables are PVC free.		X		\dashv	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi	romine and 0.1%	\overline{X}	\forall	\dashv	
	weight (1 polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir n 25% post-consumer recycled content.	retardants, and				
P7.15		ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ d in IEC 61249-2-21. (See 1NOTE B2)	are low halogen				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<					
P7.17	TBBP	nemical specifications of flame retardants in printed circuit boards > 25 g (without contact A (additive), TBBPA (reactive) (See NOTE B3), Other: Bisphenol A, epichlomobisphenol A polymer , CAS #: 26265-08-7					
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g				
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: FR(40)				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been				
	ū	the following Risk phrases; and Hazard statements:					
			ee note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes		
	a) Of to a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contentercentage of total plastic by weight) is 0%. weight of recycled material is 0 g.	t (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82K1,82MG	Logo	Len	01/0	
Issue date *	2021/4/29		Len) _{TH}
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

P7.21*		stance requirements	(continued) d in the product (See N	OTE D7):					
P1.21	•			,		Ш			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		by weight) is 0%.	, are greened places in		atou do a porcontago or				
	or b) The weight of	of the biobased plastic	material is <i>0</i> g						
P7.22*			. less than 0,1 mg/lamp		ΧП				
	If mercury is used	specify: Number of la		um mercury content p					
P8	Batteries	itiam. Li malum				_			
P8.1*	•	composition: <i>Li-polym</i>	ier						
P9		otion (See NOTE B8)	els or energy consumpti	ons are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	X			
		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-	max)	170 W	170 W	170 W	Full load				
Categor	<u>y 2</u>								
	State - WOL	11.24 W	11.31 W	11.3 W	Use for ENERGY STAR V6				
Enabled					registration (P _{idle})				
	State - WOL	1.49 W	1.50 W	1.53 W	Use for ENERGY STAR V6				
Enabled					registration (P _{idle})				
Sleep (S3)	- WOL Enabled	1.49 W	1.50 W	1.53 W	Use for ENERGY STAR V6				
					registration(P _{sleep})				
Sleep (S3)	- WOL Disabled	1.49 W	1.50 W	1.53 W	Reference				
Off (S5) - WOL Enabled		0.31 W	0.32 W	0.31 W	Use for ENERGY STAR V6 registration(P _{off})				
05 (05)	WOL D: 11 1	0.04104	0.0014/	0.04304					
	WOL Disabled	0.31 W	0.32 W	0.31 W	Use for ErP				
EPS No-los		W	W	W					
	supply / charger plugged in the connected from the product.)								
PTEC *	oray Consumption	W	W	W					
ETEC *	ergy Consumption	31.82 kWh/year	32.04 kWh/year	32.19 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
	ergy Consumption			,	+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+				
		D - 05 M - 4- (05) - M	(O) Franklada B Olasa	M-1-(00) M(0) F	Pshort Idle X 0.30)				
External Da	ower Supply Efficie		al Efficiency Marking Pr		led; P _{idle} : Idle State - WOL Enabled				
	solution * : 1920*10	, ,	al Elliciency Warking Fi	J. VI		<u> </u>			
		ave mode: 10 minutes				+			
P9.2*				product		 			
P9.2 P9.3		class (monitors only):	tion is provided with the	product.					
P10		class (monitors only).							
P10	Emissions Noise emission	- Declared according	to ISO 9296 (See NOTE	- R9)					
P10.1		Mode description	10 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		nit A-weighted sound power level, $L_{WA,c}$ ((B)			
		* idle		* 2.6	7 777,0				
		* Operating		* 3.4					
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{p{\sf An}}$	21.4 (operator pos	sition desktop – idle)				
			nd pressure level (dB) L_{pAn}						
	Measured accord	ing to: X ISO 7779	ECMA-74	1					
		Other	(only if not covered by	ECMA-74)					
	()								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	mber *	82K1,82MG					Logo	1.0	no	V/0	
Issue date	*	2021/4/29						Le	no	VO.	H)
Product	environr	nental attributes	- Market requirem	nents (cor	ntinued)			Red	quire	ment	met
Item			-						Yes	No	n.a.
	Electron	magnetic emission	ıs								
P10.4	Compute program		e requirement for low f	requency e	electromagnet	tic fields of the foll	owing volun	tary			
P12		mics for computing									
P12.1*	The disp	lay meets the ergor	nomic requirements of	f ISO 9241-	307 for visua	l display technolo	gies.				\boxtimes
P12.2*	The phys	sical input device m	eets the requirements	of ISO 999	95 and ISO 9	241-410.				\boxtimes	
P13	Packaging and documentation										
P13.1*	Product	packaging material packaging material packaging material		weight (ko weight (ko weight (ko	g): 0.06						
P13.2*	Product	plastic primary pack	kaging is free from PV	C.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 80 %										
P13.4*		media for user and ∣ ronic, ⊠Paper, ☐	product documentatio Other	n (tick box)	:						
P13.5	(Please User and	only complete this i	tem if paper documen ation on paper media								
	Element	hlorine-free al chlorine-free									
		ed chlorine-free							Ш		
P14		ry programs									
P14.1	The prod	duct meets the requ	irements of the follow	ing voluntai	ry program(s)):					
	Eco-labe	el:	Criteria version: N// Criteria version: Criteria version:	4	Date: N/A Date: Date:	Product	category: N // category: category:	A			
P15		nal information (Se									
P9			pecific configuration								
	informat knowled provided informat	ion contained in this ge available at the t I here is approximat ion.	epresentations, guara document. All inform ime of completion, an de and provided for inf	ation provid d supplier s ormational	ded by suppli shall have no purposes onl	er in this documer obligation to upda y. See a Lenovo <i>l</i>	nt is provided ate such info	d based oi rmation. T	n supp The inf	olier's ormati	ion
P9			Notebooks & Tablet Condex.cfm?fuseaction=				code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Gaming 3 15IHU6	Logo
Model Number	82K1,82MG	Lenovo
Issue Date	2021/4/29	Lenovo.
Additional information		

(d)	Year of manufacture:				
(e)	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with	n switchable graphics r	node with UMA driving	g the display.	
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when a	all discrete graphics (cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		32		
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
adjustm ring tes	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G6		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		12.72		
3)	Idle state power demand (Watts);				3.76
ר)	Sleep mode power demand (Watts);				1.42
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.42
)	Off mode power demand (Watts);				0.3
κ)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.3
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: 135W: 92.25	%,91.63%, 91.58%; 17	70W: 92.00%,92.53%	,92.67%	
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer		external PSU efficience	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology					
(p-4)	Measurement metho power as defined in I	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		EN 61960 measurement methodolog	gy			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	EN 61960 measurement methodology					
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	off mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		base on User Guide				
(t)		te condition before the computer automatically restricted in the condition before the computer automatically restricted in the condition before the condition and the condition before the computer automatically restricted by the condition before the condition be		10		
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10					
(w)	Information on the er	nergy-saving potential of power management function	nality:			
		Refer to User Guide				
(x)	User information on I	now to enable the power management functionality:				
		Refer to User Guide				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50Hz, Total Harmonic Distortion	<2 %			
Addition	al Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Bac	kup Battery					
Other:	Other:					
Additiona	l information					
) The batterylies	Lin this product connet he co	anily raplaced by users the madyes				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.