



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Legion 5 15IMH6				
Model number *	82NL				
Issue date *	2021-5-11				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82NL	Logo	Lend	21/0	
Issue date				Leik		тн
Product e	nvironr	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
		us substances and preparations				
		do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$		
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.		$\boxtimes$		
		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	oloride 111-		ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n				
		ation values.				
		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$		
		I (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	han atama in t	ho 🔽		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ו וו פונוסוו	he 🔀	Ш	
P1.6* F	⊃arts witl	h direct and prolonged skin contact do not release nickel in concentrations above (	),5 μg/cm²/wee	ek 🔀		
		al reference).				
		t: Max limit in legal reference when tested according to EN1811:2011-5.				
		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$	Ш	Ш
	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal		$\overline{}$	
		nformation on proper disposal is provided in user manual. (See legal reference)	ille disposal	$\boxtimes$	Ш	Ш
		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	al 🔀		
	eference	1				
		and accumulators are readily removable. (See legal reference)		$\boxtimes$		
		nity verification & Eco design (ErP)				
		uct is CE-marked to show conformance with applicable legal requirements (see leg				
		eclaration of Conformity can be requested at (add link or e-	-mail addres	ss):		
,	nttps://w	/ww.lenovo.com/us/en/compliance/eu-doc				
		uct complies with the Eco design requirements for energy-related products,		$\boxtimes$		
,		Il reference).				
, t	Required	information is; given in item P15 or added to this document,			Ш	ш
	"	available at (add URL):				
		/ww.lenovo.com/us/en/compliance/eco-declaration				
P5 F	Pookagin	packaging ng and packaging components do not contain more than 0,01% lead, mercur	v oodmium -	and M		
ŀ	nexavale	nt chromium by weight of these together.	•		<u> </u>	
		aging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s) 🔀		
		uct packaging material is free from ozone depleting substances as specified in the Natural reference).	Montreal Proto	col 🔀		
		t: Legal reference has no maximum concentration values.				
		nt information				
P6.1* I	nformatio	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
11						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82NL	Logo	Len		
Issue da	te *	2021-5-11		LEII	OVC	) <sub>TH</sub>
Product	environ	mental attributes - Market requirements (See General NOTE GN	helow)			
		onmental conscious design	,	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		<u> </u>	_	
P7.1*		thave to be treated separately are easily separable		$\underline{\hspace{1cm}}$		Щ
P7.2*		naterials in covers/housing have no surface coating.				Ц
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u>Ц</u>	Щ
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ц.	Ц
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a re easily separable. (This requirement does not apply to safety/regulatory labels).	vallable tools.		<u>Ц</u>	Щ
P7.6*			<u> Ц</u>	Ш		
P7.7*	Product					
P7.8*		ng can be done e.g. with processor, memory, cards or drives ng can be done using commonly available tools			╫	$\vdash$
P7.9	Spare parts are available after end of production for: 3 years					
P7.10		s available after end of production for: 3 years				$\blacksquare$
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: PC+ABS Material type: Metal				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13		n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) by				
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir				
		n 25% post-consumer recycled content.	. parto comann	9		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en 🗌		
P7.16	Marking:					
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without additive), $\square$ TBBPA (reactive) (See NOTE B3), $\square$ Other: , CAS #:	ut component	s):		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g			
P7.18	Alt. 1					$\square$
		etarded plastic parts >25g contain the following flame retardant substances	/preparations	in		
		ations above 0.1%:				
		ent: No legal limits exist, this is a market requirement.  ical name: CAS #:				
		ical name: CAS #:				
		ical name: CAS #:				
	4. Chem Alt. 2	ical name: , CAS #:				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which				
		I the following Risk phrases; <b>Confidential</b> and Hazard statements: <b>H411; H4</b>		_		
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC . (See note B5)					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			$\boxtimes$	
	If YES; a	t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is <b>0%</b> .	t (calculated as	3		
	or .					
	b) The	weight of recycled material is <b>0</b> g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Book of the Communication (CD), from Model than Communication (Communication (Communication)).					
Issue date *	2021-5-11		Lei IOVO.		
Model number *	82NL	Logo	Lanova		

Product environmental attributes - Market requirements (continued)	Requir	remen	t met
Item	Yes	No	n.a.

Material and substance requirements (continued)				, ,,				
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 % or 0 %	D7 24*				TE D7).			
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 %.  b) The weight of the biobased plastic material is g.  P7.22 Light sources are free from mercury, i.e. less than 0.1 mg/lamp. If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg  P8. Batteries  P8.11 Batter chemical composition: LL-ION Polymer battery and lithium-metal battery  P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode* P9.1 Power level at Power level at 115 V AC 230V AC 230V Full load  Category 2  Short tide State - WOL 16.20 W 16.87 W 16.70 W Energy Star Computers 8.0  Enabled  Long life State - WOL 2.88 W 3.02 W 2.74 W Energy Star Computers 8.0  Enabled  Long life State - WOL Enabled / 0.55 W 0.54 W 0.55 W Energy Star Computers 8.0  Energy	P1.21	biobaseu piastic	material content is used	in the product (See NC	)   E D		Ш	
total plastic by weight) is 0 %.  or  or  or  b) The weight of the biobased plast refer from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg  P8 Batteries  P8.1* Battery chemical composition: LI-ION Polymer battery and lithium-metal battery  P9 Energy consumption (See NOTE BS)  P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode * Power level at 100 v AC 115 v AC 230 v AC modes and test method * 100 v AC 115 v AC 230 v AC modes and test method * 100 v AC 115 v AC 230 v AC modes and test method * 100 v AC 115 v AC 230 v AC 230 w								
pr. 22 Light sources are free from mercury, i.e. less than 0.1 mg/lamp. If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg  Batteries P8.1' Battery chemical composition: LI-ION Polymer battery and lithium-metal battery P8.1ergy consumption (See NOTE 88) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Peak (On-max)				•	aterial content (calculat	ted as a percentage of		
b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury; i.e. less than 0.1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg			by weight) is $v = 70$ .					
Fig.   Batteries   Fig.   Batteries   Fig.			of the biobased plastic i	material is g.				
P8	P7.22*					$\square$		
Battery chemical composition: LI-ION Polymer battery and lithium-metal battery   P9   Energy consumption (See NOTE 88)			I specify: Number of lar	mps: and maximເ	um mercury content pe	r lamp: mg		
P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 W 230 W 230 W Full load  Category 2  Short Idle State - WOL Enabled   16.20 W 16.87 W 16.70 W Energy Star Computers 8.0 Enabled   16.20 W 16.87 W 16.70 W Energy Star Computers 8.0 Enabled   16.20 W 16.87 W 16.70 W Energy Star Computers 8.0  Sleep (S3) - WOL Enabled   0.55 W 0.54 W 0.55 W Energy Star Computers 8.0 Disabled   0.36 W 0.36 W 0.36 W Energy Star Computers 8.0  EPS No-load (extrarel power supply Inhaight plagate in the valued but disconsided from the power.)  EPS No-load (extrarel power supply Inhaight plagate in the valued but disconsided from the power.)  FTEC * Annual Energy Consumption   47.40 kWhi/year 49.42 kWhi/year 48.76 kWhi/year 48.76 kWhi/year 49.72 kWhi/year 49.74 kWhi/year 49.74 kWhi/year 49.72 kWhi/year 49.74 kWhi/year 49.76 kWhi/year 4								
P.9.1 For the product the following power levels or energy consumptions are reported:   Energy mode		<u>.</u>		olymer battery and lith	ium-metal battery			
Power level at 100 V AC   115 V AC   230 V								
100 V AC   115 V AC   230 W   230 W   230 W   End I load						Defense of Standard for an area	_	
Peak (On-max)   230 W   230 W   230 W   230 W   230 W   Full load	Energy mod	ue		1		-	Ш	
Short Idle State - WOL   16.20 W   16.87 W   16.70 W   Energy Star Computers 8.0	Peak (On-r	nax)						
Short Idle State - WOL Enabled  Long Idle State - WOL Enabled  2.68 W 3.02 W 2.74 W Energy Star Computers 8.0  Sleep (S3) - WOL Enabled / Disabled  Off (S5) - WOL Enabled / Disabled  Off (S5) - WOL Enabled / Disabled  Off (S5) - WOL Enabled / Disabled  EPS No-load (Chema power sapply of damper plugged in the wall sudde but disconnected from the product)  TTEC * W W W W W W W W W W W W W W W W W W								
Enabled   Computers 8.0   Energy Star Computers 8.0	Category	<u>/ 2</u>						
Enabled   Computers 8.0   Energy Star Computers 8.0	Short Idle	State - WOL	16.20 W	16.87 W	16.70 W	Energy Star Computers 8.0		
Sleep (S3) - WOL Enabled   0.55 W   0.54 W   0.55 W   Energy Star Computers 8.0								
Sleep (S3) - WOL Enabled   0.55 W   0.54 W   0.55 W   Energy Star Computers 8.0	Languardia (	Ctoto IVOI	2.60 \\\	2.02.14/	2.74.\\\	Francis Stay Commissions 8.0		
Sleep (S3) - WOL Enabled   0.55 W   0.54 W   0.55 W   Energy Star Computers 8.0		State - WOL	2.08 VV	3.02 VV	2.74 VV	Energy Star Computers 8.0		
Disabled								
Disabled		- WOL Enabled /	0.55 W	<b>0.54</b> W	0.55 W	Energy Star Computers 8.0		
EPS No-load (External power supply / charger plugged in the wind content of from the product.)  PTEC * Typical Energy Consumption  ETEC * Annual Energy Consumption  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description  CPU:Operation  CPU:Operation  Other mode Declared A-weighted sound pressure level (IdB) L <sub>p,Am</sub> (operator position desktop – idle)	Disabled							
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)  Port off Mode (S5) - WOL Enabled; Psteep: Sleep Mode (S3) - WOL Enabled; Psteep x 0.35 + Psteep x		VOL Enabled /	0.36 W	0.36 W	0.36 W	Energy Star Computers 8.0, ErP		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)  PTEC * Typical Energy Consumption  ETEC * Annual Energy Consumption  Poff: Off Mode(S5) - WOL Enabled; Pulse; Sleep Mode(S3) - WOL Enabled; Pulse; Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10.1  Mode Mode description  Noise emission - Declared according to ISO 9296 (See NOTE B9)  P10.1  Mode Mode description  Idle * Idle (Operating)  Operation * HDD: Operation  CPU: Operati	Disabled							
(External power supply / charger plugged in the wall outlet but disconnected from the product.)  PTEC * Typical Energy Consumption  ETEC * Annual Energy Consumption  Poff: Off Mode(S5) - WOL Enabled; Pulse; Sleep Mode(S3) - WOL Enabled; Pulse; Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10.1  Mode Mode description  Noise emission - Declared according to ISO 9296 (See NOTE B9)  P10.1  Mode Mode description  Idle * Idle (Operating)  Operation * HDD: Operation  CPU: Operati	EPS No-loa	ad	0.113 W	0.114 W	0.115W			
Typical Energy Consumption  ETEC * Annual Energy Consumption  ### Annual Energy Consumption								
Typical Energy Consumption  ETEC * Annual Energy Consumption  ### 47.40 kWh/year  ### 49.42 kWh/year  ### 49.42 kWh/year  ### 48.76 kWh/year  ###		connected from the product.)		\//	\W		$\overline{\square}$	
### Annual Energy Consumption	_	eray Consumption	V V	V V	**			
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description  Idle *Idle (Operating) *2.6  Operation *HDD:Operation CPU:Operation CPU:Operation CPU:Operation Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)		37 - 1	47.40 kWh/year	49.42 kWh/year	48.76 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$		
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA.c</sub> (B)  Idle *Idle (Operating) * 2.6  Operation *HDD:Operation CPU:Operation CPU:Operation CPU:Operation Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)	Annual Ene	ergy Consumption					_	
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA.c</sub> (B)  Idle * Idle (Operating) * 2.6  Operation * HDD:Operation CPU:Operation CPU:Operation Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)			D - 05 M - 4- (05) - 14	Of Example 4: Down Officer	M-1-(00) MOL Frankla			
Display resolution * :2.07 megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA.c</sub> (B)  Idle * Idle (Operating) * 2.6  Operation * HDD:Operation CPU:Operation CPU:Operation Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)	External De	a. Cummbu Efficia				d; P <sub>idle</sub> : Idle State - WOL Enabled	_	
Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA.c</sub> (B)  Idle *Idle (Operating) * 2.6  Operation *HDD:Operation *NA(NO HDD) * 5.1  Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)			` `	i Elliciency Marking Pro	locol) " : VI		<u> </u>	
P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA.c</sub> (B)  Idle *Idle (Operating) * 2.6  Operation *HDD:Operation *NA(NO HDD) * 5.1  Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)							<u>Ц</u>	
P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA.c</sub> (B)  Idle *Idle (Operating) * 2.6  Operation *HDD:Operation *NA(NO HDD)  CPU:Operation CPU:Operation (Operator position desktop – idle)						<u></u>	<u>Ш</u>	
P10     Emissions       Noise emission – Declared according to ISO 9296 (See NOTE B9)       P10.1     Mode     Mode description     Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)       Idle     * Idle (Operating)     * 2.6	P9.2*	Information about	the energy save functi	on is provided with the	product.			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	P9.3	Energy efficiency	class (monitors only):				$\boxtimes$	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	P10							
Idle * Idle (Operating) * 2.6  Operation * HDD:Operation * NA(No HDD)  CPU:Operation 5.1  Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)								
Operation * HDD:Operation * NA(No HDD) 5.1  Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> (operator position desktop – idle)	P10.1	<del>                                     </del>						
			<u> </u>				<u>Ц</u>	
Other mode $\frac{Declared A-weighted sound pressure level (dB)}{L_{pAm}}$ (operator position desktop – idle)		Operation						
		Other mode	Declared A-weighted soun	d pressure level (dB) 7	1	cition dockton idlo)		
					1 1 1			
Other mode Declared A-weighted sound pressure level (dB) $L_{p\text{Am}}$ (operator position desktop – operating)		Other mode	Deciared A-weighted soun	a pressure level (dB) $L_{p \text{Am}}$	(operator pos	sition desktop – operating)		
Measured according to:  ☐ ISO 7779 ☐ ECMA-74		Measured accord	ing to: 🔀 ISO 7779 🛚	ECMA-74				
			Other	(only if not covered by	ECMA-74)			
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model nur	nber *	82NL			Logo	Long		
Issue date	*	2021-5-11				Leno	VO.	·
Product	environr	nental attributes	- Market requiremen	ts (continued)		Require	ment	met
Item	-			, , , , , , , , , , , , , , , , , , , ,		Yes	No	n.a.
	Electron	magnetic emission	S					
P10.4		er display meets the (s): <b>MPR-II(3 pin A</b>		uency electromagnetic	fields of the following voluntar	ry 🔀		
P12	Ergonoi	mics for computing	g products					
P12.1*	The disp	play meets the ergor	nomic requirements of IS	O 9241-307 for visual o	display technologies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements of	ISO 9995 and ISO 924	41-410.	$\boxtimes$		
P13		ing and documenta						
P13.1*	Product Product Product	packaging material packaging material	type(s): corrugated w type(s): paper(manual) type(s): PP weight (kg): type(s): PE weight (kg): type(s): EPE w	weight (kg): 0.	10			
P13.2*			aging is free from PVC.	<u> </u>		$\boxtimes$		
P13.3*		duct primary corrug er recovered fiber co		ng, specify the contain	ned percentage of minimum	post-		
P13.4*	Specify I		product documentation (t	ick box):				
P13.5	Ùser and		em if paper documentati ation on paper media is o					
	•	hlorine-free						
		al chlorine-free				$\boxtimes$		
		ed chlorine-free						
P14		ry programs						
P14.1	The prod	duct meets the requ	rements of the following	voluntary program(s):				
	ENERG'	Y STAR®	Criteria version:	Date:	Product category:			
	Eco-labe	el:	Criteria version:	Date:	Product category:			
	Eco-labe		Criteria version:	Date:	Product category:			
P15		nal information (Se						
P9					of the tested product configu			
	informat	ion contained in this	document. All information	n provided by supplier	ranties whether express or implies in this document is provided by	pased on supp	lier's	
		l here is approximat			bligation to update such inforn See a Lenovo Account Repre			on
P9	See Ene	ergy Star Qualified N	otebooks & Tablet Comp /www.energystar.gov/pro					
					· · · · · · · · · · · · · · · · · · ·			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 15IMH6	Logo
Model number *	82NL	Lenovo
Issue date *	2021-5-11	Lenovo.
Additional information		

I)	Year of manufacture:				2021		
:)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	switchable graphics n	node with UMA driving	g the display.	, ,		
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when <b>a</b>	all discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	(according to En Ect o)	(doodraing to Eir Eot o)	32	(decording to Lit Est o)		
sting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)		
adjustn ring te:	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)			G7			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			9.57			
)	Idle state power demand (Watts);	<b>'</b>	<b>'</b>	1	2.74		
)	Sleep mode power demand (Watts);				0.55		
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.55		
	Off mode power demand (Watts);				0.36		
)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.36		
	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50%	100% Avera	age				
)	External power supply efficiency (if applied	cable)*:					
	Average active efficiency: 230W:92.84%	%, <mark>92.62%, 92.47% 1</mark> 7	70W: 91.81%, 92.49%	, 92.88%			
	*internal note: show values for all available external po						
)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300CYCLE		
1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		IEC 62623				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
		Power on -> Wait 5 minutes -> Stable col	ndition			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events off mode: <b>NA</b>	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30min		
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after		10min		
(w)		nergy-saving potential of power management function Refer to User Guide				
(x)	User information on	now to enable the power management functionality:	Refer to User Guide			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additiona	l information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[văţ] ole helposti käyttājān vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.