



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	Legion 5 Pro 16ACH6				
Model number *	82JS				
Issue date *	2021-4-9				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82JS	Logo	Long	N/6	
Issue date * 2021-4-9		2021-4-9		Lend	JVC	<b>)</b> <sub>m.</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychel (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadne)	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The D	duct is CE-marked to show conformance with applicable legal requirements (see legelaration of Conformity can be requested at (add link or e- tyww.lenovo.com/us/en/compliance/eu-doc	gal reference). ·mail addres			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; Sigiven in item P15 or added to this document, Significant and Significant Significa				
DE		www.lenovo.com/us/en/compliance/eco-declaration				
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔽		
	hexavale	ent chromium by weight of these together.	, ,		<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).			<u> Ц</u>	
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Montreal Proto	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

woder number *		8235	Logo	Len	ovc	
Issue dat	te *	2021-4-9		Len		тн
	- Enviro	mental attributes - Market requirements (See General NOTE GN numental conscious design	below)	Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling  It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.			-	H
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			+	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	wailahla taal	s. 🔀	<u> </u>	H
	P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					$\vdash$
1 7.0	Product				<u> </u>	
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			$\forall$	$\overline{\Box}$
P7.9		arts are available after end of production for: 3 years				$\forall$
P7.10		s available after end of production for: 3 years				$\vdash$
		and substance requirements				
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type:				
P7.12	Insulation	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants,	and		
P7.15	Printed o	ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low hale	ogen 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out compone	ents):		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ent: No legal limits exist, this is a market requirement.	s/preparation	ıs in		
	2. Chemi	ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: , CAS #:				
	Alt. 2	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned The sour 67/548/E	, , ,	13	e		
P7.20*	If YES; a a) Of t a pe or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0%.  • weight of recycled material is 0 g.	t (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82JS	Logo	Lenovo		
Issue date *	2021-4-9		LE	IOV	<b>J</b> <sub>TM</sub>
Product environn	nental attributes - Market requirements (continued)		Req	uireme	nt met
Item		•	Ye	s No	n.a.

P7.21*		stance requirements	d in the product (See N	OTE D7):				
F1.21	·		. ,	•				
			es below shall be answer		ated as a percentage of			
		by weight) is $\frac{0}{0}$ %.		aterial content (calcula	ned as a percentage of			
	or	f the highered plactic.	matarial is					
P7.22*		f the biobased plastic i	less than 0,1 mg/lamp.					
1 7.22		specify: Number of lar		um mercury content pe				
P8	Batteries				· -			
P8.1*	Battery chemical of	composition: LI-ION Po	olymer battery and lith	nium-metal battery				
P9		nergy consumption (See NOTE B8)						
P9.1		e following power leve	ls or energy consumption	ons are reported:				
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-r	max)	230 W	230 W	<b>230</b> W	Full load			
Category	<u>/ 2</u>							
Short Idle Enabled	State - WOL	16.61 W	17.03 W	17.84 W	Energy Star 8.0			
				2 (2)1/				
Enabled	State - WOL	7.57 W	7.77 W	8.10 W	Energy Star 8.0			
Sleep (S3)	- WOL Enabled	0.99 W	7.77 W	1.02 W	Energy Star 8.0			
Sleep (S3)	- WOL Disabled	0.99 W	1.00 W	1.02 W	Energy Star 8.0			
Off (S5) - V	VOL Enabled	<b>0.42</b> W	1.00 W	0.44 W	Energy Star 8.0			
Off (S5) - V	VOL Disabled	<b>0.42</b> W	0.44 W	0.44 W	Use for ErP			
EPS No-loa		0.113 W	0.114 W	<b>0.115</b> W				
(External power s wall outlet but disc	upply / charger plugged in the connected from the product.)							
PTEC *	, ,	W	W	W				
	ergy Consumption				<u> </u>			
ETEC * Annual Ene	ergy Consumption	<b>54.24</b> kWh/year	55.59 kWh/year	58.06 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_ldle} \times 0.10 +$			
		P: Off Modo(\$5) - W/	Ol Enabled: P. : Sleen	Mode(\$3) - WOL Enable	P <sub>short Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled			
External Po	wer Supply Efficier		I Efficiency Marking Pro		Land State - WOL Lindbled			
	olution * :4.096 me		T Emoichey Warking 1 To	J. 100001) . 11				
. ,		<u> </u>						
		ave mode: 10 minutes	1					
P9.2*		••	on is provided with the	product.				
P9.3		class (monitors only):						
P10	Emissions	D	100 0000 (0 NOTE	. DO)				
D40.4			SO 9296 (See NOTE		it A waighted sound newar level / (D)			
P10.1		Mode description  * Idle (Operating)		* 2.7	it A-weighted sound power level, L <sub>WA,c</sub> (B)			
					<u>_</u> _			
	Operation *	HDD:Operation CPU:Operation		* NA(No HDD) 5.0				
	Other mode	Declared A-weighted soun	od pressure level (dB) $L_{p m Am}$	20.1 (operator posi	tion desktop – idle)			
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p m Am}$	41.6 (operator posi	tion desktop – operating)			
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74					
		Other	(only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model nur	nber*	82JS			Logo	Lana		
Issue date	*	2021-4-9				Leno	VO.	
Product	environr	nental attributes	- Market requiremen	its (continued)		Require	ment	met
Item			•	•		Yes	No	n.a.
		magnetic emission						
P10.4		er display meets the (s): <b>MPR-II(3 pin A</b>		uency electromagnetic	fields of the following volunta	ry 🔀		
P12		mics for computing						
P12.1*			nomic requirements of IS			$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements of	ISO 9995 and ISO 924	41-410.	$\boxtimes$		
P13		ing and documenta						
P13.1*	Product Product Product	packaging material packaging material	type(s): corrugated w type(s): paper(manual) type(s): PP weight (kg): type(s): PE weight (kg): type(s): EPE w	weight (kg): 0.	42			
P13.2*			aging is free from PVC.	<u> </u>		$\boxtimes$		
P13.3*		duct primary corrug er recovered fiber co		ng, specify the contain	ned percentage of minimum	post-		
P13.4*	Specify I		product documentation (t	ick box):				
P13.5	Ùser and		em if paper documentati ation on paper media is o					
	Totally c	hlorine-free				$\boxtimes$		
	Element	al chlorine-free				$\overline{\boxtimes}$		
	Process	ed chlorine-free						
P14		ry programs						
P14.1	The prod	duct meets the requ	rements of the following	voluntary program(s):				
	ENERG'	Y STAR®	Criteria version:	Date:	Product category:			
	Eco-labe		Criteria version:	Date:	Product category:			
P15	Eco-labe	⊟: nal information (Se	Criteria version:	Date:	Product category:			
P9				av vary: description o	of the tested product configu	ration:		
	NOTE: S informati knowled	Supplier makes no re ion contained in this ge available at the t I here is approximat	epresentations, guarante document. All information ime of completion, and s	es, assurances or warr on provided by supplier upplier shall have no o	ranties whether express or imprint this document is provided I bligation to update such informates a Lenovo Account Representation	olied, regarding based on supp nation. The inf	olier's formati	ion
P9			otebooks & Tablet Comp /www.energystar.gov/pro					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 Pro 16ACH6	Logo	
Model number *	82JS		Lonovo
Issue date *	2021-4-9		Lenovo.
Additional information			

i)	Year of manufacture:				2019
<del>;</del> )	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	switchable graphics n	node with UMA driving	g the display.	, ,
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	III discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	(usserumg to zm. zero)	(docording to Zir Zoro)	16	(according to En Est o)
sting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)
idjustn ring te	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cape	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			24.49	
)	Idle state power demand (Watts);	•		<u>'</u>	8.10
)	Sleep mode power demand (Watts);				1.02
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.02
	Off mode power demand (Watts);				0.44
	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.44
	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	nge		
)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 93.33% 92.9	7%			
	*internal note: show values for all available external pr				
)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLE
-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – in	nternal PSU efficiency	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	IEC 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
		Power on -> Wait 5 minutes -> Stable con	ndition			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	off mode			
(s)	Sequence of events off mode: <b>NA</b>	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30min		
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after		10min		
(w)	Information on the er	nergy-saving potential of power management function	nality:Refer to User Guide			
(x)	User information on I	now to enable the power management functionality:	Refer to User Guide			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	1, IEC62301			
Additiona	al Notebook Batter	v Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	cup Battery					
Other:						
Additional	I information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.