



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	0001/0			
e-mail address	Alvin L Carter	Lenovo			
	<u>alcarter@lenovo.com</u>				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Legion 5 Pro 16ITH6/H				
Model number *	82JF,82JD				
Issue date *	2021-4-19				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82JF,82JD	Logo	Long	N/6	
Issue date	e *	2021-4-19		Lend) _{TH}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
r 1.5		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 1 1 1-		ш	
	trichloroe	ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychel (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/wee	k 🔀		
		al reference).			_	
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). ·mail addres	s):		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; Sigiven in item P15 or added to this document, Significant and Significant Significa				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).		. ,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference).	Montreal Protoc	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei nu		82JF,82JD	Logo	Len	av.c	
Issue dat	te *	2021-4-19		Lem		ТН
	- Enviro	mental attributes - Market requirements (See General NOTE GN numental conscious design	below)	Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				\vdash
P7.3*		arts > 100 g consist of one material or of easily separable materials.			-	\vdash
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			∺	\vdash
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available too		+	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	available too	<u> </u>	\forall	\dashv
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			П	П
P7.8*	Upgradin	ng can be done using commonly available tools			Ħ	П
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 3 years				
	Material	and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PC+ABS</i> Material type: <i>aluminum</i>				
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants,	, and		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low hal	ogen		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out compone	ents):		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparatior	ns in		
	1. Chemi 2. Chemi 3. Chemi	ent: No legal limits exist, this is a market requirement. ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: , CAS #:				
	Alt. 2	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411; H413 rec(s) for these classifications is/are found at (add URL(s)): European Coun		e e		
	67/548/E	, , ,				_
P7.20*	If YES; a a) Of t a pe or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0%. • weight of recycled material is 0 g.	t (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82JF,82JD	Logo	Lenovo
Issue date *	2021-4-19		Lei Iovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

D7.04*		ostance requirements		OTE D7):						
P7.21*	•	material content is used	• • •	•						
	a) Of total plas	ne of the two alternative tic parts' weight > 25 g,	the biobased plastic m		ted as a percentage of					
	•	by weight) is 0 %.								
	or b) The weight of	of the biobased plastic r	material is a.							
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.							
		d specify: Number of lar	nps: and maxim	um mercury content pe	er lamp: mg					
P8	Batteries			· · · · · · · · · · · · · · · · · · ·						
P8.1*		Battery chemical composition: LI-ION Polymer battery and lithium-metal battery Energy consumption (See NOTE B8)								
P9 P9.1		ne following power level	ls or operay consumption	one are reported:						
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy					
Litergy mod		100 V AC	115 V AC	230 V AC	modes and test method *					
Peak (On-r	nax)	230 W	230 W	230 W	Full load					
Category	<u>/ 2</u>									
Short Idle : Enabled	State - WOL	23.80 W	24.27 W	24.00 W	Reference					
Long Idle S Enabled	State - WOL	7.14 W	7.86 W	7.5 W	Reference					
Sleep (S3)	- WOL Enabled	1.43 W	1.55 W	1.5 W	Reference					
Sleep (S3)	- WOL Disabled	1.43 W	1.55 W	1.5 W	Reference					
, ,	VOL Enabled	0.44 W	0.46 W	0.45 W	Reference					
Off (S5) - V	VOL Disabled	0.44 W	0.46 W	0.45 W	Use for ErP					
EPS No-loa (External power si	ad upply / charger plugged in the connected from the product.)	0.113 W	0.114 W	0.115W						
PTEC *	connected from the product.)	W	W	W						
_	ergy Consumption	1								
ETEC * Annual Ene	ergy Consumption	74.15 kWh/year	76.43 kWh/year	75.23 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_idle} \times 0.10 +$					
		D + Off Mada (05) 144	Ol Frahladi B Class	Mada(C2) MOL Frankla	P _{short Idle} x 0.30)					
External De	wor Supply Efficie	ency Level (Internationa			ed; P _{idle} : Idle State - WOL Enabled					
			I Elliciency Marking Fit	olocoi) . VI						
	olution * :4.096 m									
		ave mode: 10 minutes								
P9.2*		t the energy save functi	on is provided with the	product.						
P9.3	Energy efficiency class (monitors only):									
P10	Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)									
P10.1			0 130 9290 (See NOTE		it A-weighted sound power level, $L_{WA,c}$ (B)					
1 10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B Idle * Idle (Operating) * 2.7				A-weighted south power level, $L_{WA,c}$ (b)					
	Operation * HDD:Operation * NA(No HDD)									
	CPU:Operation			5.0						
					• •					
	Other mode	Declared A-weighted soun	a pressure level (aB) L_{pAm}	41.6 (operator posit	tion desktop – operating)					
	Measured accord	ling to: 🔀 ISO 7779 🗌	ECMA-74							
		Other	(only if not covered by	ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nun	nber *	82JF,82JD			L	ogo	Lana		
Issue date	*	2021-4-19					Leno	VO	н
Product e	environn	nental attributes	- Market requiremen	ts (continued)			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emission							
P10.4				uency electromagnetic fie	elds of the follow	ing voluntary	\boxtimes		
		(s): MPR-II(3 pin A							
P12 P12.1*		mics for computing		2.0044.007.6	-14	_		_	_
		,	· ·	O 9241-307 for visual disp	, ,	S.		ᆜ	ᆜ
P12.2*	. ,	•	<u>'</u>	ISO 9995 and ISO 9241-	410.				
P13		ng and documenta							
P13.1*			type(s): corrugated we type(s): paper(manual)	eight (kg): 0.65 weight (kg): 0.42					
			type(s): PP weight (kg):						
			type(s): PE weight (kg):						
		packaging material		eight (kg): 0.16					
P13.2*	Product	plastic primary pack	aging is free from PVC.				\boxtimes		
P13.3*		duct primary corruger recovered fiber co		ng, specify the contained	d percentage of	minimum po	st-		
P13.4*			product documentation (ti	ck box):					
		ic 🔲, Paper 🔲, O		,					
P13.5	Ùser and		em if paper documentation on paper media is c						
	Totally c	hlorine-free							
	•	al chlorine-free							
	Processe	ed chlorine-free							
P14		ry programs							
P14.1			rements of the following	voluntary program(s):					
		•	_						
		Y STAR®	Criteria version:	Date:	Product cate				
	Eco-labe		Criteria version: Criteria version:	Date: Date:	Product cate	0 ,			
P15		nal information (Se	_	Date.	Product cate	egory.			
P9				y vary; description of t	he tested produ	ict configurat	tion:		
				es, assurances or warran				a the	
	informati	ion contained in this	document. All information	n provided by supplier in	this document is	s provided bas	ed on supp	olier's	
		here is approximat		upplier shall have no obliq ational purposes only. Se					ion
P9				outers for the latest inform					
	http://do	wnloads.enerhttps://	/www.energystar.gov/pro	ducts/office_equipment/c	omputers				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 Pro 16ITH6	Logo	
Model number *	82JF,82JD		Lenovo
Issue date *	2021-4-19		reliovo.
Additional information			

d)	Year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	, , ,		• • •	cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	-		16	
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
bility i	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capal	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			44.61	
g)	Idle state power demand (Watts);				15.61
n)	Sleep mode power demand (Watts);				1.21
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.21
)	Off mode power demand (Watts);				0.45
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.45
1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 230W:92.84%	%, 92.62%, 92.47% 17	70W: 91.81%, 92.49%	, 92.88%	
p)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES				
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – in	nternal PSU efficiency	:

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3) Measurem	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin						
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	IEC 62623						
(q) Sequence	Sequence of steps for achieving a stable condition with respect to power demand::						
	Power on -> Wait 5 minutes -> Stable condition						
(r) Description	n of how sleep and/or off mode was selected or programmed:						
	Begin menu -> Power -> Select sleep or off mode						
(s) Sequence off mode:	of events required to reach the mode where the equipment automatically changes to sleep and/or VA						
	of idle state condition before the computer automatically reaches sleep mode, or another which does not exceed the applicable power demand requirements for sleep mode (in minutes):	30min					
(u) Length of	time after a period of user inactivity in which the computer automatically reaches a power thas a lower power demand requirement than sleep mode (in minutes):	NA					
	time before the display sleep mode is set to activate after user inactivity (in minutes):	10min					
	n on the energy-saving potential of power management functionality: Refer to User Guide						
(x) User inform	mation on how to enable the power management functionality: Refer to User Guide						
the electric	meters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of city supply system, — information and documentation on the instrumentation, set-up and circuits lectrical testing:						
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301						
Additional Noteboo	ok Battery Information:						
	Battery[ies] not user replaceable Battery[ies] user replaceable	n/a					
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Batte	ery 🖂 🗆						
External/detachable	Battery						
Bios Backup Battery							
Other:							
Additional information							
)							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.