



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Legion S7 15ACH6						
Model number *	82K8						
Issue date *	2021-3-30						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82K8	Logo	Long	N/6	
Issue dat	e *	2021-3-30		Lenc	JVC) _{th}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /I (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/weel	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega	ıl 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): claration of Conformity can be requested at (add link or e-mail address): cwww.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document, available at (add URL): www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature leelegal reference).	of the material(s) 🔀		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

woder number *		82K8	Logo	Len	01/0	•
Issue dat	te *	2021-3-30		Len		TH.
Product	- Enviro	mental attributes - Market requirements (See General NOTE GN onmental conscious design		Require	ment r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				\boxtimes
P7.4*	Plastic p				\boxtimes	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10		is available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: metals Material type: Material n materials of external electrical cables are PVC free.	а туре:		\square	
P7.13		n materials of external electrical cables are PVC free.		-H	X	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	roming and 0.1%			
F7.14	weight (polyvinyl	plastic dashig/cover parts > 25 g contain no hidre trian 0,1 % weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ag more than 25% post-consumer recycled content.	e retardants, and			
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are low			
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF 26265-0	PA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy 8-7	resin. CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	\boxtimes		
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
		rations above 0,1%:			Ш	\boxtimes
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "				
		ical name: , CAS #: "				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3_1.			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			+	
7.10	-	I the following Risk phrases; and Hazard statements:	Thave been		ш	
	•		ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\square	
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0.0%.	t (calculated as			
	b)	The weight of recycled material is 0 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82K8				Logo	Longva		
Issue date *	2021-3-3	0				Lenovo.		
Product environ	mental at	tributes - Market re	equirements (contir	nued)		Requirement met		
Item						Yes No n.a.		
		tance requirements						
P7.21* Biobase	ed plastic m	naterial content is used	I in the product (See NO	OTE B7):				
a) Of of or b) Th	total plasti total plastic e weight of	c parts' weight > 25 g by weight) is % the biobased plastic n	naterial is g.	ered; naterial content (calcul	ated as a percentag			
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8 Batterie	s							
P8.1* Battery	chemical c	omposition: Lithium id	on					
		tion (See NOTE B8)						
P9.1 For the	product the		s or energy consumption	ns are reported:				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test me			
Peak (On-max)		230 W	230 W	230 W	Full load			
Category I1-								
Short Idle State - V Enabled	/OL	8.62 W	8.95 W	8.65 W	Use for ENERGY s registration (P _{idle})	STAR V8.0		
Long Idle State - W Enabled	OL.	4.73 W	4.95 W	4.85 W	Use for ENERGY STAR V8.0 registration (P _{idle})			
Sleep (S3) - WOL D	isabled	0.82 W	0.85 W	0.83 W	Use for ENERGY S registration	STAR V8.0		
Off (S5) - WOL Disa	abled	0.34 W	0.35 W	0.35 W	Use for ErP			
EPS No-load (External power supply / charge wall outlet but disconnected from	r plugged in the	0.02 W	0.02 W	0.07 W				
PTEC * Typical Energy Cons	sumption	W	W	W				
ETEC * Annual Energy Cons	•	30.06 kWh/year	31.23 kWh/year	30.29 kWh/year	$E_{TEC} = (8760/1000) + P_{sleep} \times 0.35 + P_{lo} + P_{short_Idle} \times 0.30$			
				Mode(S3) - WOL Enabled	d; Pidle: Idle State - WO	OL Enabled		
External Power Sup	ply Efficien	cy Level (International	Efficiency Marking Pro	tocol) * : VI				
Display resolution *	: 3840*216	0megapixels						
Default time to enter	energy sa	ve mode: 30 minutes						
			on is provided with the	product.				
		class (monitors only):						
		nass (monitors only).						
P10 Emissio		Doolared econding to	ISO 9296 (See NOTE	PO				
			130 9290 (See NOTE		A woighted sound n	ower level / (P)		
Idle	Mode Mode description Idle * System Idle		Statistical upper limit * 2.4	A-weignted sound p	OWEI IEVEI, LWA,c (D)			
						<u>_</u> _		
Operation		CPU;Operation		* 2.4				
Other m			d pressure level (dB) $L_{p m Am}$	18.1 (operator position	on desktop – idle)			
Other m	ode D	eclared A-weighted sound	d pressure level (dB) $L_{p m Am}$	17.9 (operator positi	on desktop – operatin	g)		
Measur	Measured according to: So 7779 ECMA-74 Other (only if not covered by ECMA-74)							

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		82K8				Logo	Long	1/0	
Issue date	*	2021-3-30					Lenc		PH .
Product	environn	nental attributes	- Market requirem	nents (cor	ntinued)		Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emission	S						
P10.4			requirement for low f	requency e	lectromagnetic fields	of the following voluntary	У		\boxtimes
D40	program								
P12 P12.1*	The dien	nics for computing	omic requirements of	FISO 0241	207 for vioual diapla	v toohnologica		_	
P12.1*			eets the requirements		·				
				5 01 130 998	35 and 150 924 1-4 10	J.			Ш
P13		ng and documenta		//	\ 0.075				
P13.1*		packaging material		weight (kg					
		packaging material packaging material		weight (kg					
P13.2*			aging is free from PV		J). 0.093 3		\square		
_		. , , ,	0 0		· · · · · · · · · · · · · · · · · · ·				
P13.3*		luct primary corruga er recovered fiber co		aging, spec	city the contained p	ercentage of minimum p	oost-		Ш
P13.4*			product documentatio	n (tick box):					
		ronic, 🔀 Paper, 🔲	Other						
P13.5			em if paper documen						
			ation on paper media	is chlorine-	free:		\boxtimes		
	If Yes, pl	lease specify:							
	Totally c	hlorine-free					\boxtimes		
	•	al chlorine-free					Ħ		
		ed chlorine-free					H		
P14		ry programs							
P14.1			rements of the follow	ing voluntar	v program(s):				
1 14.1	The proc	addi media me requi	Terrierits of the follow	ing voluntai	y program(s).				
	ENERG'	Y STAR®	Criteria version: 8.0)	Date: 2021-03-24	Product category: 12			
	Eco-labe	el:	Criteria version:		Date:	Product category:			
	Eco-labe	el:	Criteria version:		Date:	Product category:			
P15		nal information (Se							
P9						tested product configur			
	NOTE: S	Supplier makes no re	epresentations, guara	intees, assu	rances or warranties	s whether express or impl	lied, regardin	g the	
						s document is provided be			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more				ion				
			e and provided for inf	ormational	ourposes only. See a	a Lenovo Account Repres	sentative for i	more	
DO	informati		otobooko (Tablat O	omputere f-	r the letest inform -+:	on:			
P9			otebooks & Tablet Codex.cfm?fuseaction=						
	nup.//ww	rw.energystar.gov/III	uex.ciiii i iuseaciioii-	iiiu_a_proc	iuct.anowFroudClGf	Jupapyw_code=co			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Legion S7 15ACH6	Logo		
Model Number	82K8		Longvo	
Issue Date	2021-3-30		Lenovo	
Additional information				

d)	Year of manufacture:				2021				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	, , ,		• •	cards (dGfx) are				
7)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) a enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]			32					
ents	Additional internal storage	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)				
app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)								
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)								
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			27.42					
j)	Idle state power demand (Watts);		I		9.48				
1)	Sleep mode power demand (Watts);				0.88				
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA				
)	Off mode power demand (Watts);				0.33				
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA				
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	ige						
n)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 170W:91.65	5%,91.73%,91.82%; 2	80W:91.52%,91.55%,	91.53%					
p)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300				
o-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) - in	nternal PSU efficiency	:				

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
		IEC 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		Power on -> Wait 5 minutes -> Stable con	ndition				
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
		Begin menu -> Power -> Select sleep or o	off mode				
(s)	Sequence of events off mode: NA	required to reach the mode where the equipment aut	tomatically changes to sleep and/or				
(t)		te condition before the computer automatically renot exceed the applicable power demand requirement		30min			
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		10min			
(w)	Information on the er	nergy-saving potential of power management function	nality: <i>Refer to User Guid</i> e				
(x)		now to enable the power management functionality:					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution.					
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	1, IEC62301				
Additiona	al Notebook Batter	y Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/o	detachable Battery						
Bios Back	cup Battery						
Other:	Other:						
Additional	information						
1)							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.