



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	0001/0				
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	he latest version of this document can be found at: http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo 100e Chromebook 2nd Gen MTK 2				
Model number *	82Q3				
Issue date *	2021/7/7				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82Q3	Logo	Lone		
Issue date	e *	2021/7/7		Lend	JVC	ТН
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloroe concentr					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /I (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH https://v	Article 33 information about substances in articles is available at (add URL or mail owww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	·			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	l 🛛		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium an	d 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(s	s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Iontreal Protoco	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date * 2021/7/7 Product environmental attributes - Market requirements (See General NOTE GN below)	1 0
Item	O _M
Temporal Processor Tempora	nt mat
P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	ıı.a.
P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	1 🗖
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years	
P7.9 Spare parts are available after end of production for: 5 years	
· · · · · · · · · · · · · · · · · · · ·	
P7.10 Service is available after end of production for: 5 years	
Material and substance requirements	
P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	
Material type: PC+ABS+15%talc Material type: PC+ABS Material type: P7.12 Insulation materials of external electrical cables are PVC free.	1 🗀
P7.13 Insulation materials of internal electrical cables are PVC free.	<u> </u>
P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	
P7.15 Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	
P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	
P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5	
Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:	
P7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: BPADP, CAS #: 5945-33-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	
Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	1 🗆
P7.19 In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	i
assigned the following Risk phrases; and Hazard statements:	
The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)	
P7.20* Postconsumer recycled plastic material content is used in the product (See Note B6):	
 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.85%. 	
b) The weight of recycled material is 18 g.	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82Q3	Logo	Lenovo		
Issue date *	2021/7/7		Len		V _{TH}
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

D7.04*		stance requirements		OTE DZ							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):										
	If YES; at least one of the two alternatives below shall be answered;										
		Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.									
	or	by weight) is %.									
		of the biobased plastic	material is g.								
P7.22*			. less than 0,1 mg/lamp								
		specify: Number of la	mps: and maxim	ium mercury content po	er lamp: mg						
P8	Batteries	101									
P8.1*		composition: Li-ion									
P9		otion (See NOTE B8)									
P9.1 Energy m		uct the following power levels or energy consumptions are reported: Power level at Power level at Reference/Standard for energy									
Ellergy III	oue	100 V AC	115 V AC	230 V AC	modes and test method *	Ш					
Peak (On	-max)	45W	45 W	45W	Full load						
Catego	rv 1										
	State - WOL	2.25 W	2.23 W	2.29 W	Use for ENERGY STAR V8						
Enabled					registration (P _{idle})						
	State - WOL	0.55 W	0.54 W	0.56 W	Use for ENERGY STAR V8						
Enabled					registration (P _{idle})						
Sloon (Si	B) - WOL Disabled	0.32W	0.32W	0.34W	Use for ENERGY STAR V8						
Sieep (SS) - WOL Disabled	0.3200	0.3200	0.34	registration						
Off (S5) -	WOL Disabled	0.19 W	0.19 W	0.21 W	Use for ENERGY STAR V8						
					registration						
EPS No-lo		0.07 W	0.07 W	0.07 W							
(External power wall outlet but d	supply / charger plugged in the isconnected from the product.)										
PTEC *		W	W	W		X					
	nergy Consumption										
ETEC *	oray Consumption	7.79 kWh/year	7.73 kWh/year	8.01 kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25)$						
Alliluai Ei	nergy Consumption				+ P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)						
		Poff: Off Mode(S5) - W	VOL Enabled; Psleep: Sleep	Mode(S3) - WOL Enabl	ed; P _{idle} : Idle State - WOL Enabled						
External F	Power Supply Efficier	ncy Level (Internation	al Efficiency Marking Pr	otocol) * : VI							
Display re	solution * : 1.05 me	gapixels			1366*768						
Default tin	ne to enter energy sa	ave mode: 3 minutes				T					
P9.2*	Information about	the energy save func	tion is provided with the	product.		П					
P9.3		class (monitors only):				X					
P10	Emissions	()/									
		- Declared according	to ISO 9296 (See NOTE	E B9)							
P10.1	Mode I	Mode description	,	Statistical upper lim	it A-weighted sound power level, $L_{WA,c}$	(B)					
	Idle '	* HDD idle		* 1.63							
	Operation '	* Operating (CPU)		* 1.63							
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p{\sf A}{\sf I}}$	16.1 (operator position desktop – idle)							
			nd pressure level (dB) $L_{p{\sf A}{\sf I}}$								
	Measured accordi		ECMA-74		<u>·</u>						
	ividasuieu accolui	Other	(only if not covered by	/ ECMA 74)							
	i	Utilei	(orny if flot covered b)	LOIVIA-14)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		82Q3			Lo	ogo	one	V/0	
Issue date	*	2021/7/7					_eno	VU.	
Product 6	environn	nental att	ributes - Market requirements (co	ontinued)			Require	ment	met
Item			•	•			Yes	No	n.a.
	Electron	nagnetic e	missions						
P10.4	program	(s): MPR-II	neets the requirement for low frequency (3 pin AC adapter only)	electromagnetic fields	s of the followi	ing voluntary			
P12	Ergonor	nics for co	emputing products						
P12.1*			the ergonomic requirements of ISO 924			s.			
P12.2*	The phys	sical input o	device meets the requirements of ISO 9	995 and ISO 9241-410	0.		\boxtimes		
P13			cumentation						
P13.1*	Product Product Product	packaging packaging packaging							
P13.2*	Product	plastic prim	nary packaging is free from PVC.				\boxtimes		
P13.3*			y corrugated fiberboard packaging, sp d fiber content: 80 %	ecify the contained p	ercentage of	minimum post	-		
P13.4*		media for u ronic, XP	ser and product documentation (tick box aper,Other	():					
P13.5	User and		ete this item if paper documentation use ocumentation on paper media is chlorin fy:				\boxtimes		
	Totally c	hlorine-free					\boxtimes		
	•	al chlorine-							
	Processe	ed chlorine	-free				Ħ		
P14	Volunta	ry progran	ıs						
P14.1			the requirements of the following volunt	ary program(s):					
	Eco-labe	el: PCGL	Criteria version: 8.0 Criteria version: Gen 8 Criteria version: Ver.13 Criteria version: IEEE 1680.1-2018	Date: 2021/5/14 Date: 2021/6/24 Date: 2021/6/24 Date: 2021/6/24	Product cate	egory: 1 egory: Noteboo egory: Noteboo egory: Noteboo	ok .		
P15			ation (See NOTE B10)						
P9			ion of specific configuration may var						
	informati knowled provided informati	ion contain ge available here is ap ion.	kes no representations, guarantees, as: ed in this document. All information prove e at the time of completion, and supplier proximate and provided for informational	rided by supplier in this shall have no obligati I purposes only. See a	s document is ion to update a Lenovo Acc	s provided base such informatio	ed on suppon. The inf	plier's formati	ion
P9			ualified Notebooks & Tablet Computers tar.gov/index.cfm?fuseaction=find_a_pr			de-CO			
	nup.//ww	ww.energys	tar.gov/index.cim: ruseaction=liflu_a_pr	oddot.SHOWF TOUGUEGH	oupapgw_coc	JU-00			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 100e Chromebook 2nd Gen MTK 2	Logo	
Model Number	82Q3		Lonovo
Issue Date	2021/7/7		Lenovo.
Additional information		•	

d)	Year of manufacture:				2021
;)	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjus	tments applied when a	ıll discrete graphics (cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
bility a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.69			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				3.6
n)	Sleep mode power demand (Watts);				0.37
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.07
)	Off mode power demand (Watts);		·		0.23
k)	Off mode with WOL enabled power dem	nand (Watts) (where er	nabled);		0.23
))	Internal power supply efficiency at 10 %	. 20 %. 50 % and 100	% of rated output pow	er (if applicable):	
,	10% 20% 50%	100% Avera		,	
m)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: 45W: 87,989 *internal note: show values for all available external p				
0)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information mei	ntioned in points (I) – in	nternal PSU efficiency:	:
p-2)	Measurement methodology used to dete	ermine information me	ntioned in points (m) –	external PSU efficience	CV:

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology							
(q) \$	Sequence of steps fo	or achieving a stable condition with respect to power	achieving a stable condition with respect to power demand::					
(4)	IEC 62623 / IEC EN50564:2011 measurement methodology							
(r) [Description of how sl	of how sleep and/or off mode was selected or programmed:						
	refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s						
	Sequence of events of mode:	required to reach the mode where the equipment aut	comatically changes to sleep and/or					
		er to power management, 5 mins automatically re	aches sleep mode					
		te condition before the computer automatically renot exceed the applicable power demand requirement		3				
(u) I	Length of time after	a period of user inactivity in which the compute	r automatically reaches a power	NA				
		ver power demand requirement than sleep mode (in re the display sleep mode is set to activate after		5				
		nergy-saving potential of power management function						
	User information	n described in User Guide and Power Manager un programs	der LenovoVantage menu in all					
(x) l	User information on I	now to enable the power management functionality:						
	User information	n described in User Guide and Power Manager un programs	der LenovoVantage menu in all					
l`´ t	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50Hz, Total Harmonic Distortion <2 %							
Additional	Notebook Batter	y Information:						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery								
External/detachable Battery								
Bios Backu	p Battery							
Other:								
Additional i	nformation							
)								

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.