



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	1 . <u> </u>
Contact information *	Lenovo Global Environmental Affairs	0001/0
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo 14w Gen 2
Model number *	82N8, 82N9
Issue date *	2021/5/6
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82N8, 82N9	Logo	Lon	2016	
Issue date	e *	2021/5/6		Lend	JVC	<b>)</b> <sub>TM</sub>
<b>Product</b>	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe concentr	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachsthane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( il reference). it: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries	3				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal	$\boxtimes$		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*	The prod	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*	The prod	uct complies with the Eco design requirements for energy-related products, il reference).		$\boxtimes$		
		information is; given in item P15 or added to this document, available at (add URL):				
	https://w	ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagir	gu and packaging components do not contain more than 0,01% lead, mercur nt chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	aging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s) 🔀		
P5.3*	The prod	uct packaging material is free from ozone depleting substances as specified in the N Il reference).	Montreal Protoc	ol 🔀		
D6	Troatma	tt: Legal reference has no maximum concentration values.  nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *	82N8, 82N9 2021/5/6	Logo	Lenovo.
	mental attributes - Market requirements (See General NOTE GN I	below)	Requirement met

Produc	t environmental attributes - Market requirements (See General NOTE GN below)	20 arriga	mant	mat
Itom	- Environmental conscious design  *=mandatory to fill in. Additional information regarding each item may be found under P14.	Require Yes	Ment No	
Item P7	Design, Disassembly, recycling	res	INO	n.a.
P7.1*	Parts that have to be treated separately are easily separable	$\square$		
P7.2*	Plastic materials in covers/housing have no surface coating.		X	$\overline{H}$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	-H	X	$\overline{}$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\overline{}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			$\dashv$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			$^{-}$
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		H	H
P7.9	Spare parts are available after end of production for: 5 years			$\dashv$
P7.10	Service is available after end of production for: 5 years			+
17.10	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>Aluminum</i> Material type: <i>PC/ABS</i> Material type: <i>PC</i>			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\overline{\Box}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	ı 🛚		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: (See NOTE B4) 3. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):  If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 7.63%.  or			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82N8, 82N9	Logo	Lanava
Issue date *	2021/5/6		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

		bstance requirements				
P7.21*	Biobased plastic	material content is used	d in the product (See I	NOTE B7):		
	If YES; at least of	one of the two alternative	es below shall be ansv	vered;		
	a) Of total plas	stic parts' weight > 25 g,	the biobased plastic r	material content (calcul	ated as a percentage of	
	total plastic	by weight) is %.				
	or	- <b>f</b> 4l    -   -   -   -   -   -   -   -				
P7.22*		of the biobased plastic e free from mercury, i.e.		<u> </u>		$\overline{}$
P1.22		e free from mercury, i.e. ed specify: Number of lai		p. num mercury content p	per lamp: mg	Ш
P8	Batteries	a specify. Number of lai	прэ. ана шахп	num moreary content p	ing mg	
P8.1*		I composition: Lithium I	on/Lithium Mangane	se Dioxide		$\overline{}$
P9	•	ption (See NOTE B8)				
P9.1		the following power leve	ls or energy consump	tions are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	П
3,		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	65 W	65 W	65W	Full load	
Catanan	4				-	
Categor	<u>y 1</u>					
Short Idle	State - WOL	4.19 W	4.2 W	4.64 W	Use for ENERGY STAR V8	
Enabled					registration	
Long Idlo	State - WOL	2.52 W	2.62 W	2.72 W	Use for ENERGY STAR V8	
Enabled	State - WOL	2.52 VV	2.02 VV	2.72 VV	registration	
Litabica					registration	
Sleep (S3)	- WOL Disabled	0.52 W	0.50 W	0.54 W	Use for ENERGY STAR V8	
					registration	
O# (CE) 1	WOL Disabled	0.44 W	<b>0.46</b> W	0.48 W	Use for ENERGY STAR V8	
OII (35) - I	VOL DISABleu	0.44 vv	0.40 VV	U.40 VV	registration	
					registration	
EPS No-loa		0.08 W	0.09 W	<b>0.08</b> W		
(External power s wall outlet but dis	supply / charger plugged in the connected from the product.	ne )				
ETEC *	•	15.77kWh/year	15.87kWh/year	17.3kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 +$	
Annual En	ergy Consumption	1			$P_{sleep} \times 0.35 + P_{long\_ldle} \times 0.10 +$	
					P <sub>short_Idle</sub> x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	led; P <sub>idle</sub> : Idle State - WOL Enabled	
External Po	ower Supply Effici	ency Level (Internationa	l Efficiency Marking P	rotocol) * : VI		
Display res	solution * : <b>1.05</b> m	egapixels			1366*768	
Default tim	e to enter energy	save mode: 10 minutes				币
P9.2*	Information abou	ut the energy save functi	on is provided with the	e product.		一一
P9.3		y class (monitors only):				+
P10	Emissions	y class (mornitors orny).				
PIU		- Declared according to	n ISO 0206 (See NOT	F R01		
P10.1	Mode	Mode description	0 100 3230 (000 1101		nit A-weighted sound power level, $L_{WAG}$	(B)
1 10.1	Idle	* Idle mode		* 1.7	IN TO WORGENER SOUTH POWER TO VOI, EWA,C	<u></u>
	Operation	* Operating (CPU)		* 1.7		Ħ
	<u> </u>	Declared A-weighted soun	id pressure level (dB)		ition do alete e della)	
	Other mode	L p Am	u pressure level (UD)	10.2 (operator pos	ition desktop – idle)	
	Other mode	Declared A-weighted soun	d pressure level (dB)	16.3 (operator pos	sition desktop – operating)	
		$L_{pAm}$		10.0 (operator pos	nion acomop – operating)	
	Measured accor	ding to: XISO 7779	FCMA-74			
		_	(only if not covered b	W ECMV 74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *	82N8, 82N9	Logo	Long	V/0	
Issue date *	2021/5/6		Leno	VO.	
Product environ	mental attributes - Market requirements (continued)		Require	ment	met
Item			Yes	No	n.a.
	magnetic emissions				
prograr	ter display meets the requirement for low frequency electromagnetic fields of th n(s): MPR-II(3 pin AC adapter only)	e following volun	tary 🔀		
	omics for computing products				
	play meets the ergonomic requirements of ISO 9241-307 for visual display tech	inologies.	$\boxtimes$		
•	ysical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
	ing and documentation				
Produc Produc Produc	t packaging material type(s): Corrugated t packaging material type(s): paper weight (kg): 0.055 t packaging material type(s): LDPE bag t packaging material type(s): EPE cushion weight (kg): 0.101				
	t plastic primary packaging is free from PVC.		$\boxtimes$		
consun	duct primary corrugated fiberboard packaging, specify the contained percenter recovered fiber content: $65\%$	tage of minimun	n post-		
	media for user and product documentation (tick box):  tronic,   Paper, Other				
P13.5 (Please User ar	e only complete this item if paper documentation used) and product documentation on paper media is chlorine-free: please specify:				
Elemer	chlorine-free tal chlorine-free sed chlorine-free				
P14 Volunt	ary programs				
	oduct meets the requirements of the following voluntary program(s):				
Eco-lab Eco-lab Eco-lab	rel: EPEAT Criteria version: IEEE 1680.1-2018 Date: 2021/5/17 Process PCGL Criteria version: Ver.13 Date: 2021/5/17 Process TCO Criteria version: NoteBook 8.0 Date: 2021/5/17 Process TCO Date: 2021/5/17 Process TCO Criteria version: NoteBook 8.0 Date: 2021/5/17 Process TCO Date: 20	duct category: 1 duct category: No duct category: No duct category: No	otebook		
	onal information (See NOTE B10)				
	consumption of specific configuration may vary; description of the tester				
informa knowle provide informa		ument is provided update such info	d based on support	olier's formatio	on
	ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&	ogw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 14w Gen 2	Logo	
Model Number	82N8, 82N9		Lonovo
Issue Date	2021/5/6		Lenovo.
Additional information			

d)	year of manufacture:				2021	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
·)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	8				
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
caps	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NA				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.07				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A				
g)	Idle state power demand (Watts);				2.74	
1)	Sleep mode power demand (Watts);				0.54	
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.54	
)	Off mode power demand (Watts);				0.46	
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.46	
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
n)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: 65W: 88.48%,87.89%,88.12%,89.73%					
	*internal note: show values for all available external p	ower supplies				
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycle					
p-1)	Measurement methodology used to dete	ermine information mer <b>NA</b>	tioned in points (I) – i	nternal PSU efficiency	:	
o-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficience	by:	

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623 / IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::				
	IEC 62623 / IEC EN50564:2011 measurement methodology				
(r)	Description of how s	w sleep and/or off mode was selected or programmed:			
	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
refer to power management, 30mins automatically reaches sleep mode					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30 mins	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			N/A	
(v)		re the display sleep mode is set to activate after		10 mins	
(w)					
User information described in User Guide and Power Manager under ThinkVantage menu in all programs					
(x)	user information on how to enable the power management functionality:				
User information described in User Guide and Power Manager under ThinkVantage menu in all programs					
(z)	z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V, 50GHz, Total Harmonic Distortion <2 %				
Additional Notebook Battery Information:					
Addition	ar Notebook Batter	Battery[ies] <b>not</b> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	, , , , ,		
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
L ) he hatten/lies in this product cannot be easily replaced by users themselves					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.