



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	OBOVO				
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at: http://www.	e latest version of this document can be found at: http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo 500e Chromebook Gen 3 Intel				
Model number *	82JB, 82JC				
Issue date *	2021/4/30				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *  Issue date *		82JB, 82JC	Logo	Lon			
		2021/4/30		Len	JVC	<b>)</b> <sub>TM</sub>	
Product e	environi	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
		us substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$			
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.					
	hydrobro trichloroe concentra	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachsthane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum				
		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated				
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀			
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/about/sustainability	contact):				
P2	Batteries	3					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal	$\boxtimes$			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀			
		and accumulators are readily removable. (See legal reference)		$\boxtimes$	П		
		nity verification & Eco design (ErP)					
P3.1*	The prod The Decl	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	gal reference).				
P3.2*	The prod	uct complies with the Eco design requirements for energy-related products, il reference).		$\boxtimes$			
		information is;  given in item P15 or added to this document,  available at (add URL):					
	httne://u	ww.lenovo.com/us/en/compliance/eco-declaration					
		packaging					
P5.1*	Packagir	gand packaging components do not contain more than 0,01% lead, mercur nt chromium by weight of these together.	y, cadmium a	nd 🔀			
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s)			
P5.3*	The prod (see lega	uct packaging material is free from ozone depleting substances as specified in the N Il reference).	Montreal Protoc	col 🔀			
	Commen	t: Legal reference has no maximum concentration values.					
		nt information					
P6.1* I	Intormatio	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82JB, 82JC	Logo	Lend	ovo	
Issue dat	:e *	2021/4/30		Leik	340	тн
Product		mental attributes - Market requirements (See General NOTE GN l	below)	Requirer	nent r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts tha	at have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradin	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS+15%talc Material type: PC+ABS Materia	al tupo:			
P7.12		n materials of external electrical cables are PVC free.	п туре.		$\square$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.				$\overline{\Box}$
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, an	ıd 🔼		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ☐PCBs > 25 g ⊠ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🔀		
P7.16	Marking:					
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Phosphorus Modific</i> PAS #: <i>Confidential</i>				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: Confidential, CAS #: Confidential (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations	in 🔀		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: <i>FR(40)</i>			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been		$\boxtimes$	
	•	I the following Risk phrases; and Hazard statements:				
D7 00t			ee note B5)			
P7.20*	If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6):  It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 7.78%.	t (calculated as			
	b) THE	weight of recycled material is 44.0 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82JB, 82JC	Logo	Lan	Lenovo			
Issue date *	2021/4/30		Len		D <sub>TH</sub>		
Product environmental attributes - Market requirements (continued) Requirement met							
Item			Yes	No	n.a.		

D7.04*		stance requirements		OTC D7\:						
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):									
	a) Of total plasti	c parts' weight > 25 g	es below shall be answe , the biobased plastic m		ated as a percentage of					
	total plastic b or	y weight) is %.								
			biobased plastic material is g.							
P7.22*		free from mercury, i.e specify: Number of la	. less than 0,1 mg/lamp. mps: and maxim	um mercury content pe	er lamp: mg					
P8	Batteries									
P8.1*	Battery chemical of	chemical composition: <i>Li-ion</i>								
P9		umption (See NOTE B8)								
P9.1			els or energy consumption		T					
Energy mo	ode * Power level at Power level at Power level at 100 V AC 115 V AC 230 V AC modes and test method *									
Peak (On-	max)	65 W	65 W	65 W	Full load					
Categor	<u>y 1</u>									
Short Idle Enabled	State - WOL	4.00 W	3.90 W	3.71 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )					
Long Idle State - WOL Enabled		1.72 W	1.61 W	1.71 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )					
Sleep (S3) - WOL Disabled		0.37 W	0.37 W	0.40 W	Use for ENERGY STAR V8 registration					
Off (S5) - WOL Disabled		0.23 W	0.23 W	0.26 W	Use for ENERGY STAR V8 registration					
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		0.062 W	0.062 W	0.062 W						
TEC *		kWh/week	kWh/week	kWh/week						
	ergy Consumption	147	100	144						
PTEC * Typical En	ergy Consumption	W	W	W						
ETEC * Annual En	ergy Consumption	13.66 kWh/year	<b>13.30</b> kWh/year	<b>13.04</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_idle} \times 0.10 + P_{short\_idle} \times 0.30)$					
		Poff: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enable	ed; P <sub>idle</sub> : Idle State - WOL Enabled					
External P	ower Supply Efficier	ncy Level (Internationa	al Efficiency Marking Pro	otocol) * : V/						
Display res	solution * : <b>1.05</b> meg	gapixels			1366*768					
Default tim	ne to enter energy sa	ave mode: 8.5 minutes	 3			Ħ				
P9.2*			ion is provided with the	product.		Ħ				
P9.3	Energy efficiency	class (monitors only):	·	-		Ħ				
P10	Emissions									
	Noise emission -	- Declared according t	to ISO 9296 (See NOTE	B9)						
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$	(B)				
	Idle * HDD idle			* 2.5						
	Operation *	Operating (CPU)		* 2.5  pAm 15 (operator position desktop – idle)						
			nd pressure level (dB) $L_{p{\sf Am}}$							
			nd pressure level (dB) $L_{p m Am}$	15 (operator position	on desktop – operating)					
	Measured accordi	ng to: ISO 7779		FOMA 74)		· <u> </u>				
	1	Other	(only if not covered by	ECIVIA-/4)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model nur	nber *	82JB, 82J0	C					Logo	La			
Issue date	*	2021/4/30							Lei	10	VO.	
Product	environr	nental attri	ibutes - Mar	ket requirer	ments (cor	ntinued)			Reg	uirer	nent	met
Item					,	•				'es	No	n.a.
	Electror	nagnetic en	nissions									
P10.4	program	(s): MPŘ-II(3	3 pin AC ada <sub>l</sub>	oter only)	frequency e	lectromagnetic fie	elds of the fo	llowing volunt	ary	X		
P12			nputing prod									
P12.1*						307 for visual dis		ogies.		X		
P12.2*	The phys	sical input de	evice meets th	e requirement	ts of ISO 999	95 and ISO 9241-	410.			$\times$		
P13		ng and doc										
P13.1*	Product Product Product	packaging m packaging m packaging m	naterial type(s naterial type(s naterial type(s	): Corrugated ): PAPER PAI ): EPE Cusho ): PP SCREE! ): LDPE BAG	D weight (ko vin weight (k V FILM weig	g): <b>0.0298</b> :g): <b>0.0334</b> ht (kg): <b>0.01</b>						
P13.2*	Product	plastic prima	ary packaging	is free from P	VC.					X		
P13.3*	consume	er recovered	fiber content:	<b>80</b> %		cify the containe	d percentage	e of minimum	n post-			
P13.4*		media for uso ronic, <mark>X</mark> Pa		t documentation	on (tick box)	:						
P13.5	Ùser and		cumentation o	paper docume on paper media						$\boxtimes$		
	Totally c	hlorine-free								X		
	Element	al chlorine-fr	ee							$\overline{\mathbf{x}}$		
	Process	ed chlorine-f	ree							Ħ		
P14	Volunta	ry programs	S									
P14.1	The prod	duct meets th	ne requiremen	its of the follov	ving volunta	y program(s):						
	Eco-labe	el: TCO el: PCGL	Criteria versio Criteria versio Criteria versio Criteria versio	on: <b>Gen 8</b>	.1-2018	Date: 2021/3/18 Date: 2021/5/29 Date: 2021/5/29 Date: 2021/5/29	Product Product	category: 1 category: No category: No category: No	tebook			
P15			tion (See NOT									
P9						description of t						
	informati knowled provided informati	ion contained ge available I here is appl ion.	d in this docur at the time of roximate and	ment. All inforn completion, a provided for in	nation proviond supplier suppl	urances or warrar ded by supplier in shall have no obli purposes only. So	this docume gation to upd ee a Lenovo	nt is provided ate such infor	l based on rmation. Th	supp e info	lier's ormati	on
P9						or the latest inforn duct.showProduc		code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 500e Chromebook Gen 3	Logo	
Model Number	82JB, 82JC		Lenovo
Issue Date	2021/4/30		reliovo.
Additional information			

d)	Year of manufacture:				2021
е)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when <b>a</b>	ıll discrete graphics (	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
adjustm ring tes	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.50			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
1)	Idle state power demand (Watts);				1.39
)	Sleep mode power demand (Watts);				0.43
	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		
1	Off mode power demand (Watts);				0.28
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W: 87,98%	%,88,63%,88,83%, 65W	V: 89,41%,88,62%,88,	96%	
	*internal note: show values for all available external p	ower supplies			
p)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	500 cycles
o-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	:
o-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficience	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623 / IEC EN50564:2011 measurement methodology						
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		IEC 62623 / IEC EN50564:2011 measurement r	nethodology				
(r)	Description of how s	eep and/or off mode was selected or programmed:					
	refer to power man	agement, sleep mode: ACPI system level G1/S3 ( ACPI system level G2/S5 ('soft off') s					
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
		r to power management, 8.5mins automatically r	eaches sleep mode				
(t)	Duration of idle sta	te condition before the computer automatically re	eaches sleep mode or another				
	condition which does	not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	7.5			
(u)	•	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	•	NA			
(v)		re the display sleep mode is set to activate after		8.5			
(w)	Information on the er	nergy-saving potential of power management function	nality:				
	User information	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all				
(x)	User information on	now to enable the power management functionality:					
	User information	on described in User Guide and Power Manager u programs	nder ThinkVantage menu in all				
(z)			strumentation, set-up and circuits				
		230V, 50Hz, Total Harmonic Distortion	<2 %				
Addition	al Notebook Batter						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery							
External/	detachable Battery						
Bios Backup Battery							
Other:							
Additiona	l information			<u>'</u>			
\							

т)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.