



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0		
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Tablet Computer				
Commercial name *	Lenovo Tab K10 (LTE or WIFI)				
Model number *	ZA8N,ZA8R,ZA8S,ZA8T,ZA8U,ZA8V				
Issue date *	2021.4.30				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model num	ber *	ZA8N,ZA8R,ZA8S,ZA8T,ZA8	BU,ZA8V			lono	V/0	
Issue date	*	2021.4.30				Leno	VO	R
Product e	nviron	nental attributes - Legal ı	equirements		•	Require	ment	met
Item		- <u>-</u> -	-			Yes	No	n.a.
P1 I	Hazardo	us substances and preparat	ions					
P1.1* F	Products	do comply with current Europ	ean RoHS Directive. (See legal refe	erence and NOTI	E B1)	\boxtimes		
		do not contain Asbestos (see t: Legal reference has no max						
l t								
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).							
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).							
(see lega	I reference).	ntact do not release nickel in conce when tested according to EN1811:2		0,5 μg/cm²/week	(
			bstances in articles is available at (vo-REACH-SVHC-Disclosure	add URL or mail	contact):			
P2	Batterie	3						
			ccumulator, the battery/accumulator is provided in user manual. (See le		the disposal			
	Batteries eference		n more than 0,0005% of mercury o	or 0,002% of cadr	nium. (See lega	I 🔀		
P2.3* E	3atteries	and accumulators are readily	removable. (See legal reference)			\boxtimes		
P3 (Conform	ity verification & Eco design	ı (ErP)					
	Γhe Dec https://w	aration of Conformity can be r ww.lenovo.com/us/en/comp		ress):	gal reference).			
		uct complies with the Eco des I reference).	gn requirements for energy-related	I products,				
F	Required	information is;	n in item P15 or added to this docur able at (add URL):	ment,				

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

hexavalent chromium by weight of these together.

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

Product packaging

used (see legal reference).

Treatment information

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P5

P5.1*

P5.2*

P5.3*

P6

P6.1*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wiodei iid	annoei	ZA8N,ZA8R,ZA8S,ZA81,ZA8U,ZA8V	Logo	Lan	OVIC		
Issue da	te *	2021.4.30		Len	_enovo.		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)				
. roudo		onmental conscious design	201011)	Require	ment	met	
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling					
P7.1*	Parts tha	at have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				\boxtimes	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5	Plastic p	s. 🔀					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
		clifetime ng can be done e.g. with processor, memory, cards or drives					
P7.7*			\boxtimes				
P7.8*	Upgradir		\boxtimes				
P7.9	Spare pa	arts are available after end of production for: 1 years					
P7.10	Service i	is available after end of production for: 1 years					
		and substance requirements					
P7.11*	Material		al type: <i>AL52</i> 5	52			
P7.12	Insulatio						
P7.13	Insulatio		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all Z PCBs > 2 as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🔲 are	low 🔀			
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 3594 0					
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g				
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparation	s in			
	Alt. 2: Ch	hemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR40	\boxtimes			
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements:					
	•		note B5)				
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	note Bo)	\square	\neg		
	If YES; a a) Of t a pe	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 4.4%.	it (calculated a				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	ZA8N,ZA	N8R,ZA8S,ZA8T,ZA8U	I,ZA8V		Logo	Lono	V/O
Issue date	*	2021.4.3	0				Leno	VO _m
Product 6	nvironn	nental at	tributes - Market re	equirements (contir	nued)		Requiren	nent met
Item							Yes N	lo n.a.
			stance requirements					
P7.21*	Biobase	d plastic m	naterial content is used	in the product (See NO	DTE B7):			
	a) Of to of to	otal plasti otal plastic			ered; material content (calcul	ated as a percentag	е	
P7.22*	Light sou	ırces are f		less than 0,1 mg/lamp.	um mercury content per	· lamp: mg		
P8	Batterie	,	<u> </u>	ipo: ana mazani	and the police of the police o	g		
P8.1*	Battery o	hemical c	omposition: Li-ion Pol	lymer				
P9			tion (See NOTE B8)					
P9.1		roduct the		s or energy consumption				
Energy mod			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standar modes and test me		gy 🔲
Peak (On-r	nax)		10.96 W	10.96 W	10.96 W	Full load		
Category	<u>/2</u>							
Short Idle Enabled			1.75 W	1.75 W	1.9 W	Use for ENERGY STAR V8.0 registration (P _{idle})		
Long Idle S Enabled	State - W	OL	0.12 W	0.12 W	0.18 W	Use for ENERGY STAR V8.0 registration (P _{idle})		
Sleep (S3)	- WOL Di	sabled	0.12 W	0.12 W	0.18 W	Reference		
Off (S5) - V	VOL Disa	bled	0.084 W	0.072 W	0.096 W	Use for ErP		
			W	W	W	Reference		
EPS No-loa (External power si wall outlet but disc		plugged in the	0.026 W	0.039 W	0.051 W			
ETEC * Annual Ene			5.27 kWh/year	5.23 kWh/year	5.92 kWh/year	$E_{TEC} = (8760/1000) + P_{sleep} \times 0.35 + P_{lo} + P_{short Idle} \times 0.30$	ong_ldle X 0.10	5 🗌
					Mode(S3) - WOL Enabled	d; P _{idle} : Idle State - WO	OL Enabled	
		-	•	Efficiency Marking Pro	tocol) *: VI			
Display res			~ .					
			ve mode: 0.5 minutes					
P9.2*	Informati	on about t	the energy save function	on is provided with the	product.			
P9.3	Energy efficiency class (monitors only):						\boxtimes	
P10	Emissio							
D40.6			<u> </u>	ISO 9296 (See NOTE		A		(P)
P10.1	Mode Idle	N	Mode description		Statistical upper limit *	A-weighted sound p	ower level, <i>L</i>	. _{WA,c} (B)
	Operatio				*			\boxtimes
	Other mo	ode D	eclared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	(operator pos	ition desktop – idle)		
	Other mo			d pressure level (dB) $L_{p{\rm Am}}$	(operator pos	ition desktop – opera	ting)	
	Measured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74)							

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		ZA8N,ZA8R,ZA8S,	ZA8T,ZA8U,ZA8V		Logo	Lono		
Issue date *		2021.4.30				Leno	VO.	,
Product env	ironm	ental attributes	Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
Ele	ectrom	agnetic emissions						
	ompute ogram(requirement for low frequer	ncy electromagnetic field	s of the following voluntary			
P12 Er	gonon	nics for computing	products					
			omic requirements of ISO 9	241-307 for visual displa	y technologies.	\boxtimes		
P12.2* Th	e phys	ical input device me	ets the requirements of ISC	O 9995 and ISO 9241-41	0.	\boxtimes		
		ng and documentat						
Pro								
P13.2* Pro	Product plastic primary packaging is free from PVC.							
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:							
	Specify media for user and product documentation (tick box):							
Ùs	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:							
Ele	ementa	nlorine-free al chlorine-free ed chlorine-free						
		y programs	ements of the following vol	untary program(s):				
F 14.1 111	ie prou	uct meets the requir	ements of the following voi	untary program(s).				
Ec	NERGY co-label co-label		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-4 Date: Date:	Product category: 2 Product category: Product category:			
P15 Ac	ddition	al information (See	NOTE B10)		-			
P9 E n	nergy o	consumption of spe	ecific configuration may v	vary; description of the	tested product configura	tion:		
inf kn pro	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P9 Se	e Ener	gy Star Qualified No	otebooks & Tablet Computed dex.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab K10	Logo
Model Number	ZA8N,ZA8R,ZA8S,ZA8T,ZA8U,ZA8V	Lonovo
Issue Date	2021.4.30	Lenovo
Additional information		

(d)	Year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.68			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	l .			1.9
(h)	Sleep mode power demand (Watts);				0.18
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.1
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		-
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 81.93%				
	*internal note: show values for all available external p	ower supplies			
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	800cls ,≥70% (capacity
(p-1)	Measurement methodology used to dete	ermine information mer NA	tioned in points (I) – i	nternal PSU efficiency	
(p-2)	Measurement methodology used to dete	ermine information mer	tioned in points (m) –	external PSU efficience	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge								
(p-4)		dology used to determine information mentioned in n Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode						
	EI	NERGY STAR Final Test Method for Computers, F	Rev. October 2019						
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::						
	ENERGY STAR Final Test Method for Computers, Rev. October 2019								
(r)	Description of how sl	eep and/or off mode was selected or programmed:							
	refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s							
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	omatically changes to sleep and/or						
	refe	r to power management, 0.5mins automatically re	eaches sleep mode						
(t)		te condition before the computer automatically renot exceed the applicable power demand requirement		0.5					
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA					
(v)		re the display sleep mode is set to activate after		1					
(w)		nergy-saving potential of power management function		·					
(x)	User information on I	now to enable the power management functionality:	efer to user manual						
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution.							
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	l, IEC62301						
Addition	al Notebook Batter	v Information:							
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/b	uilt-in Battery								
External/	detachable Battery								
	kup Battery								
Other:									
Additiona	l information								
1)				L. Company					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.