

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		Lenovo		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product								
conforms to the statement	conforms to the statements given in this declaration.							
Type of product *	Portable Computer Tablet							
Commercial name *	Lenovo Tab M7 (3rd Gen)							
Model number *	ZA8C,ZA8D,ZA9F,ZA9G							
Issue date *	2021.3.10							
Intended market *	🗌 Global 🔀 Europe 🔀 Asia, Pacific & Japan 🗌 Americas 🗌 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	ZA8C,ZA8D,ZA9F,ZA9G				
lssue da	te *	2021.3.10	Lenovo. _R			
	t enviror	mental attributes - Legal requirements	Require			
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobr trichlorc	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Parts w (see leg Comme	K 🔀				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes			
P2	Batterie	95				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square			
P2.2*	Batterie referend	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)				
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Confor	mity verification & Eco design (ErP)				
P3.1*	The pro The De https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes			
	· ·	d information is; given in item P15 or added to this document, available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		t packaging				
P5.1*	hexaval	ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.				
P5.2*	used (s	kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference).				
P5.3*	Protoco	oduct packaging material is free from ozone depleting substances as specified in the Montre I (see legal reference). nt: Legal reference has no maximum concentration values.	al 🔀			
P6		ent information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	ZA8C,ZA8D,ZA9F,ZA9G	Logo				
Issue dat	te *	2021.3.10		Len	-enovo.		
Product	environ	mental attributes - Market requirements (See General NOTE GN b	elow)				
		onmental conscious design		Require			
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7.1*		Disassembly, recycling at have to be treated separately are easily separable					
P7.2*		naterials in covers/housing have no surface coating.			╞	╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u> </u>		
P7.5		vailable tools		<u> </u>			
P7.6*		arts are free from metal inlays or have inlays that can be removed with commonly av re easily separable. (This requirement does not apply to safety/regulatory labels).			╞┼╴	<u> </u>	
F7.0		ine easily separable. (This requirement does not apply to salety/regulatory labels).					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			\square		
P7.8*		ng can be done using commonly available tools				╞	
P7.9	10	arts are available after end of production for: 1 years				╞	
P7.10		is available after end of production for: 1 years				╞	
F7.10		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
			l type: AL5252				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.					
P7.14	weight(polyviny	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cong more than 25% post-consumer recycled content.	retardants, ar	nd			
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs >2 as defined in IEC 61249-2-21. (See 1NOTE B2)	5 g 🗌 are lo	w 🖂			
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes	
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co			_	_	
	TBBF	PA (additive),	-25-5	\boxtimes			
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	nts) > 25 g			\square	
P7.18		lame retarded plastic parts > 25 g contain the following flame retardant substances	/preparations	in	_	_	
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: ical name: , CAS #:					
	Alt. 2: Cl	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:			\boxtimes	
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which			Ē		
	assigned	the following Risk phrases; and Hazard statements:					
			note B5)				
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes		
	a) Of t a p or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %.	(calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber * Z	A8C,ZA8	D,ZA9F,ZA9G			Logo	
Issue dat	e* 20	021.3.10					Lenovo
Product	environme	ntal attri	butes - Market	requirements (contin	nued)	ł	Requirement me
Item				•	•		Yes No n.a
			nce requirements				
P7.21*	Biobased p	lastic mat	erial content is use	d in the product (See No	DTE B7):		
	a) Of tota of tota or	al plastic p I plastic b	parts' weight > 25 y weight) is	es below shall be answe g, the biobased plastic i %.		ulated as a perce	ntage
P7.22*	b) The weight of the biobased plastic material is g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg						
P8	Batteries	<u>o uoou op</u>		and maxim			9
P8.1*	Battery che	mical com	position: <i>Li-ion P</i>	olymer			
P9			n (See NOTE B8)				
P9.1		duct the fo		els or energy consumption			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Star modes and tes	ndard for energy
Peak (On	-max)	1	0 W	10 W	10 W	Full load	
Catego	<u>ry2</u>						
Short Idle State - WOL Enabled		. 1	.74 W	1.59 W	2.62 W	Use for ENER registration (F	GY STAR V8.0 P _{idle})
Long Idle State - WOL Enabled		0	. 18 W	0.18 W	0.2 W	Use for ENER registration (F	GY STAR V8.0 Pidle)
Sleep (S3) - WOL Disa	bled 0	.18 W	0.18 W	0.2 W	Reference	
Off (S5) -	WOL Disable	ed 0	. 18 W	0.15 W	0.18 W	Use for ErP	
			W	W	W	Reference	
EPS No-Ic (External power	supply / charger plug	ged in the	.026 W	0.039 W	0.051 W		
ETEC *	ergy Consum	ption 5	.63 kWh/year	5.27 kWh/year	8.04 kWh/year	+ $P_{sleep} \times 0.35$ $P_{short \ Idle} \times 0.30$	$\begin{array}{c} 000) \times (P_{\text{off}} \times 0.25 \\ + P_{\text{long_ldle}} \times 0.10 + \\ 0) \end{array}$
				OL Enabled; Psleep: Sleep		ed; Pidle: Idle State	- WOL Enabled
		-		al Efficiency Marking Pro	otocol) * : VI		
	solution * : 0.	0					
Default tin			mode: 0.5 minute				
P9.2*	Information	about the	energy save func	tion is provided with the	product.		
P9.3	Energy effic	ciency cla	ss (monitors only):				\square
P10	Emissions						
.			le l	to ISO 9296 (See NOTE			
P10.1	Mode Idle	Mode description *		Statistical upper lim	it A-weighted sou	nd power level, <i>L_{WA,c}</i> (B)	
	Operation	*	*		*		
	Other mode			nd pressure level (dB) $L_{p \text{Am}}$	(operator po	sition desktop – id	lle)
	Other mode	e Decl	lared A-weighted sou	nd pressure level (dB) $L_{p\rm Am}$	(operator po	sition desktop – o	perating)
	Measured a	according	to: ISO 7779 Other	ECMA-74 (only if not covered by			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	ZA8C,ZA8D,Z	A9F,ZA9G		Logo	Long		
lssue dat	e *	2021.3.10				Lenc		z
Product	environr	nental attribu	tes - Market requirements	(continued)		Require		me
Item						Yes	No	n.a
		magnetic emiss						
P10.4	Compute program		the requirement for low frequer	ncy electromagnetic field	ls of the following volunt	tary 🔀		
P12		mics for compu						
P12.1*	The disp	olay meets the e	gonomic requirements of ISO 9	241-307 for visual displ	ay technologies.	\square		
P12.2*	The phy	sical input devic	e meets the requirements of IS0	O 9995 and ISO 9241-4	10.	\square		
P13	Packagi	ing and docum	entation					
P13.1*	Product		rial type(s): <i>paper(manual)</i>	ht (kg): 0.088 weight (kg): 0.03 ht (kg):				
P13.2*	Product	plastic primary p	backaging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
P13.4*		media for user a ronic, XPaper,	nd product documentation (tick	box):				
P13.5	Úser and	only complete th d product docum lease specify:	nis item if paper documentation nentation on paper media is chlo	used) orine-free:		\boxtimes		
	Totally c	hlorine-free				\boxtimes		
	Element	al chlorine-free				E E		
	Process	ed chlorine-free				E E		
P14	Volunta	ry programs						
P14.1			equirements of the following vol	untary program(s):				
	ENERG	Y STAR®	Criteria version: 8.0	Date: 2020-04	Product category: Sla	ates/Tablets		
	Eco-labe	el:	Criteria version:	Date:	Product category:			
	Eco-labe		Criteria version:	Date:	Product category:			
P15			(See NOTE B10)					
P9			f specific configuration may					
	informat knowled	ion contained in ge available at t I here is approxi	no representations, guarantees, this document. All information p he time of completion, and supp mate and provided for information	provided by supplier in the blier shall have no obligation of the blie	is document is provided tion to update such info	based on supprised based on supprised to the superior of the s	olier's format	ion
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Compute ov/index.cfm?fuseaction=find_a	ers for the latest informa product.showProductG	tion: roup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab M7 (3rd Gen)	Logo
Model Number	ZA8C,ZA8D,ZA9F,ZA9G	
Issue Date	2021.3.10	Lenovo
Additional information		

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
$ \Gamma $	Memory over base [GB]	2			
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability (Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capi app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.3			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				1.59
(h)	Sleep mode power demand (Watts);				0.18
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.18
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 81.93%				
(0)	*internal note: show values for all available external pr Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	800cls ,≥70% of capacity
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – in	nternal PSU efficiency	
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption				

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge								
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode						
	ENERGY STAR Final Test Method for Computers, Rev. October 2019								
(q)	Sequence of steps for achieving a stable condition with respect to power demand::								
	ENERGY STAR Final Test Method for Computers, Rev. October 2019								
(r)	Description of how sleep and/or off mode was selected or programmed:								
	refer to power man	agement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s							
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: <i>refer to power management, 0.5mins automatically reaches sleep mode</i>								
(t)		te condition before the computer automatically re-	•	0.5					
(u)	Length of time after	not exceed the applicable power demand requirement r a period of user inactivity in which the compute	r automatically reaches a power	NA					
(v)		ver power demand requirement than sleep mode (in ore the display sleep mode is set to activate after		1					
(v) (w)		nergy-saving potential of power management function		,					
(x)	User information on	how to enable the power management functionality: <i>r</i>	refer to user manual						
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301						
Additio	nal Notebook Batter		F	T					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾							
Internal/	/built-in Battery								
Externa	I/detachable Battery								
Bios Ba	ckup Battery								
Other:									
Addition	al information								
1)									
Akymynarop Las baterías Výměnu bate Brugeren ka Der Akku/die Kasutajad ei Kasutajad ei La/les batter Korisnik ne r La batteria/le Lietotāji paši Šio gaminio A termék akl Il-batterija/ba Batteriet [en De batterij(e Użytkownik t A ou as bate	para[ute] батерия[и] в този de este producto no pueden erie/baterií v tomto výrobku bi ni kke uden videre udskifte ba e Akkus dieses Produkts kann i saa selle toote akut/akusid is [-c] oro mpoióv auró δεν μπor rie(s présente(s) dans ce prod može lako zamijeniti Bateriju j e batterie in questo prodotto n i nevar nomainīt šā ražojuma baterijos [bateriju] pats vartot kumulátorát/akkumulátorait a atteriji fdan il-prodott ma tista le] i dette produktet kan ikke le n) in dit product is (zijn) door nie može sam w łatwy sposót prias deste produto não poder	poúv να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες luit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. ion può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. X/jistghux tig/jijgu sostitwita/i mill-utenti stess. stt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. v wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. te (pot) fi uşor Inlocuită (înlocuite) de utilizatorii înșiși.	werden.						

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.