



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	1		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LCIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Desktop				
Commercial name *	Lenovo V55t Gen 2 13ACN				
Model number *	11RM,11RN,11RQ,11RR,11VS,11VT,11VU,11VV				
Issue date *	2021.7.1				
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	ES/TCO/EPEAT				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 11RM,11RN,11R		11RM,11RN,11RQ,11RR,11VS,11VT,11VU,11VV	Logo	Lend	W/C	
Issue date	e *	2021.7.1		Lenc		TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$	$\neg$	
1 1.0	loride, 1,1,1-		ш			
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
	concenti	ration values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$		
		(PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀	Ш	
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	5 µg/cm²/wee	k 🔀		
		al reference).	,o µg, o , o	🔼	ш	
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	$\boxtimes$		
	https://v	vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure		_		_
P2	Batterie	S				
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	$\boxtimes$		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lea	al 🔀	$\Box$	
	referenc					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).			
		laration of Conformity can be requested at:				
		vww.lenovo.com/us/en/compliance/eu-doc for EU and vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		$\square$	$\overline{}$	$\overline{\Box}$
1 0.2		al reference).			ш	ш
	, ,	d information is; given in item P15 or added to this document,				
	•	available at: https://www.lenovo.com/us/en/complian	ce/eco-			_
	declarat	<u> </u>				
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/, cadmium a	nd 🔀		
		ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	(s) 🔀		
P5.3*		fuct packaging material is free from ozone depleting substances as specified in the N	Iontreal Protoc	col 🔀		
	(see lega	al reference).		<u>~ \</u>		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	11RM,11RN,11RQ,11RR,11VS,11VT,11VU,11VV		Logo	Long	21/0	
Issue dat	te *	2021.7.1		Lend		TH:
Product	environ	mental attributes - Market requirements (See General NOTE GN b	elow)			
	- Enviro	nmental conscious design	Ĺ	Requirer	nent r	net
Item		ory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	
P7.2*		aterials in covers/housing have no surface coating.		$\boxtimes$		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	/ailable tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir		$\boxtimes$			
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC</i> Material	tyne.			ì
P7.12		n materials of external electrical cables are PVC free.	typo.		$\square$	
P7.13		n materials of internal electrical cables are PVC free.				Ħ
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro	omine and 0.1%	<u> </u>		Ħ
	weight (	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	retardants, and			
P7.15		n 25% post-consumer recycled content. ircuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐	ara law balagan		$\square$	
	as define	d in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	ı <u> </u>		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		Ш	Ш	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co 'A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: <b>79-94-</b>	. ,	$\square$		
		, , , , , , , , , , , , , , , , , , , ,			ш	
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	nts) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances	/preparations in	<u> </u>		
		ations above 0,1%:				
		cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "				
		cal name: , CAS #:				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	- <b>4</b> ·			$\neg$
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		H	Ħ	
	•	the following Risk phrases; and Hazard statements:		ш	ш	
	Ū		ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	- /	$\square$	П	
	16.17-5				_	
		t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content	(calculated as			
		oral plastic parts, weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is <b>14.68%</b> .	(calculated as			
	or .					
	b) The	weight of recycled material is 56.2 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	11RM,11RN,11RQ,11RR,11VS,11VT,11VU,11VV 2021.7.1	Logo	Lenovo.
Product environr		Requirement met	
Item		•	Yes No na

	Material and subs	tance requirements	(continued)							
P7.21*	Biobased plastic m	aterial content is used	in the product (See N	OTE B7):						
	If YES: at least one	e of the two alternative	s below shall be answ	ered:						
			rts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by	/ weight) is %.	ight) is %.							
	or	46 - 15: -15114:	biobased plastic material is g.							
P7.22*						_				
P1.22		purces are free from mercury, i.e. less than 0,1 mg/lamp.  Land maximum mercury content per lamp:  Land maximum mercury content per lamp:  Land maximum mercury content per lamp:  Land maximum mercury content per lamp:								
P8	Batteries	spoony. Humber of lan	ipo. ana maxim	idin moredry content pe	namp. mg					
P8.1*	Battery chemical co	attery chemical composition: Lithium Manganese Dioxide								
P9	Energy consumpt	y consumption (See NOTE B8)								
P9.1			s or energy consumpti	ons are reported:						
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy					
		100 V AC	115 V AC	230 V AC	modes and test method *					
Peak (On-r	nax)	<b>230</b> W	<b>230</b> W	<b>230</b> W	Full load					
Category	<u>/ 12</u>									
Short Idle	State - WOL	15.48 W	15.19 W	15.62 W	Use for ENERGY STAR V8					
Enabled					registration(P <sub>idle</sub> )					
Long Idle S	State - WOL	14.47 W	14.48 W	15.02 W	Use for ENERGY STAR V8					
Enabled	J. 1702	14.47 **	14.40 11	70.02 **	registration( $P_{idle}$ )					
01 (00)	WOL 5	4.00.104	4.00.144	4.0014/		_				
Sleep (S3)	- WOL Enabled	1.08 W	1.08 W	1.08 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )					
					C					
Off (S5) - V	VOL Enabled	0.57 W	<b>0.57</b> W	0.57 W	Use for ENERGY STAR V8					
					registration(P <sub>off</sub> )					
Category	<u>/ D2</u>									
Short Idle	State - WOL	17.55 W	17.63 W	17.42 W	Use for ENERGY STAR V8	_				
Enabled					registration(P <sub>idle</sub> )					
1 (-11- (	04-4- 14/01	40.45\\\	40.07\\\	40.0714/						
Enabled	State - WOL	19.45 W	19.67 W	18.97 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )					
					1 17					
Sleep (S3)	- WOL Enabled	1.08 W	1.08 W	1.08 W	Use for ENERGY STAR V8					
					registration(P <sub>sleep</sub> )					
Off (S5) - V	VOL Enabled	0.56 W	0.56 W	0.56 W	Use for ENERGY STAR V8	_				
					registration(P <sub>off</sub> )					
EPS No-loa	ad	W	W	l w		_				
	upply / charger plugged in the connected from the product.)									
PTEC *	connected from the product.)	W	W	W		_				
	ergy Consumption	V V	V V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						
ETEC *		12:58.36 kWh/year	12:57.61 kWh/year	12:59.21 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	_				
Annual Ene	ergy Consumption	<b>D2:68.15</b> kWh/year	<b>D2:68.56</b> kWh/year	<b>D2:67.39</b> kWh/year	+ P <sub>sleep</sub> x 0.05 + P <sub>long_ldle</sub> x 0.15+					
				<u> </u>	P <sub>short Idle</sub> x 0.35)					
External D	wor Cupply Fffigir-	Poff: Off Mode(S	Efficiency Marking De	p: Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	_				
			Efficiency Marking Pro	UIUCOI) ":						
Display res		egapixels								
		ve mode: 25 minutes								
P9.2*		0,	on is provided with the	product.						
P9 3	Energy efficiency of	lass (monitors only).	IΔ							

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

P10	Emissions								
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						
Ì	Idle	* HDD:Idle	* 3.2						
ĺ	Operation	* HDD: Operating	* 3.5						
	Other mode	Declared A-weighted sound pressure level (dB) $L_{ m pArr}$	22 (operator position desktop – idle)						
	Other mode	Declared A-weighted sound pressure level (dB) $L_{ m pAm}$	28 (operator position desktop – operating)						
	Measured acco	Measured according to: ☐ ISO 7779 ☐ ECMA-74							
		Other (only if not covered by ECMA-74)							

Model number * 11RM,11RN,11RQ,11R		11RN,11RQ,11RR,11	/S,11VT,11VU,11VV					Logo	1.	Lenovo.		
Issue date *	2021.7	.1							L		VO.	
Product environn	nental	attributes - Market	requirem	ents (c	ontinu	ued)			Re	quire	ment	met
Item										Yes	No	n.a.
		c emissions										
program	(s):	y meets the requireme		equency	electr	omagnetio	c fields of the foll	owing volur	ntary			
		computing products										
	•	ts the ergonomic requ						gies.				$\boxtimes$
P12.2* The phys	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.											
		documentation										
Product	Product packaging material type(s): Paper - cardboard weight (kg): 1.22											
P13.2* Product	plastic p	rimary packaging is fr	ee from PV	C.						$\boxtimes$		
consume	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70 %											
		r user and product do Paper, Other	cumentatior	ı (tick bo	x):							
P13.5 (Please User and	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:											
Totally c Element Processo	al chlorii	ne-free										
P14 Volunta	ry progi	rams										
ENERG` Eco-labe Eco-labe	Y STARO el: <i>EPEA</i> el: <i>TCO</i>	Criteria v Criteria v	version: <b>8.0</b> version: version: <b>8.0</b>	Ü	Da Da	ogram(s): te: <b>2021.6</b> te: <b>2021.8</b> te: <b>2021.7</b>	Product of	category: Docategory: Docatego	esktop			
		mation (See NOTE B										
		ption of specific cor								:	_	
Test C item	Category	CPU	Memory	HDD	SSD	Graphics	power supply	Sle	eep mode			
ES	2 D2	AMD Ryzen 7 5700G	32 <b>GB</b>	2TB 3.5"HDD	1TB	DIS&UMA	<b>180W</b> 260 <b>W</b>	Sle	ер			
informati knowled provided informati	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.											
		Qualified Notebooks gystar.gov/index.cfm?f						code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V55t Gen 2 13ACN	Logo		
Model Number	11RM,11RN,11RQ,11RR,11VS,11VT,11VU,11VV		Lonovo	
Issue Date	2021.7.1		Lenovo.	
Additional information	ES/TCO/EPEAT			

d)	year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				32
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
djustme ing test	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
cape	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)				G3
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				55.78
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				62.90
(g)	Idle state power demand (Watts);	<u> </u>	l		17.05
(h)	Sleep mode power demand (Watts);				1.05
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.05
(j)	Off mode power demand (Watts);				0.56
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.56
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
		% <b>88.65%</b> 100% <b>85.5</b>	o o		
	260w 10% <b>85.63</b> % 20% <b>86.3</b> % 50%	5 <b>86.98%</b> 100% <b>84.26</b>	6% Average <b>85.82</b> %	6	
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: N/A				
(o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to r	otebook computers):	NA NA
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  NA	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	<ol> <li>Go to Control Panel and view by large icons or small icons.</li> </ol>	
	<ol><li>Click Power Options → Choose what the power buttons do.</li></ol>	
	<ol><li>Change the settings as you prefer.</li></ol>	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	NA NA	
(x)	User information on how to enable the power management functionality:	
	Based on user manual-Set the power plan	
	Set the power plan	
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
	Table 1. Default power plan (when plugged into ac power)	
	Turn off the display: After 10 minutes	
	Put the computer to sleep: After 25 minutes	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	To reset the power plan to achieve the best balance between performance and power saving:	
	1. Go to Control Panel and view by large icons or small icons.	
	<ol><li>Click Power Options, and then choose or customize a power plan of your preference.</li></ol>	

		Test	voltage in V and frequency in Hz: 23	80V/50Hz	
		Total hai	monic distortion of the electricity supply sy	stem: <u>≦</u> 2%	
	Instrument Name AC Power Source Power Meter		Range Used or *****	Make and Model**	
			1~300VAC;1~550Hz; 1000VA 1~500V;0~20A Full Range -10~60°C; 0~100&RH	NF; EC1000S YOKOGAWA; WT310 CASIO; HS-70W Testo; 622	
Digital W		atch			
	Ambient Monitor				
Anemome			0~20m/s Testo; 425		
Additions				Testo; 425	
Additiona	Anemom	y Information Battery[ies	on: i] not user replaceable es] in this product cannot be easily	Battery[ies] user replaceable	n/a
	al Notebook Batter	y Information Battery[ies	on: s] <u>not</u> user replaceable		
Internal/bi	al Notebook Batter	y Information Battery[ies	on: i] not user replaceable es] in this product cannot be easily		
Internal/bi	al Notebook Batter  uilt-in Battery  letachable Battery	y Information Battery[ies The battery[instance by instance by instance by instance by instance before befor	on: i] not user replaceable es] in this product cannot be easily		
Internal/bi	al Notebook Batter	y Information Battery[ies	on: i] not user replaceable es] in this product cannot be easily		
Internal/bi	al Notebook Batter  uilt-in Battery  letachable Battery	y Information Battery[ies The battery[instance by instance by instance by instance by instance before befor	on: i] not user replaceable es] in this product cannot be easily		

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

reasulatura et as selle toucle adurantura i se inoipsasir assiruadur. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.