



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Log | 0 | | | |
|--------------------------------------|--|-------|---|--|--|--|
| Company name * | Lenovo | | | | | |
| Contact information * e-mail address | Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com | Lenov | | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | | | | |
| Additional information | The latest version of this document can be found at: | | | | | |
| | http://www.lenovo.com/ecodeclaration | | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | | |
|--|--|--|--|--|--|--|
| conforms to the statemen | nts given in this declaration. | | | | | |
| Type of product * | Portable Computer Tablet | | | | | |
| Commercial name * | Lenovo Yoga Tab 11(All Models) | | | | | |
| Model number * | ZA8W,ZA8X | | | | | |
| Issue date * | 2021.6.18 | | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | | |
| Additional information | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model number * | | ZA8W,ZA8X | | Lenc | WO | | | |
|----------------|--|---|---------------------------|-------------|---------------|---------------|--|--|
| Issue dat | e * | 2021.6.18 | | Lenc | | R | | |
| Product | environ | mental attributes - Legal requirements | | Require | ment | met | | |
| Item | | | | Yes | No | n.a. | | |
| P1 | Hazardo | ous substances and preparations | | | | | | |
| P1.1* | Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) | | | | | | | |
| P1.2* | | s do not contain Asbestos (see legal reference). | | \boxtimes | | | | |
| | | nt: Legal reference has no maximum concentration value. | | | | | | |
| P1.3* | | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | | \boxtimes | | | | |
| | | omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach | | • | | | | |
| | | ethane, methyl bromide (see legal reference). Comment: Legal reference has no m | aximum | | | | | |
| D4.4* | | ration values. | | | | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych | iorinated | \boxtimes | | | | |
| P1.5* | Producto | ∕l (PCT) in preparations (see legal reference). s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl | on atoms in | the M | $\overline{}$ | | | |
| P1.5 | chain co | ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | on atoms in | the 🔀 | Ш_ | | | |
| P1.6* | Parts wit | th direct and prolonged skin contact do not release nickel in concentrations above 0 | ,5 μg/cm ² /we | eek 🔀 | | | | |
| | | al reference). | | | _ | | | |
| | | nt: Max limit in legal reference when tested according to EN1811:2011-5. | | | | | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail | contact): | \boxtimes | | | | |
| | | vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | | | | | | |
| P2 | Batterie | | | | | | | |
| P2.1* | | oduct contains a battery or an accumulator, the battery/accumulator is labeled with the | he disposal | | | | | |
| P2.2* | | Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn | nium (Coolo | aal M | $\overline{}$ | $\overline{}$ | | |
| P2.2 | referenc | | ilulii. (See le | gal 🔀 | Ш | ш | | |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | \boxtimes | | | | |
| P3 | | nity verification & Eco design (ErP) | | | | | | |
| P3.1* | | duct is CE-marked to show conformance with applicable legal requirements (see leg | gal reference |). | | | | |
| | | laration of Conformity can be requested at (add link or e-mail address): | | | _ | | | |
| | | vww.lenovo.com/us/en/compliance/eu-doc for EU and | | | | | | |
| DO OT | | www.lenovo.com/us/en/compliance/uk-doc for UK | | | | $\overline{}$ | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, al reference). | | \boxtimes | Ш | Ш | | |
| | , , | d information is; given in item P15 or added to this document, | | \square | | | | |
| | Required | | | | ш | ш | | |
| | L-44 | <u> </u> | | | | | | |
| DE | | www.lenovo.com/us/en/compliance/eco-declaration | | | | | | |
| P5.1* | | ng and packaging components do not contain more than 0,01% lead, mercur | , codmium | and 🔀 | | | | |
| 1 3.1 | | ent chromium by weight of these together. | y, caumum | and 🔼 | Ш | | | |
| P5.2* | | kaging materials are marked with abbreviations and numbers indicating the nature | of the materi | al(s) | | | | |
| | used (se | e legal reference). | | | |] | | |
| P5.3* | | duct packaging material is free from ozone depleting substances as specified | in the Mon | treal 🔀 | | | | |
| | | (see legal reference). | | | | _ | | |
| | | nt: Legal reference has no maximum concentration values. | | | | | | |
| P6 | | nt information | | | | | | |
| P6.1* | Informati | on for recyclers/treatment facilities is available (see legal reference). | | | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | | ZA8W,ZA8X Logo | on | | | | | | |
|--|--|---|-------------|-------------|-------------------|--|--|--|--|
| Issue dat | te * | 2021.6.18 | .en | JVC | TH. | | | | |
| Product environmental attributes - Market requirements (See General NOTE GN below) | | | | | | | | | |
| | | | quire | | met | | | | |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. | | | | |
| P7 | | Disassembly, recycling | | | | | | | |
| P7.1* | | thave to be treated separately are easily separable | | Ц_ | Щ. | | | | |
| P7.2* | | naterials in covers/housing have no surface coating. | Ц_ | | Ц_ | | | | |
| P7.3* | | arts > 100 g consist of one material or of easily separable materials. | | | \boxtimes | | | | |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | | | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | | | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | | | | | |
| | Product | lifetime | | | | | | | |
| P7.7* | Upgradir | ng can be done e.g. with processor, memory, cards or drives | | \boxtimes | | | | | |
| P7.8* | Upgradir | ng can be done using commonly available tools | | \boxtimes | | | | | |
| P7.9 | Spare pa | arts are available after end of production for: 1 years | | | | | | | |
| P7.10 | Service i | s available after end of production for: 1 years | | | $\overline{\Box}$ | | | | |
| | Material | and substance requirements | | | | | | | |
| P7.11* | Product | cover/housing material type (e.g. plastics, metal, aluminum): | | | | | | | |
| | | type: PC+30%GF Material type: PC Material type: SUS304 | | | | | | | |
| P7.12 | | n materials of external electrical cables are PVC free. | | | | | | | |
| P7.13 | | n materials of internal electrical cables are PVC free. | | \boxtimes | | | | | |
| P7.14 | External | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% | | \boxtimes | | | | | |
| | | 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts | | | | | | | |
| | | ig more than 25% post-consumer recycled content. | | | | | | | |
| P7.15 | | circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low | X | \Box | | | | | |
| | | as defined in IEC 61249-2-21. (See 1NOTE B2) | | | _ | | | | |
| P7.16 | | starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | \boxtimes | | | | |
| D7.47 | Marking: | | | | | | | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without components): | \boxtimes | | | | | | |
| | | PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5 | | ш | Ш | | | | |
| | | nemical specifications of flame retardants in printed circuit boards (without components) > 25 g | | | | | | | |
| | accordin | g ISO 1043-4: | Ш | | X | | | | |
| P7.18 | | ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in | | | | | | | |
| | | ations above 0,1%: ical name: , CAS #: (See NOTE B4) | | | \boxtimes | | | | |
| | | ical name: , CAS #: (See NOTE B4) | | | | | | | |
| | | ical name: , CAS #: " | | | | | | | |
| | Alt. 2: Ch | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR40 | \square | | | | | | |
| P7.19 | | parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | | Ħ | | | | |
| | | I the following Risk phrases; and Hazard statements: | ш | | ш | | | | |
| | Ü | cce(s) for these classifications is/are found at (add URL(s)): (See note B5) | | | | | | | |
| P7.20* | | sumer recycled plastic material content is used in the product (See Note B6): | X | | | | | | |
| | | | | | | | | | |
| | | t least one of the two alternatives below shall be answered; | | | | | | | |
| | | otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %. | | | | | | | |
| | or | Stocklage of total place by weight is 70. | | | | | | | |
| | b) The weight of recycled material is g. | | | | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model num | ber * | ZA8W,ZA | 4 <i>8X</i> | | | Logo | Lono | 10 |
|--|---|----------------|------------------------------|---------------------------------------|--------------------------|--|-----------------------|-----------------|
| Issue date * 2021.6.1 | | 2021.6.1 | 8 | | | | Leno | VO _m |
| Product e | nvironn | nental at | tributes - Market r | equirements (contir | iued) | | Requiren | nent met |
| Item | | | | • | , | | Yes N | o n.a. |
| | Material | and subs | stance requirements | (continued) | | | | |
| P7.21* | Biobaseo | l plastic m | naterial content is used | in the product (See NC | OTE B7): | | | |
| | If YES; a | t least one | e of the two alternative | es below shall be answe | red; | | | |
| | | | | , the biobased plastic r | naterial content (calcul | ated as a percentaç | ge | |
| | | otal plastic | by weight) is % |). | | | | |
| l | or b) The | weight of | the biobased plastic r | material is g. | | | | |
| | Light sources are free from mercury, i.e. less than 0,1 mg/lamp. | | | | | | | |
| | | | specify: Number of lar | nps: and maximu | ım mercury content per | · lamp: mg | | |
| - | Batteries | | omposition: <i>Li-ion Po</i> | humar | | | | |
| | | | • | rymer | | | | |
| | | | tion (See NOTE B8) | s or energy consumption | ns are reported: | | | |
| Energy mod | | roddot tric | Power level at | Power level at | Power level at | Reference/Standa | rd for ener | qv 🔲 |
| | | | 100 V AC | 115 V AC | 230 V AC | modes and test me | | |
| Peak (On-m | nax) | | 16.8 W | 16.8 W | 16.8 W | Full load | | |
| Category | ·2 | | | | | | | |
| Short Idle S Enabled | State - W | OL | 2.18 W | 2.18 W | 2.28 W | Use for ENERGY STAR V8.0 registration (P _{idle}) | | |
| Long Idle S Enabled | State - WO | DL | 0.28 W | 0.29 W | 0.33 W | Use for ENERGY STAR V8.0 registration (P _{idle}) | | |
| Sleep (S3) - | - WOL Di | sabled | 0.28 W | 0.29 W | 0.33 W | Reference | | |
| Off (S5) - W | /OL Disa | bled | 0.17 W | 0.17 W | 0.20 W | Use for ErP | | |
| | | | W | W | W | Reference | | |
| EPS No-load (External power su wall outlet but disco | | olugged in the | 0.026 W | 0.039 W | 0.051 W | | | |
| wall outlet but disco | onnected from t | he product.) | 7.21 kWh/year | 7.24 kWh/year | 7.73 kWh/year | $E_{TEC} = (8760/1000)$ |) v /P v /l 2 | 5 🗆 |
| Annual Ene | rgy Consi | umption | 7.27 KWIIIyodi | 7.24 KWIII/yodi | 7.70 KWIII/year | $+ P_{sleep} \times 0.35 + P_{short Idle} \times 0.30$ | | |
| | | | | OL Enabled; Psleep: Sleep | | | OL Enabled | |
| | | • | · · | l Efficiency Marking Pro | tocol) * : VI | | | |
| Display reso | olution * : | 2.4 mega | pixels | | | | | |
| Default time | to enter | energy sa | ve mode: 0.5 minutes | | | | | |
| P9.2* Information about the energy save function is provided with the product. | | | oroduct. | | | | | |
| P9.3 | Energy efficiency class (monitors only): | | | | | | | |
| | | | | | | | | |
| | | | | ISO 9296 (See NOTE | | | | <i>(</i> =) |
| P10.1 | Mode Idle | N | Node description | | Statistical upper limit | A-weighted sound p | oower level, <i>L</i> | |
| | | - * | | | * | | | |
| | Operation | | noclared A-weighted carry | d proceura loval (dP) r | (| Man dealer - 140 t | | |
| <u> </u> | Other mo | | | d pressure level (dB) $L_{p{\rm Am}}$ | | ition desktop – idle) | | |
| | Other mo | ode D | eclared A-weighted soun | d pressure level (dB) $L_{p m Am}$ | (operator pos | ition desktop – opera | nting) | |
| | Measured according to: SO 7779 ECMA-74 Other (only if not covered by FCMA-74) | | | | | | | |

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

| Model num | ber * | ZA8W,ZA8X | | | Logo | Long | 1/0 | |
|------------|---|----------------------|--|---------------------------------------|---|-------------|------|---------------|
| Issue date | * | 2021.6.18 | | | | Leno | VO. | |
| Product e | nvironn | nental attributes | - Market requirements (| continued) | | Require | ment | met |
| Item | | | | | | Yes | No | n.a. |
| | Electron | nagnetic emissions | 3 | | | | | |
| P10.4 | Compute | er display meets the | requirement for low frequence | cy electromagnetic field | s of the following voluntary | X | | |
| | program | | | | | | | |
| P12 | Ergonor | nics for computing | products | | | | | |
| P12.1* | The disp | lay meets the ergon | omic requirements of ISO 92 | 241-307 for visual displa | y technologies. | | | |
| P12.2* | | <u> </u> | eets the requirements of ISO | 9995 and ISO 9241-41 | 0. | \boxtimes | | |
| P13 | | ng and documenta | | | | | | |
| | | packaging material t | | t (kg): 0.288 | | | | |
| | | | ype(s): <i>paper(manual)</i> weig | | | | | |
| | | | ype(s): Paper Cushion | weight (kg): 0.127 | | | | $\overline{}$ |
| | | ' '' | aging is free from PVC. | | | | | |
| | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: | | | | | | | |
| P13.4* | | | roduct documentation (tick b Other | oox): | | | | |
| | User and | | em if paper documentation u ation on paper media is chlor | | | \boxtimes | | |
| | Totally chlorine-free Elemental chlorine-free Processed chlorine-free | | | | | | | |
| | | ry programs | | | | | | |
| P14.1 | The prod | luct meets the requi | rements of the following volu | ntary program(s): | | | | |
| | Eco-labe Eco-labe | d: | Criteria version: 8.0 Criteria version: Criteria version: | Date: 2020-4 Date: Date: | Product category: 2 Product category: Product category: | | | |
| P15 | | nal information (Se | | | | | | |
| | | | ecific configuration may va | | | | | |
| | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. | | | | | | | |
| | | | otebooks & Tablet Computer dex.cfm?fuseaction=find_a_ | | | | | |
| | • | | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | Lenovo Yoga Tab 11(All Models) | Logo |
|------------------------|--------------------------------|---------|
| Model Number | ZA8W,ZA8X | Lenovo |
| Issue Date | 2021.6.18 | Lenovo. |
| Additional information | | |

| (d) | Year of manufacture: | | | | 2021 |
|--|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| (e) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with | | | | cards (dGfx) are |
| f) | Etec value (kWh) per ErP Lot 3 Categor | ry and capability adjust | tments applied when a | all discrete graphics | cards (dGfx) are |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
| | Memory over base [GB] | 8 | | | |
| ents | Additional internal storage | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| capability adjustments applied during testing | Discrete television tuner | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| ability a | Discrete Audio Card | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| cap | Discrete graphics Card(s) [number / #] | No #: (Yes / No) | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | No | | | |
| sults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 7.33 | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | | |
| (g) | Idle state power demand (Watts); | I | | | 2.28 |
| (h) | Sleep mode power demand (Watts); | | | | 0.33 |
| (i) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | |
| (j) | Off mode power demand (Watts); | | | | 0.2 |
| (k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | |
| (1) | Internal power supply efficiency at 10 % | , 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | |
| | 10% 20% 50% | 100% Avera | age | | |
| (m) | External power supply efficiency (if appli | icable)*: | | | |
| | Average active efficiency: 86.8% | | | | |
| | *internal note: show values for all available external p | ower supplies | | | |
| (o) | Minimum number of loading cycles that | the batteries can withs | tand (applies only to r | otebook computers): | 800cls ,≥70% (capacity |
| (p-1) | Measurement methodology used to dete | ermine information mer NA | ntioned in points (I) – i | nternal PSU efficiency | : |
| (p-2) | Measurement methodology used to dete | ermine information mer | ntioned in points (m) – | external PSU efficience | cy: |

| (p-3) Measu | Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge | | | | | | | | |
|------------------------|--|---|-------------------------------------|-----|--|--|--|--|--|
| | | dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: | naximum, idle, sleep, off mode | | | | | | |
| | ENERGY STAR Final Test Method for Computers, Rev. October 2019 | | | | | | | | |
| (q) Seque | ence of steps fo | r achieving a stable condition with respect to power | demand:: | | | | | | |
| | EN | ERGY STAR Final Test Method for Computers, F | Rev. October 2019 | | | | | | |
| (r) Descri | iption of how sle | eep and/or off mode was selected or programmed: | | | | | | | |
| refer | to power mana | agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s | | | | | | | |
| (s) Seque off mo | | equired to reach the mode where the equipment au | comatically changes to sleep and/or | | | | | | |
| | refer | r to power management, 0.5mins automatically r | eaches sleep mode | | | | | | |
| (t) Durat | ion of idle stat | e condition before the computer automatically renot exceed the applicable power demand requirement | eaches sleep mode, or another | 1 | | | | | |
| (u) Lengt | th of time after | a period of user inactivity in which the compute er power demand requirement than sleep mode (in | r automatically reaches a power | NA | | | | | |
| | | re the display sleep mode is set to activate after | | 0.5 | | | | | |
| | | ergy-saving potential of power management function | | | | | | | |
| (x) User i | nformation on h | ow to enable the power management functionality: | efer to user manual | | | | | | |
| the ele | | neasurements: — test voltage in V and frequency in system, — information and documentation on the in- ting: | | | | | | | |
| | | 230V50HZ-2%-Edition 2.0, 2011-01, Section 4 | I, IEC62301 | | | | | | |
| Additional Note | ebook Batter | / Information: | | | | | | | |
| | | Battery[ies] <u>not</u> user replaceable | Battery[ies] user replaceable | n/a | | | | | |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$ | | | | | | | |
| Internal/built-in E | Battery | | | | | | | | |
| External/detacha | able Battery | | | | | | | | |
| Bios Backup Battery | | | | | | | | | |
| Other: | Other: | | | | | | | | |
| Additional inform | nation | | | · | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 1) | | | | | | | | | |

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.