

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		Lenovo		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statement	conforms to the statements given in this declaration.						
Type of product *	Tablet						
Commercial name *	Lenovo Yoga Tab 13						
Model number *	ZA8E						
Issue date *	2021.4.16						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	ZA8E	Long		
lssue da	ite *	2021.4.16	Lenc		R
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	1-		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	in the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/ν al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	week 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference)	l 🛛		
P2.2*	Batterie	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	legal 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The pro The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference alaration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	ce). 🔀		
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\square		
	Require	d information is;			
P5		www.lenovo.com/us/en/compliance/eco-declaration			
P5.1*		: packaging ng and packaging components do not contain more than 0,01% lead, mercury, cadmiun	and ∇		
F0.1	hexaval	ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the mate ee legal reference).			
P5.3*	Protoco	duct packaging material is free from ozone depleting substances as specified in the Mo (see legal reference). nt: Legal reference has no maximum concentration values.	ntreal 🔀		
P6		nt information			
		on for recyclers/treatment facilities is available (see legal reference).	\square	_	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	ZA8E Logo	010		
Issue da	te *	2021.4.16	len	ovc	Dec.
Product	t environ	mental attributes - Market requirements (See General NOTE GN below)			
	- Enviro	onmental conscious design Real Real Real Real Real Real Real Real	equire		met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7.1*	<u> </u>	Disassembly, recycling at have to be treated separately are easily separable			
L					<u> </u>
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>
P7.3*	•	parts > 100 g consist of one material or of easily separable materials.		Ц_	<u> </u>
P7.4*		parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	<u> </u>
P7.5	-	parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ц_	
P7.6*		are easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
P7.7*		t lifetime			
		ng can be done e.g. with processor, memory, cards or drives	<u> </u>		<u> </u>
P7.8*		ng can be done using commonly available tools		\bowtie	<u> </u>
P7.9		arts are available after end of production for: 1 years			
P7.10		is available after end of production for: 1 years			
		l and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+30%GF Material type: PC Material type:			
P7.12		type: PC+30%GF Material type: PC Material type: n materials of external electrical cables are PVC free.			
P7.13		n materials of external electrical cables are PVC free.			<u> </u>
P7.14					<u> </u>
P7.14	weight (polyviny	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts ng more than 25% post-consumer recycled content.			
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g □ are low as defined in IEC 61249-2-21. (See 1NOTE B2)	\boxtimes		
P7.16	Marking:				\square
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_	_	_
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5	\bowtie		
		hemical specifications of flame retardants in printed circuit boards (without components) > 25 g ng ISO 1043-4:			\square
P7.18		lame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
		rations above 0,1%: nical name: , CAS #: (See NOTE B4)			\boxtimes
		nical name: , CAS #: (See NOTE DF)			
		nical name: , CAS #: "			
	Alt. 2: C	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR40	\square		
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			Ħ
	assigned	d the following Risk phrases; and Hazard statements:			
	•	rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):		\square	
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %.			
	or				
	b) The	e weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZA8E				Logo					
Issue date *	2021.4.1	6				Lenovo				
Product enviro	nmental a	ttributes - Market re	equirements (conti	nued)		Requirement met				
Item			•	•		Yes No n.a.				
Mater	ial and sub	stance requirements	(continued)							
P7.21* Bioba	sed plastic n	naterial content is used	I in the product (See No	DTE B7):						
a) (c or	of total plastic by weight) is %.									
		f the biobased plastic r								
P7.22* Light	sources are	free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um moroury contont por	lamn: m					
P8 Batte		specity. Number of fan	nps. and maxim	um mercury content per	lamp: m	<u>y</u>				
		composition: <i>Li-ion Po</i>	lvmer							
		tion (See NOTE B8)								
	e product th	e following power level	s or energy consumption	ons are reported.						
Energy mode *	<u>- product in </u>	Power level at 100 V AC	Power level at 115 V AC		Reference/Sta modes and tes	ndard for energy				
Peak (On-max)		30 W	30 W	30 W	Full load					
Category2										
Short Idle State - Enabled	WOL	2.81 W	2.81 W		Use for ENERGY STAR V8.0 registration (P _{idle})					
Long Idle State - Enabled	WOL	0.29 W	0.28 W		Use for ENERGY STAR V8.0 registration (P _{idle})					
Sleep (S3) - WOL	Disabled	0.29 W	0.28 W	0.35 W	Reference					
Off (S5) - WOL D	sabled	0.18 W	0.18 W	0.19 W	Use for ErP					
		W	W	W	Reference					
EPS No-load (External power supply / cha wall outlet but disconnected f	ger plugged in the	0.023 W	0.027 W	0.068 W						
ETEC * Annual Energy Co		8.9 kWh/year	8.88 kWh/year		$E_{TEC} = (8760/1)$ + $P_{sleep} \times 0.35$ $P_{short \ Idle} \times 0.30$	$\begin{array}{c} 000) \ x \ (P_{off} \ x \ 0.25 \\ + \ P_{long_ldle} \ x \ 0.10 + \\ 0) \end{array}$				
				Mode(S3) - WOL Enabled	; Pidle: Idle State	- WOL Enabled				
			Efficiency Marking Pro	otocol) * : VI						
Display resolution	* : 2.916 me	egapixels								
Default time to ent	er energy sa	ave mode: 0.5 minutes								
P9.2* Inform	ation about	the energy save function	on is provided with the	product.						
P9.3 Energ	y efficiency	class (monitors only):								
P10 Emiss	sions	,								
		- Declared according to	ISO 9296 (See NOTE	B9)						
P10.1 Mode	N	Node description		Statistical upper limit	A-weighted sou	nd power level, <i>L_{WA,c}</i> (B)				
Idle	41 m 4			+						
Opera										
Other			d pressure level (dB) $L_{p {\rm Am}}$	(operator posi	tion desktop – id	lle)				
/ <u> </u>			d pressure level (dB) L _p Am	Am (operator position desktop – operating)						
Meas	ured accordi	ng to: ISO 7779 Other	ECMA-74 (only if not covered by	FCMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	nber *	ZA8E			Logo			
Issue date	*	2021.3.10				Leno	VO	×
	environr	nental attribut	es - Market requirements	(continued)		Require		met
Item						Yes	No	n.a.
		nagnetic emissi						
P10.4	program	(s):	the requirement for low freque	ncy electromagnetic fiel	ds of the following volunt	ary	\square	
P12		nics for comput						
P12.1*	The disp	lay meets the er	gonomic requirements of ISO	9241-307 for visual disp	lay technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13		ng and docume						
P13.1*	Product Product	packaging mater packaging mater	ial type(s): <i>paper(manual)</i> ial type(s): <i>PP</i> weight (kg): <i>0.</i>	yht (kg): 0.475 weight (kg): 0.065 007	ī			
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\boxtimes		
P13.3*		luct primary corr er recovered fibe	rugated fiberboard packaging r content: %	, specify the contained	percentage of minimum	ı post-		
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser and		s item if paper documentation entation on paper media is chl					
	Totallv c	hlorine-free				\boxtimes		
	,	al chlorine-free				H		
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1			quirements of the following vo	luntary program(s):				
	ENERG	Y STAR®	Criteria version: 8.0	Date: 2020-4	Product category: 2			
	Eco-labe	el:	Criteria version:	Date:	Product category:			
	Eco-labe	el:	Criteria version:	Date:	Product category:			
P15			See NOTE B10)					
P9			specific configuration may					
	informat knowled	ion contained in t ge available at th I here is approxin	o representations, guarantees his document. All information e time of completion, and sup nate and provided for informat	provided by supplier in t plier shall have no obliga	his document is provided ation to update such info	based on supp rmation. The inf	olier's format	ion
P9	See Ene	rgy Star Qualifie	d Notebooks & Tablet Comput //index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Tab 13	Logo
Model Number	ZA8E	Lenovo
Issue Date	2021.4.16	Lenovo.
Additional information		

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	ry and capability adjus switchable graphics r	stments applied when node with UMA driving	all discrete graphics of the display.	cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.74		<u> </u>	
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	<u>.</u>	<u>.</u>	<u></u>	2.83
(h)	Sleep mode power demand (Watts);				0.35
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.19
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera		, .	
(m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 85.98%				
	*internal note: show values for all available external po				
(0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	800cls , <i>≥</i> 70% of capacity
(p-1)	Measurement methodology used to dete	ermine information men NA	ntioned in points (I) – in	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption	ermine information mer	ntioned in points (m) – Supplies, Appendix	external PSU efficience Z to 10 CFR Part 430	су:

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge								
(p-4)	(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	ENERGY STAR Final Test Method for Computers, Rev. October 2019								
(q)	Sequence of steps for achieving a stable condition with respect to power demand::								
	ENERGY STAR Final Test Method for Computers, Rev. October 2019								
(r)	Description of how sleep and/or off mode was selected or programmed:								
	refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s							
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or						
		r to power management, 0.5mins automatically r	-						
(t)	condition which does	te condition before the computer automatically re- not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	0.5					
(u)		• a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA					
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	1					
(w)	Information on the er	nergy-saving potential of power management function	nality: refer to user manual						
(x)	User information on I	now to enable the power management functionality:	refer to user manual						
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the in: sting:							
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301						
Additiona	al Notebook Batter		Detter fielus en ventes estate	l m / m					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾							
Internal/b	uilt-in Battery								
	detachable Battery								
	kup Battery								
Other:									
Additional	l information								
1)									
The battery[ies] in this product cannot be easily replaced by users themselves. Axywynaropµara[иre] δαrepия[и] в rosи продукт не може да се замени[ят] песно от самите потребители. Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/kônnen nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. H μπαταpid[-εc] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomaint šã ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátoriat a felhasznátió nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji fdan iI-prodott ma tistax/jistghux tiġ/jiĝu sostitwita/i mill-utenti stess. Batterie [ene] i dette produkt kak liske lett erstattes av brukerne selv. De batterig(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.									
Użytkownik nie A ou as bateria Bateria (baterii Batériu(-ie) v to Baterij/baterije Tämän tuottee Det är inte enk									