



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	)
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCI IOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product
conforms to the statement	nts given in this declaration.
Type of product *	Desktop
Commercial name *	ThinkCentre M75q Gen 2
Model number *	11JJ,11JK,11JL,11JM,11JN,11JQ,11JR,11JT,11JU
Issue date *	2020-08-28
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	ES/TCO/EPEAT

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nui	mber *	11JJ,11JK,11JL,11JM,11JN,11JQ,11JR,11JT,11JU	Logo	Long	)//C	
Issue date	e *	2020-08-28		Lend	JVO	DH
	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$	$\overline{}$	
F 1.5		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-		ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$		
		(PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb	oon atoms in t	he 🔀		
P1.6*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).  In direct and prolonged skin contact do not release nickel in concentrations above 0	E	ale 🔽	$\overline{}$	$\overline{}$
P1.0		n direct and prolonged skin contact do not release nickel in concentrations above t al reference).	,5 μg/cm²/wee	ek 🔀	Ш	ш
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):		$\neg$	$\Box$
		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	soniaot).		Ш	ш
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	$\boxtimes$	$\Box$	
		Information on proper disposal is provided in user manual. (See legal reference)				=
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	ium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg				
		laration of Conformity can be requested at: https://www.lenovo.com/us/en/comp	liance/eu-doc	; –	_	
	for EU a					
P3.2*		www.lenovo.com/us/en/compliance/uk-doc for UK duct complies with the Eco design requirements for energy-related products,			$\overline{}$	$\overline{}$
P3.2"		al reference).			Ш	Ш
	, ,	d information is; given in item P15 or added to this document,				
		available at: https://www.lenovo.com/us/en/complian	re/eco.			_
	declarat		30/000-			
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium a	ind 🔀	$\Box$	
		ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ begal reference).	of the material	(s) 🔀		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	1ontreal Proto	col 🔀		
	(see lega	al reference).				_
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei numb	er 11JJ,11JK,11JL,11JM,11JN,11JQ,11JR,11JT,11JU	Logo	Lend	21/0	
Issue date *	2020-08-28		Len		T04
	vironmental attributes - Market requirements (See General NOTE GN Environmental conscious design		Requirer	nent n	net
Item *=n	nandatory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 De	sign, Disassembly, recycling				
P7.1* Pa	rts that have to be treated separately are easily separable		$\boxtimes$		
P7.2* Pla	astic materials in covers/housing have no surface coating.		$\boxtimes$		
P7.3* Pla	astic parts > 100 g consist of one material or of easily separable materials.			$\overline{\sqcap}$	
P7.4* Pla	astic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5 Pla	astic parts are free from metal inlays or have inlays that can be removed with commonly	available tools.	$\boxtimes$		
P7.6* Lal	bels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	oduct lifetime				
P7.7* Up	ograding can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8* Up	grading can be done using commonly available tools		$\boxtimes$		
P7.9 Sp	are parts are available after end of production for: 5 years				
P7.10 Se	rvice is available after end of production for: 5 years				
	aterial and substance requirements				
	oduct cover/housing material type (e.g. plastics, metal, aluminum):				
	aterial type: ABS Material type: PC Material type: ABS Material type: Material ty	ial type:			
	sulation materials of external electrical cables are PVC free.				$\vdash$
_		i 10.40	<u> </u>	<u> </u>	<u>Н</u>
we pol	ternal plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) beight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam lyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ore than 25% post-consumer recycled content.	ne retardants, an	d 🔼		
as	inted circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 defined in IEC 61249-2-21. (See 1NOTE B2)		n 🗌		
Ma	ame retarded plastic parts $> 25$ g in covers / housings are marked according ISO 1043-4 arking:				
	<u>1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without of TBBPA (additive),TBBPA (reactive) (See NOTE B3),Other: , CAS #: <b>79-9</b> 4	. ,			
	<u> 2: C</u> hemical specifications of flame retardants in printed circuit boards (without compor cording ISO 1043-4:	nents) > 25 g			
cor 1. ( 2. (	<u>: 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substance ncentrations above 0,1%:  Chemical name: , CAS #: (See NOTE B4)  Chemical name: , CAS #: "  Chemical name: , CAS #: "	es/preparations i	n 🔲		
Alt	2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104	<b>13-4</b> :			
	plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used whic		$\overline{}$	Ħ	$\boxtimes$
	signed the following Risk phrases; and Hazard statements:				
The	e source(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20* Po	stconsumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
If Y a) or b)	YES; at least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter a percentage of total plastic by weight) is 5.9%.  The weight of recycled material is 5.2 g.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11JJ,11JK,11JL,11JM,11JN,11JQ,11JR,11JT,11JU	Logo	Lenovo
Issue date *	2020-08-28		Lei IOVO.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

	stance requirements naterial content is used		IOTE DZV		_
•			•		_
	e of the two alternative				
a) Of total plastic total plastic b		the biobased plastic n	naterial content (calcula	ited as a percentage of	
or	y weight) is 70.				
	f the biobased plastic r	material is g.			
	free from mercury, i.e.				$\overline{1}$
•	specify: Number of lar	nps: and maxim	num mercury content pe	er lamp: mg	_
P8 Batteries	10 11011				<u> </u>
•	composition: Lithium N	Manganese Dioxide			<u></u>
	tion (See NOTE B8)				
	e following power level			D-f	_
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	J
Peak (On-max)	46 W	46 W	46 W	Full load	
· can (en man)					
Category I1					
Short Idle State - WOL	8.19 W	8.17 W	8.11 W	Use for ENERGY STAR V8	
Enabled	0.79 VV	0.77 VV	0.77 VV	registration (P <sub>idle</sub> )	
Long Idle State - WOL	<b>7.19</b> W	<b>7.15</b> W	<b>7.15</b> W	Use for ENERGY STAR V8	
Enabled				registration (P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	1.44 W	1.44 W	1.44 W	Use for ENERGY STAR V8	_
Croop (Co) WOL Zhabica				registration (P <sub>sleep</sub> )	
05 (05) WOL Franklad	0.77\\\\	0.77.10/	0.77\\\		
Off (S5) - WOL Enabled	<b>0.77</b> W	<b>0.77</b> W	<b>0.77</b> W	Use for ENERGY STAR V8 registration (P <sub>off</sub> )	
				registration (F <sub>off)</sub>	
Category I2					
Short Idle State - WOL	7.79 W	7.88 W	8.01 W	Use for ENERGY STAR V8	
Enabled	7.79 VV	7.00 VV	0.07 VV	registration( $P_{idle}$ )	
Long Idle State - WOL	7.05 W	6.89 W	6.97 W	Use for ENERGY STAR V8	
Enabled				registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	1.45 W	1.45 W	1.45 W	Use for ENERGY STAR V8	
Greep (GG) = WGE Enabled	1.40 11	1.40 11	1.40 **	registration(P <sub>sleep</sub> )	
05 (05) WOL Franklad	0.00.14/	0.0014/	0.00.14/		
Off (S5) - WOL Enabled	0.29 W	<b>0.29</b> W	0.29 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> )	
EPS No-load	W	W	W		3
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
PTEC *	W	W	W		$\overline{1}$
Typical Energy Consumption					
ETEC *	11:34.51 kWh/year	11:34.42 kWh/year	11:34.26 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	╛
Annual Energy Consumption	12:33.36 kWh/year	12:33.46 kWh/year	12:33.87 kWh/year	+ P <sub>sleep</sub> x 0.05 + P <sub>long_Idle</sub> x 0.15+ P <sub>short_Idle</sub> x 0.35)	
	Poff: Off Mode(S	S5) - WOL Enabled: Polos	 <sub>ep</sub> : Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled	
External Power Supply Efficien	cy Level (International	l Efficiency Marking Pr	rotocol) * : VI	l l l l l l l l l l l l l l l l l l l	Τ
	egapixels	, ,	,		靔
Default time to enter energy sa	<u> </u>				十
0,	the energy save functi	on is provided with the	product		┿
-	class (monitors only):	· ·	, product.		<u></u>

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)
Ì	Idle	* HDD:Idle	* 2.8
ĺ	Operation	* HDD: Operating	* 3.4
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	27 (operator position desktop – operating)
	Measured acco	ording to: SO 7779 ECMA-74	
		Other (only if not covered by E	ECMA-74)

Model nur	nber *	11JJ,11	IJK,11JL,	.11JM,11JN	I,11JQ,11	1JR,11JT,1	1JU			Logo		one	1/0	
Issue date	*	2020-08	3-28									Leno	VO.	ei .
Product	environn	nental a	attribute	s - Market	require	ments (c	ontinu	ed)				Require	ment	met
Item						,						Yes	No	n.a.
			emissio											
P10.4	program	(s):				v frequency	electro	magnetio	c fields of the f	ollowing vo	luntary			
P12				ng products										
P12.1*		-	-						display techno	ologies.				$\boxtimes$
P12.2*				neets the re	quiremer	nts of ISO 9	995 an	d ISO 92	41-410.				$\boxtimes$	
P13			document											
P13.1*	Product Product Product	packagin packagin packagin	ng material ng material ng material	I type(s): Co I type(s): Co I type(s): EF I type(s): HI	ardboard PE DPE	weight ( weight ( weight (	(kg): <b>0.3</b> (kg): <b>0.0</b>	31 07						
P13.2*				kaging is fr								$\boxtimes$		
P13.3*	consume	er recove	red fiber o	content: 90	%		•	ne contai	ned percentag	ge of minir	mum pos	it-		
P13.4*			user and Paper,	product do	cumentat	ion (tick bo	x):							
P13.5		d product	documen	item if pape itation on pa										
	Totally c	hlorine-fr	ee											
	Element	al chlorin	e-free											
	Processe	ed chlorir	ne-free											
P14	Volunta													
P14.1	The proc	duct mee	ts the requ	uirements o	f the follo	wing volun	tary pro	gram(s):						
	Eco-labe	el:	T	Criteria v	ersion:	3.0		e: <b>2020.0</b> e: <b>2020.0</b> e:	9 Produc	ct category: ct category: ct category:	Deskto			
<b>P15</b>				ee NOTE B					-641441					
F9	⊏nergy	consum	paon ot s	pecific con	inguratio	nı may val ∣	y; aesa	ліриоп (	of the tested p	JI OGUCT CO	migurati	ion:	_	
			-											
P9	informati knowledo provided informati	ion conta ge availa I here is a ion.	iined in thi ble at the approxima	is document time of com	. All infor pletion, a ided for i	mation pro and supplie nformation	vided by r shall h al purpo	y supplier nave no c oses only:	ranties whether in this docum obligation to up. See a Lenove ormation:	ent is provi date such i	ided base information	ed on suppon. The in	olier's formati	ion
•									luctGroup&pg	w_code=C0	O			
		<u> </u>												

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M75q Gen 2	Logo
Model Number	11JJ,11JK,11JL,11JM,11JN,11JQ,11JR,11JT,11JU	Longue
Issue Date	2020-08-28	Lenovo
Additional information	ES/TCO/EPEAT	

(d)	year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	III discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		64		64
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
djustme ring test	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)		NA		NA
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		30.07		28.50
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		NA		NA
g)	Idle state power demand (Watts);				B:7.58
h)	Sleep mode power demand (Watts);				D:6.92 B:1.43
11)	Sieep mode power demand (watts),				D:1.43
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		B:1.41 D:1.43
j)	Off mode power demand (Watts);				B:0.743
k)	Off mode with WOL enabled power dem	and (Matte) (where on	apled).		D:0.751 B:0.745
K)	On mode with WOL enabled power dem	ana (vvalls) (where en	abieu),		D:0.753
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: ADP-90 ME 8 90.11%	39.93%, PA-1900-74F	S 88.61 %, A19-090P	3A 89.87%, ADP-136.	JB 90.5%, PA1131-7
	*internal note: show values for all available external po				
(o)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	NA
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – in	nternal PSU efficiency	:

, o:		
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  80 plus program	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	<ol> <li>Go to Control Panel and view by large icons or small icons.</li> </ol>	
	<ol><li>Click Power Options → Choose what the power buttons do.</li></ol>	
	<ol> <li>Click Power Options → Choose what the power buttons do.</li> <li>Change the settings as you prefer.</li> </ol>	
(s)	No. of the state o	
(s)	Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or	
	Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings	25
(t)	Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another	25 NA
(t) (u) (v)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	
(t) (u) (v)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(t) (u) (v)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)  • Turn off the display: After 10 minutes	NA
(t) (u) (v) (w)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)  Turn off the display: After 10 minutes  Put the computer to sleep: After 25 minutes	NA
(s) (t) (u) (v) (w) (x)	3. Change the settings as you prefer.  Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)  • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 minutes  To awaken the computer from Sleep mode, press any key on your keyboard.	NA

(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
Test voltage in V and frequency in Hz: 230V/50Hz					
Total harmonic distortion of the electricity supply system: ≤2%					
	Instrument Name		Range Used or *****	Make and Model**	
	AC Power Source		1~300VAC;1~550Hz; 1000VA	NF; EC1000S	
	Power Meter		1~500V;0~20A	YOKOGAWA; WT310	
	Digital Watch		Full Range	CASIO; HS-70W	
	Ambient Monitor		-10~60°C; 0~100&RH	Testo; 622	
	Anemometer		0~20m/s	Testo; 425	
Additional Notebook Battery Information:					
		Battery[ies] <b>not</b> user replaceable		Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

reasulatura et as selle toucle adurantura i se inoipsasir assiruadur. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.