

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter	LEI IOVO.			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Desktop				
Commercial name *	ThinkCentre M90q Gen 2				
Model number *	11MQ,11MR,11MS,11MT,11MU,11MV,11MX				
Issue date *	2021.4.7				
Intended market *	🛛 Global 🔲 🗆 Europe 📄 Asia, Pacific & Japan 📄 Americas 📄 Other				
Additional information	ES/TCO/EPEAT				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * Issue date *		11MQ,11MR,11MS,11MT,11MU,11MV,11MW,11MX	Lon		
		2021.4.7	Lenovo		
	t environ	mental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\mathbf{X}		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\square		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in Intaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	jal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/compliance/eu-do</i>			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-	\boxtimes		
	declara				
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the materia be legal reference).	l(s) 🔀		
P5.3*	The proc (see lega	ocol 🔀			
DA		nt: Legal reference has no maximum concentration values.			
P6					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	11MQ,11MR,11MS,11MT,11MU,11MV,11MW,11MX				
Issue da	te *	2021.4.7	Le		ovc	тн
Product		mental attributes - Market requirements (See General NOTE GN below)				
		nmental conscious design			ment	
Item		tory to fill in. Additional information regarding each item may be found under P14.		/es	No	n.a.
P7 P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
					- 님-	⊢⊢
P7.2*		aterials in covers/housing have no surface coating.		<u>×</u> _	<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				\bowtie
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available too	ls.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: ABS Material type: PC Material type:				
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts contain 25% post-consumer recycled content.	, and			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low ha d in IEC 61249-2-21. (See 1NOTE B2)	logen		\boxtimes	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components) A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-94-7	:	\boxtimes		
	<u>Alt. 2: Ch</u> according	nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:	I			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparatic ations above 0,1%:	ons in			\boxtimes
	2. Chem	cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "			_	
	Alt. 2: Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	1			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		=	Π	
		the following Risk phrases; and Hazard statements:				لالك
	-	ce(s) for these classifications is/are found at (add URL(s)): , (See note B5))			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	, 	\boxtimes		
	a) Oft ape	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated ercentage of total plastic by weight) is 25.3% .	l as			
	or b) The	weight of recycled material is 20.7 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	11MQ,11MR,11MS,11MT,11MU,11MV,11MW,11MX 2021.4.7	Logo	Lenovo
Product environm	nental attributes - Market requirements (continued)	! <u> </u>	Requirement met

Item

Yes No n.a.

	Material and subs	tance requirements	(continued)							
P7.21*			in the product (See N	IOTE B7):						
	If VES: at least one	of the two alternative	e helow shall he answ	vered.						
		S; at least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	total plastic by									
	or	5,								
		the biobased plastic r								
P7.22*			less than 0,1 mg/lamp							
		specify: Number of lar	mps: and maxin	num mercury content pe	er lamp: mg					
P8	Batteries									
P8.1*	•	omposition: <i>Lithium I</i>	Manganese Dioxide							
P9	Energy consumption	tion (See NOTE B8)								
P9.1	For the product the	following power level	ls or energy consumpt	ions are reported:						
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy					
		100 V AC	115 V AC	230 V AC	modes and test method *					
Peak (On-	max)	135 W	135 W	135 W	Full load					
Categor	<u>y I1</u>									
Short Idla	State - WOL	9.61 W	9.46 W	9.76 W	Use for ENERGY STAR V8					
Enabled	State - WUL	9.01 VV	3.40 VV	3.70 VV						
LIIableu					registration (P _{idle})					
Long Idle	State - WOL	8.26 W	8.33 W	8.44 W	Use for ENERGY STAR V8					
Enabled					registration (P _{idle})					
Sleep (S3)) - WOL Enabled	0.73 W	0.73 W	0.73 W	Use for ENERGY STAR V8					
					registration (P _{sleep})					
Off (S5) - 1	WOL Enabled	0.59 W	0.59 W	0.59 W	Use for ENERGY STAR V8					
		0.00 11	0.00 11	0.00 11	registration (P _{off})					
Categor	<u>y I2</u>									
Chart Idla	State - WOL	9.76 W	9.18 W	9.32 W	Use for ENERGY STAR V8					
Enabled	State - WOL	9.70 VV	9.16 VV	9.32 VV	registration(P _{idle})					
Lilableu										
	State - WOL	7.05 W	8.49 W	8.71 W	Use for ENERGY STAR V8					
Enabled					registration(P _{idle})					
Sleep (S3)) - WOL Enabled	0.78 W	0.76 W	0.76 W	Use for ENERGY STAR V8					
					registration(P _{sleep})					
Off (S5) - 1	WOL Enabled	0.58 W	0.57 W	0.57 W	Use for ENERGY STAR V8					
					registration(P _{off})					
EPS No-lo		W	W	W						
(External powers wall outlet but dis	supply / charger plugged in the sconnected from the product.)									
PTEC *		W	W	W						
	ergy Consumption									
ETEC *		11:36.14 kWh/year	11:35.81 kWh/year	11:36.70 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45$					
Annual En	ergy Consumption	12:35.66 kWh/year	12:35.31 kWh/year	12:35.87 kWh/year	+ $P_{sleep} \times 0.05 + P_{long_{ldle}} \times 0.15 +$					
					P _{short Idle} x 0.35)					
External D	ower Supply Efficien		<u>85) - WOL Enabled; Pslee</u> I Efficiency Marking Pr		_ Enabled; P _{idle} : Idle State - WOL Enabled					
	,	egapixels								
. ,		ve mode: 25 minutes			<u> </u>					
			an in manufale d with the -	- mus du at						
P9.2*			on is provided with the	e produčt.						
P9.3	Energy efficiency of	lass (monitors only):	NA							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

P10	Emissions						
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	* HDD:Idle	* 3.3				
	Operation	* HDD: Operating	* 4.2				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	(operator position desktop – operating)				
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						

Model nu	umber *	11MQ,	11MR,11MS	5,11MT,11	MU,11M	V,11MW,1	IMX			Logo		0.000		
Issue dat	te *	2021.4	.7							_		eno	VO,	-
Product	environ	mental	attributes	- Market	require	ements (c	ontin	ued)			R	equire	ment	met
ltem												Yes	No	n.a.
	Electro	omagneti	c emissions	5										
P10.4	Compu prograr		y meets the	requireme	ent for lov	v frequency	electr	omagnetio	c fields of the f	ollowing vol	untary			\square
P12			r computing											
P12.1*	The dis	splay mee	ts the ergon	omic requ	irements	of ISO 924	1-307	for visual	display techno	logies.				\square
P12.2*	The ph	ysical inp	ut device me	eets the re	quiremer	nts of ISO 9	995 ar	nd ISO 92	41-410.				\times	
P13	Packag	ging and	documenta	tion										
P13.1*	Produc	t packagi	ng material t ng material t ng material t	ype(s): LE	PE	weight	(kg): <mark>0</mark> .		.015 ght (kg): 0.492	!				
P13.2*			primary pack									\boxtimes		
P13.3*		For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-												
P13.4*			Paper,		cumentat	tion (tick bo	x):							
P13.5	Ùser ai		nplete this it t documenta ecify:									\boxtimes		
	,	chlorine-f										\square		
	Proces	sed chlor	ine-free									H		
P14	Volunt	ary prog	rams											
P14.1			ets the requi	rements o	f the follo	wing volun	tary pr	ogram(s):						
	Eco-lab	GY STAR Del: <i>EPEA</i> Del: TCO		Criteria \ Criteria \ Criteria \	/ersion: 1	680.1-201	B Da	te: 2021.3 te: 2021.4 te: 2021.3	.30 Produc	t category: t category:	Desktop			
P15			mation (Se				Da			a category.	Deskiop			
P9						on may vai	v: des	cription of	of the tested p	oroduct con	figuratio	ı:		
		Category			Memory	HDD	SSD	Graphics	power supply		Sleep mode			
	ES	11 12	G5925 i3-10325		64GB	1TB 2.5"HDD	2TB	UMA	135W	5	Sleep			
D 0	informa knowle provide informa	ation conta dge avail ed here is ation.	ained in this able at the ti approximate	document me of com and prov	. All infor pletion, a ided for i	mation pro and supplie nformationa	vided k r shall al purp	y supplier have no c oses only	ranties whether in this docum obligation to up See a Lenovo	ent is provio date such ir	ded based	on supp . The inf	olier's format	ion
P9			Qualified N gystar.gov/in						ormation: luctGroup&pgv	v_code=CO	1			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M90q Gen 2	Logo	
Model Number	11MQ,11MR,11MS,11MT,11MU,11MV,11MW,11MX		Lonovo
Issue Date	2021.4.7		Lenovo
Additional information	ES/TCO/EPEAT		

(d)	year of mai	nufacture:					2021			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) a disabled and if the system is tested with switchable graphics mode with UMA driving the display.									
f)	Etec value <mark>enable</mark>	(kWh) per Er	Cot 3 Categor	y and capability adju	stments applied when a	all discrete graphics	cards (dGfx) are			
				Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over	base [GB]			62		60			
ents ting	Additional int	ernal storage		(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete telev	vision tuner		(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
ability a lied du	Discrete Aud	io Card		(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
cap; app	Discrete graphics Card(s) [number / #]		number / #]	#: (Yes / No)	<mark>No #:</mark> (Yes / No)	#: (Yes / No)	No #: (Yes / No)			
	Category of o	discrete graph	cs Card(s)		NA		NA			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				25.96		26.46			
Test results	Etec Value	(kWh) - dG s cards (dGfx) are en			NA		NA			
(g)	Idle state p	ower demand	(Watts);				B:6.56 D:6.54			
h)	Sleep mod	e power dema	nd (Watts);				B:1.21 D:1.28			
i)	Sleep mod	e with WOL er	nabled power de	emand (Watts) (wher	e enabled);		B:1.19			
(j)	Off mode n	ower demand	(Watts):				D:1.29 B:0.51			
1/	•						D:0.62			
k)	Off mode w	vith WOL enab	led power dem	and (Watts) (where e	nabled);		B:0.66 D:0.62			
1)	Internal po	wer supply eff	ciency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):	2.0.02			
	10%	20%	50%	100% Ave	rage					
m)	External po	wer supply ef	ficiency (if appli	cable)*:						
	Average ad	tive efficiency	90.17%							
	*internal note:	show values for all	available external p	ower supplies						
0)	Minimum n	umber of load	ing cycles that t	he batteries can with	stand (applies only to r	notebook computers):	NA			
(p-1)	Measurem	ent methodolo	av used to dete	rmine information me	entioned in points (I) – i	nternal PSU efficiencv	:			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency EN 62623:2013 measurement methodology	:
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	1. Go to Control Panel and view by large icons or small icons.	
	2. Click Power Options \rightarrow Choose what the power buttons do.	
	3. Change the settings as you prefer.	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	NA	
(x)	User information on how to enable the power management functionality:	
	Based on user manual-Set the power plan	
	Set the power plan	
	For ENERGY STAR [®] compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
	Table 1. Default power plan (when plugged into ac power)	
	Turn off the display: After 10 minutes	
	Put the computer to sleep: After 25 minutes	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	To reset the power plan to achieve the best balance between performance and power saving:	
	1. Go to Control Panel and view by large icons or small icons.	
	2. Click Power Options , and then choose or customize a power plan of your preference.	

		Tost W	Itage in V and frequency in Hz: 23	0V/50Hz	
			nonic distortion of the electricity supply sys		
Instrument			Range Used or *****	Make and Model**	
AC Power So			1~300VAC;1~550Hz; 1000VA	NF; EC1000S	
	Power Meter Digital Watch Ambient Monitor		1~500V;0~20A	YOKOGAWA; WT310 CASIO; HS-70W Testo; 622 Testo; 425	
			Full Range -10~60°C; 0~100&RH		
Anemom		leter	0~20m/s		
Additional Noteb	ook Batter				
		Battery[ies]	not user replaceable	Battery[ies] user replaceable	n/a
			s] in this product cannot be easily sers themselves. $^{\mbox{\tiny 1)}}$		
nternal/built-in Ba	ttery				
External/detachable Battery					
Bios Backup Battery Other:					
Additional informat	tion				
baterías de este produc něnu baterie/baterií v ton	рия[и] в този п cto no pueden s nto výrobku by	родукт не може да er sustituidas fáciln	се замени[ят] лесно от самите потребител nente por los propios usuarios. mi uživatelé.		