

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statement	nts given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad L13 Yoga Gen 2; ThinkPad L13 Gen 2 , S2 Gen 6. S2 Yoga,Gen 6 AMD
Model number *	21AB,21AC,21AD,21AE,21AF,21AG
Issue date *	2021/5/31
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

wouer n	umber *	21AB,21AC,21AD,21AE,21AF,21AG	Lon		
lssue da	ate *	2021/5/31	Leno		D _m
	t environ	mental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\square		
P1.5*	Product chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in tentaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg æ)	ial 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for EU and	· 🛛		
P3.2*		duct complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see leg	al reference).	_	_	_
	Require	d information is; 🛛 🛛 given in item P15 or added to this document,	\bowtie	Ш	
		🔀 available at (add URL):			
		www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	and 🔀		
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the materia ae legal reference).			
P5.3*	The pro (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	icol 🔀		
P6		nt information			
	reduite				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	21AB,21AC,21AD,21AE,21AF,21AG	Logo	Long		
Issue dat	te *	2021/5/31		Lend		
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	onmental conscious design	· · ·	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling				
		at have to be treated separately are easily separable				ᆜ
P7.2*		naterials in covers/housing have no surface coating.				Ц_
P7.3*		arts > 100 g consist of one material or of easily separable materials.				<u> </u>
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools	s. 🔀		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	Ц_
P7.8*	10	ng can be done using commonly available tools		\square		
P7.9		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
D7.44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: Aluminum Material type: PC/ABS Materia	al type: PA+0	lace Eiber		
P7.12		n materials of external electrical cables are PVC free.	а туре. РАто		\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.				╞
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and (-	╞
	weight (* polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants,	and		
P7.15		arcuit boards, PCBs (without components) are low halogen: all □ PCBs > 25 g ⊠ ed in IEC 61249-2-21. (See 1NOTE B2)	are low hald	ogen 🔀		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive),TBBPA (reactive) (See NOTE B3), 🔀 Other:168G2, CAS #: 9920		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	es/preparatior	ns in		
	3. Chem	ical name: , CAS #: "			_	_
D7.40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104			<u> </u>	Ц_
P7.19	•	: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	n have been			
			See note B5)			
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 3.21%.	t (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21AB,21AC,21AD,21AE,21AF,21AG	Logo	Lenovo
Issue date *	2021/5/31		LEITOVO
Product environ	nental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	Material and s	ubstance requirements	s (continued)		
P7.21*	Biobased plasti	c material content is use	ed in the product (See N	OTE B7):	
	If YES: at least	one of the two alternativ	es below shall be answ	ered:	
	a) Of total pla	astic parts' weight > 25 g			ated as a percentage of
		c by weight) is %.			
	or b) The weigh	t of the biobased plastic	material is a		
P7.22*		re free from mercury, i.e			
		ed specify: Number of la		um mercury content p	
P8	Batteries				
P8.1*	,	al composition: <i>Lithium</i>	Ion/Lithium Manganes	e Dioxide	
P9		mption (See NOTE B8)			
P9.1		the following power level Power level at	Power level at	ons are reported: Power level at	Beference/Standard for energy
Energy m		100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *
Peak (On	n-max)	65 W	65 W	65W	Full load
Catego	ry 2				
	e State - WOL	6.10W	6.43 W	6.56 W	Use for ENERGY STAR V8
Enabled					registration (P _{idle})
Long Idle	e State - WOL	0.90W	0.91W	0.99W	Use for ENERGY STAR V8
Enabled					registration (P _{idle})
Sleep (S	3) - WOL Disabled	1 0.90W	0.91W	0.99W	Use for ENERGY STAR V8
					registration (P _{sleep})
Off (S5) -	WOL Disabled	0.28W	0.16 W	0.20W	Use for ENERGY STAR V8 registration (Pott)
EPS No-l	oad	0.08 W	0.09 W	0.08 W	
(External powe	er supply / charger plugged in disconnected from the produc	the			
ETEC *(2)		20.17kWh/year	20.84 kWh/year	21.62kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 +
Annual É	nergy Consumptio				$P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{short Idle} \times 0.30)$
		Poff: Off Mode(S5) - W	/OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enab	led; Pidle: Idle State - WOL Enabled
External F	Power Supply Effic	ciency Level (Internation	al Efficiency Marking Pro	otocol) * : VI	
Display re	esolution * : 1.05 r	negapixels			1366*768
Default tir	me to enter energy	v save mode: 10 minutes	5		
P9.2*	Information abo	out the energy save func	tion is provided with the	product.	
P9.3		cy class (monitors only):			
P10	Emissions				
		n – Declared according	to ISO 9296 (See NOTE		
P10.1	Mode	Mode description			nit A-weighted sound power level, <i>L_{WA,c}</i> (B)
	Idle	* Idle mode		* 2.6	
	Operation	* Operating (CPU)		* 3.1	
	Other mode		nd pressure level (dB) $L_{p ext{Am}}$		ition desktop – idle)
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p{ m Am}}$	26.4 (operator pos	ition desktop – operating)
	Measured acco	rding to: X ISO 7779			
		Other	(only if not covered by		

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	21AB,21AC,2	21AD,21AE,21AF,21AG				Logo				
lssue dat	e *	2021/5/31						Le	eno	vo	H
	environm	nental attrib	utes - Market requireme	ents (con	tinued)			Re	quire		met
Item									Yes	No	n.a.
		nagnetic emis									
P10.4	program(s): MPR-II(3 p	s the requirement for low fro <i>in AC adapter only)</i>	equency el	ectromagnetic field	is of the foll	owing volur	ntary	\square		
P12			uting products								
P12.1*	•		ergonomic requirements of				gies.		\boxtimes		
P12.2*	The phys	ical input devi	ce meets the requirements	of ISO 999	5 and ISO 9241-4	10.			\boxtimes		
P13		ng and docun									
P13.1*	Product p	backaging mat	erial type(s): paper	weight (kg weight (kg weight (kg): 0.511						
P13.2*			packaging is free from PVC).					\boxtimes		
P13.3*	For prod consume	uct primary correct fit	orrugated fiberboard packa	iging, spec	ify the contained	percentage	of minimu	m post-			
P13.4*		nedia for user onic, 🔀Pape	and product documentation	(tick box):							
P13.5	User and		this item if paper documenta mentation on paper media i						\boxtimes		
	Elementa	nlorine-free al chlorine-free ed chlorine-free							\boxtimes		
P14		y programs	,								
P14.1			requirements of the followir	ng voluntary	/ program(s):						
D46	Eco-labe Eco-labe Eco-labe	I: TCO	Criteria version: V8 Criteria version: IEEE 168 Criteria version: Ver.13 Criteria version: Gen 8	30.1-2018	Date: 2021/5/31 Date: 2021/5/31 Date: 2021/5/31 Date: 2021/5/31	Product of Product of	category: 2 category: No category: No category: No	otebook			
P15			n (See NOTE B10)						_		
<u>ry</u>	NOTE: S information knowledge	upplier makes on contained in ge available at here is approx	of specific configuration of no representations, guaran this document. All informat the time of completion, and timate and provided for info	tees, assu tion provide supplier sl	rances or warranti ed by supplier in th nall have no obliga	es whether on the second se Second second s	express or i It is provide Ite such info	mplied, re d based o ormation.	egardin on supp The inf	olier's format	ion
P9	See Ener	rgy Star Qualif	ied Notebooks & Tablet Co gov/index.cfm?fuseaction=fi				code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L13 Yoga Gen 2; ThinkPad L13 Gen 2 , S2 Gen 6. S2 Yoga, Gen 6 AMD	Logo
Model Number	21AB,21AC,21AD,21AE,21AF,21AG	
Issue Date	2021/5/31	Lenovo
Additional information		

(d)	year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Cate disabled and if the system is tested w				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categ enable	ory and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents ting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability <i>a</i> lied du	Discrete Audio Card	<mark>No</mark> (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa app	Discrete graphics Card(s) [number / #]	<mark>No #:</mark> (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	31.8			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A			
(g)	Idle state power demand (Watts);				0.996
(h)	Sleep mode power demand (Watts);				0.996
(i)	Sleep mode with WOL enabled power	demand (Watts) (where	enabled);		0.996
(j)	Off mode power demand (Watts);				0.20
(k)	Off mode with WOL enabled power de	mand (Watts) (where er	nabled);		0.20
(I)	Internal power supply efficiency at 10	%, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	external power supply efficiency (if ap	blicable)*:			
	Average active efficiency: 65W: 88.44	3%,87.89%,88.12%,89.7	'3%		
	*internal note: show values for all available externa	l power supplies			
(0)	Minimum number of loading cycles the	t the batteries can withs	tand (applies only to r	otebook computers):	300 cycles
(p-1)	Measurement methodology used to de	termine information me	ntioned in points (I) – i	nternal PSU efficiency	:

(p-2) Measure				
	ment metho	dology used to determine information mentioned in EN 50563:2011 measurement method		
(p-3) Measure	ment metho	dology used to determine information mentioned in IEC 61960 measurement methodo		
		dology used to determine information mentioned in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement		
(q) Sequenc	e of steps for	or achieving a stable condition with respect to powe	r demand::	
		IEC 62623 / IEC EN50564:2011 measurement	methodology	
(r) Descripti	on of how s	leep and/or off mode was selected or programmed:		
refer to	power mar	agement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off')		
(s) Sequence off mode		required to reach the mode where the equipment a	utomatically changes to sleep and/or	
	refe	er to power management, 10mins automatically	reaches sleep mode	
condition	which does	te condition before the computer automatically s not exceed the applicable power demand requiren	nents for sleep mode (in minutes):	10 mins
		r a period of user inactivity in which the comput ver power demand requirement than sleep mode (N/A
v) Length	of time befo	re the display sleep mode is set to activate afte	user inactivity (in minutes):	10 mins
w) Informati	on on the er	nergy-saving potential of power management functi	onality:	
Use	r informatio	on described in User Guide and Power Manager programs	under ThinkVantage menu in all	
x) user info	rmation on I	now to enable the power management functionality:		
Use	r informatio	on described in User Guide and Power Manager programs	under ThinkVantage menu in all	
electricity	y supply sys	neasurements: — test voltage in V and frequency in tem, — information and documentation on the instr		
for electr	ical testing:	230V/50HZ, Total Harmonic Distortio		
			n<2%	
Additional Noteb	ook Batter	y Information:	n<2%	
Additional Noteb	ook Batter	-	n<2% Battery[ies] user replaceable	n/a
Additional Noteb	ook Batter	y Information:	Battery[ies] user replaceable	n/a
		y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a
nternal/built-in Ba	ttery	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	n/a
Internal/built-in Ba External/detachab	ttery le Battery	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte	ttery le Battery	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other:	ttery le Battery ry	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other:	ttery le Battery ry	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Additional Noteb Internal/built-in Ba External/detachab Bios Backup Batte Other: Additional informat	ttery le Battery ry	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other: <mark>Additional informat</mark>	ttery le Battery ry ion	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other: Additional informat	ttery le Battery ry ion ict cannot be е	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other: Additional informat	ttery le Battery ry ion ict cannot be e ous[u] в този п to no pueden s	y Information: Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other: Additional informat e battery[ies] in this produ умулаторната[ите] батер s bater/as de este produc měnu baterie/baterií v ton geren kan ikke uden vide	ttery le Battery ry ion ict cannot be е ия[и] в този п to no pueden s ato výrobku by	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	
Internal/built-in Ba External/detachab Bios Backup Batte Other: Additional informat	ttery ry ion ict cannot be е ия(и) в този по no риеdел s nto výrobku by re udskifte bat ?rodukts kann/	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non puó/possono essere facilmente sostituita/e dall'utente. Lietotäji paši nevar nomainit šä ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batteriji/Johtteriji fdan il-prodott ma tistav/jistghux tigi/jigu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor inlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymienică roužívateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.