



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)	
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs		Lenovo	
e-mail address	Alvin L Carter		LCIIOVO	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	ThinkPad L14 Gen 2 AMD				
Model number *	20X5 ,20X6				
Issue date *	2021/02/19				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number	20X5 ,20X6		Logo	Long		
Issue date *	2021/02/19			Lend	JVC	ТН
Product envi	onmental attributes - Legal requirements			Require	ment	met
Item				Yes	No	n.a.
	dous substances and preparations					
P1.1* Prod	cts do comply with current European RoHS Direc	tive. (See legal reference and NOTE	EB1)	\boxtimes		
	cts do not contain Asbestos (see legal reference) nent: Legal reference has no maximum concentra					
hydr trich cond	cts do not contain Ozone Depleting Substances: promofluorocarbons (HBFC), hydrochlorofluorcar roethane, methyl bromide (see legal reference). ntration values.	bons (HCFC), Halons, carbontetrach Comment: Legal reference has no m	naximum			
	cts do not contain more than; 0,005% polychloring hyl (PCT) in preparations (see legal reference).	ated biphenyl (PCB), 0,005% polych	lorinated			
P1.5* Proc	cts do not contain more than 0,1% short chain ch containing at least 48% per mass of chlorine in the		bon atoms in th	e 🔀		
(see	with direct and prolonged skin contact do not rele egal reference). nent: Max limit in legal reference when tested acc),5 μg/cm²/weel			
	H Article 33 information about substances in article//www.lenovo.com/us/en/Lenovo-REACH-SVF		contact):			
P2 Batt	ries					
	product contains a battery or an accumulator, the bl. Information on proper disposal is provided in u		the disposal	\boxtimes		
	ies or accumulators do not contain more than 0,0		nium. (See lega	l 🔀		
	ies and accumulators are readily removable. (Se	e legal reference)		\square	П	
	ormity verification & Eco design (ErP)	,				
P3.1* The The	roduct is CE-marked to show conformance with a eclaration of Conformity can be requested at (ad://www.lenovo.com/us/en/compliance/eu-doc		gal reference).			
P3.2* The	roduct complies with the Eco design requirement egal reference).	s for energy-related products,		\boxtimes		
	The state of the s	added to this document,				
http	//www.lenovo.com/us/en/compliance/eco-dec					
	ict packaging					
P5.1* Pacl	ging and packaging components do not conta alent chromium by weight of these together.	in more than 0,01% lead, mercury	y, cadmium an	d 🔀		
P5.2* The	ackaging materials are marked with abbreviations see legal reference).	and numbers indicating the nature	of the material(s	s) 🔀		
P5.3* The (see	roduct packaging material is free from ozone deplegal reference). nent: Legal reference has no maximum concentra	-	Montreal Protoc	ol 🔀		
P6 Trea	nent: Legal reference has no maximum concentra nent information	ilion values.				
	ation for recyclers/treatment facilities is available	(see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	mber *	20X5 ,20X6 Logo	Lon	21/0	
Issue dat	e *	2021/2/19	Len		тн
Product		mental attributes - Market requirements (See General NOTE GN below)			
		onmental conscious design	Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disasse	mbly, recycling			
P7.1*		at have to be treated separately are easily separable	\boxtimes	П	П
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		$\overline{\Box}$	Ħ
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		П	Ī
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product	lifetime			
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools	\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12		type: PC+ABS Material type: Material type: n materials of external electrical cables are PVC free.			
					
P7.13		n materials of internal electrical cables are PVC free.	<u> </u>	<u> </u>	<u> </u>
P7.14	weight (*polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing 25%.	d 🗂		
P7.15		ın 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ are low haloge	n 🖂		
	as define	ed in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Marking:				Ш
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5			
	accordin	nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i ations above 0,1%: ical name: halogen-free organic phosphorus compound, CAS #: confidential (See NOTE B4 ical name: , CAS #: " ical name: , CAS #: "	\boxtimes		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)		П	П
P7.19	In plastic assigned (TORAY_C	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements: 3452S) (TEIJIN_GXV-3540UI)			
D7.00*		rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)	K-7		
P7.20*	If YES; a	sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered; It least one o			
	or b) The	e weight of recycled material is 15.5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20X5 ,20X6	Logo	Len	01/0	
Issue date *	2021/2/19		Len		V _{TH}
Product environn	nental attributes - Market requirements (continued)		Requi	emen	t met
Item			Yes	No	n.a.

D7 04*		stance requirements					
P7.21*	Biobased plastic	material content is use	d in the product (See NO	DIEB/):			
	a) Of total plas		es below shall be answe , the biobased plastic ma		ated as a percentage of		
	or b) The weight of	of the biobased plastic	material is a				
P7.22*			less than 0,1 mg/lamp.		M Π	\Box	
		specify: Number of la		um mercury content pe		ш	
P8	Batteries						
P8.1*	Battery chemical	composition: Li-ion					
P9	Energy consum	ption (See NOTE B8)					
P9.1	For the product the		els or energy consumption				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	65 W	65 W	65 W	Full load		
•	•						
Categor	<u>y -2-</u>						
Short Idle Enabled	State - WOL	6.06 W	6.11 W	6.39 W	Use for ENERGY STAR V8.0 registration (P _{idle})		
Long Idle Enabled	State - WOL	2.10 W	2.10 W	2.14 W	Use for ENERGY STAR V8.0 registration (P _{idle})		
Sleep (S3)) - WOL Enabled	2.10 W	2.10 W	2.14 W	Use for ENERGY STAR V8.0 registration (P _{sleep})		
Off (S5) - WOL Enabled		0.44 W	0.44 W	0.48 W	Use for ENERGY STAR V8.0 registration, ErP (P _{off})		
EPS No-lo	ad supply / charger plugged in the sconnected from the product.)	0.095 W	0.096 W	0.117 W			
TEC *	ergy Consumption	kWh/week	kWh/week	kWh/week			
PTEC *	ergy Consumption	W	W	W			
ETEC * Annual Energy Consumption		25.16 kWh/year	25.30 kWh/year	26.30 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.45 + P_{long_idle} \times 0.05 + P_{short_idle} \times 0.25)$		
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled		
External P	ower Supply Efficie	ncy Level (Internationa	al Efficiency Marking Pro	tocol) * : VI			
Display res	solution * : 2.074 m	egapixels			1920*1080	$\overline{\Box}$	
Default tim	ne to enter energy s	ave mode: 10 minutes				Ħ	
P9.2*			ion is provided with the	nroduct		+	
P9.3		class (monitors only):	ion is provided with the	produot.			
		ciass (monitors only).					
P10	Emissions Noise emission	Declared according t	to ISO 9296 (See NOTE	R0)			
P10.1		Mode description	.0 130 9290 (See NOTE		it A-weighted sound power level, $L_{WA,c}$	(B)	
1 10.1		* HDD idle		* 2.7	it / Weighted South power level, ZWA,c		
	Operation	* Operating (HDD)		* NA			
	Other mode	* Operating (CPU) Declared A-weighted soul	nd pressure level (dB) $L_{p{\sf Am}}$	* 4.0 16 (operator position	n desktop – idle)		
			nd pressure level (dB) $L_{p m Am}$				
			·		n desktop – operating CPU) n desktop – operatingHDD)		
	Measured accord	ling to: ISO 7779	ECMA-74	ECMA 74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	20X5 ,20X6	Logo	Lanava
Issue date *	2021/2/19		Lei Iovo.

Product met	environmental attributes - Market requirements (continued)	Requi	reme	nt
Item		Yes	No	n.a.
	Electromagnetic emissions			
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only)			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Carton Product packaging material type(s): Paper pad Product packaging material type(s): LDPE cushion Product packaging material type(s): weight (kg): 0.075 Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg):			
P13.2*	Product plastic primary packaging is free from PVC.	\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 75 %			
P13.4*	Specify media for user and product documentation (tick box): ⊠Electronic, ⊠Paper, □Other			
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:			
	Totally chlorine-free	\boxtimes		
	Elemental chlorine-free	$\overline{\boxtimes}$		
	Processed chlorine-free			
P14	Voluntary programs			
P14.1	The product meets the requirements of the following voluntary program(s):			
	ENERGY STAR® Criteria version: 8.0 Date: 2021/4/28 Product category: 1 Eco-label: EPEAT Criteria version: IEEE 1680.1-2018 Date: 2021/4/28 Product category: Noteb Eco-label: TCO Criteria version: NoteBook 8.0 Date: 2021/4/28 Product category: Noteb Eco-label: PCGL Criteria version: V13 Date: 2021/4/28 Product category: Noteb	book		
P15	Additional information (See NOTE B10)			
P9	Energy consumption of specific configuration may vary; description of the tested product configuration			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie information contained in this document. All information provided by supplier in this document is provided bas knowledge available at the time of completion, and supplier shall have no obligation to update such informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Represeinformation.	ed on su ion. The	pplier' inform	's ation
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L14 Gen 2 AMD	Logo	
Model Number	20X5,20X6		Lonovo
Issue Date	2021/2/19		Lenovo.
Additional information			

d)	year of manufacture:				2021
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics r	mode with UMA driving	g the display.	
)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	imenis applied when a	an discrete graphics (cards (dGtx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	60			
ents ting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
caps	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	18.29			
g)	Idle state power demand (Watts);				5.55
1)	Sleep mode power demand (Watts);				1.28
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.29
)	Off mode power demand (Watts);				0.49
κ)	Off mode with WOL enabled power dem	nand (Watts) (where en	nabled);		0.49
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	0.70
	10% 20% 50%	100% Avera	age		
n)	external power supply efficiency (if appli	icable)*:			
	Average active efficiency: 65W: 89.41%	%,88.62%,88.96%			
	*internal note: show values for all available external p				
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	500 cycles
p-1)	Measurement methodology used to dete	ermine information mer <i>NA</i>	ntioned in points (I) – i	nternal PSU efficiency	:
o-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficienc	CV:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode		
		EN 62623:2013 measurement methodo	ology		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
		EN 62623:2013 measurement methodo	ology		
(r)	Description of how s	eep and/or off mode was selected or programmed:			
	В	y selecting sleep and/or off mode thru Windows	operating system		
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
	on mode.	Automatically changes to sleep after 30 i	minutes		
(t)		te condition before the computer automatically re		10	
(u)	Length of time after	a period of user inactivity in which the compute	r automatically reaches a power	NA	
(v)		ver power demand requirement than sleep mode (in tre the display sleep mode is set to activate after		10	
(w)					
	User information	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all		
(x)	user information on h	now to enable the power management functionality:			
	User information	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all		
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instru			
	ioi cicotilodi testing.	230V/50HZ; Total Harmonic Distortion	<2 %		
Addition	Notebook Battery	Information:			
	•	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/	detachable Battery				
Bios Bacl	kup Battery				
Other:					
Additiona	l information				
)					

т)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.