



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	ODOVO
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	nttps://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at: http://www.	lenovo.com/ecodeclaration

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	ThinkPad P17 Gen 2 Intel				
Model number *	20YU, 20YV				
Issue date *	2021/05/28				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 20YU,		20YU, 20YV	Logo	Long	21/0	
Issue date	e *	2021/05/28		Lend	JVU	TH
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
	hydrobro trichloroe concentr	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	aximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). In the contract of the con	,5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		X		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is;				
P5		www.lenovo.com/us/en/compliance/eco-declaration packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).				
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Nontreal Protoc	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	mber *	20YU, 20YV	Logo	on	21/0		
Issue date	e *	2021/05/28		Lenovo			
Product		mental attributes - Market requirements (See General NOTE GN	,				
14		nmental conscious design	H	equire			
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.	
P7.1*		t have to be treated separately are easily separable			$\overline{}$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				Ħ	
P7.3*		arts > 100 g consist of one material or of easily separable materials.					
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	H	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime			_		
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgradir	g can be done using commonly available tools					
P7.9	Spare pa	rts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12		type: PPS+50%GF Material type: PC+ABS Material n materials of external electrical cables are PVC free.	al type: PC+ABS+	talc			
P7.12		n materials of external electrical cables are PVC free.				\vdash	
P7.13		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi	romine and 0.19/		<u> </u>		
P7.14	weight (plastic cashig/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, and				
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗔 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)					
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive),TBBPA (reactive) (See NOTE B3),Other: <i>Phosphorus Modifie</i>	. ,				
	Alt. 2: Ch	confidential nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g				
P7.18	concentr 1. Chem 2. Chem	amme retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: Phosphorus compounds , CAS #: confidential (See NOTE B4) ical name: , CAS #: ical name: , CAS #: "	s/preparations in				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043					
P7.19	assigned The sour phrases	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; R36 , R38 and Hazard statements: H319 , H315 ce(s) for these classifications is/are found at (add URL(s)): https://www.msds-europe.com/h-statements/ (See note B5)					
P7.20*	If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contentercentage of total plastic by weight) is 2.10 %. weight of recycled material is 24.7 g.	t (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20YU, 20YV	Logo	Len	01/0	
Issue date *	2021/05/28		Len		V _{TH}
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic	material content is use	d in the product (See N	IOTE B7):		
		tic parts' weight > 25 g	es below shall be answ , the biobased plastic n		ated as a percentage of	
		of the biobased plastic	material is g.			
P7.22*		free from mercury, i.e. I specify: Number of la	less than 0,1 mg/lamp	num mercury content pe	er lamp: mg	
P8	Batteries	' '	•	•		
P8.1*	Battery chemical	composition: Li-ion				
P9	Energy consump	ption (See NOTE B8)				
P9.1			ls or energy consumpti	ons are reported:		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	230 W	230 W	230 W	Full load	
Categor						
Short Idle Enabled	State - WOL	12.59 W	12.79W	13.10 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle Enabled	State - WOL	8.44W	8.51W	8.26W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	2.84W	3.18W	3.09W	Use for ENERGY STAR V8 registration (P _{sleep})	
Off (S5) - WOL Enabled		0.58W	0.60W	0.53W	Use for ENERGY STAR V8 registration (P _{off})	
EPS No-loa (External power s	ad supply / charger plugged in the connected from the product.)	0.09 W	0.09 W	0.09 W		
TEC *	ergy Consumption	kWh/week	kWh/week	kWh/week		
PTEC *	ergy Consumption	W	W	W		
ETEC * Annual Ene	ergy Consumption	50.42 kWh/year	52.13 kWh/year	52.29 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_idle} \times 0.10 + P_{short_idle} \times 0.30)$	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	o Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficie	ncy Level (International	l Efficiency Marking Pr	otocol) * : VI		
Display res	solution * : 8.29 me	gapixels			3840*2160	
Default tim	e to enter energy s	ave mode: 10 minutes				Ħ
P9.2*			ion is provided with the	product		∺
P9.3		class (monitors only):	p	p.oaao		
		class (monitors only).				
P10	Emissions Noise emission	Declared according t	o ISO 9296 (See NOTE	= R0)		
P10.1		Mode description	0 100 3230 (000 110 11		it A-weighted sound power level, $L_{WA,c}$	(B)
. 10.1		* HDD idle		* 2.6	1. 7. Wolgined Sound power level, LWA,c	\ <u>\\\</u>
	Operation			* 3.1		
	· .	* Operating (CPU)	and were come level (dD) a	*35		
			nd pressure level (dB) $L_{p m Ar}$		n aesktop – Idle)	
	1		nd pressure level (dB) $L_{p{\sf Ar}}$	n 25 (operator position	desktop – operating-CPU)	
	Measured accord	ing to: ISO 7779		50MA 74)		
		Other	(only if not covered by	/		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	umber *	20YU, 20YV			Logo	Long	1/0	
Issue da	te *	2021/05/28				Lenc	VO.	н
Product	t environi	mental attribut	es - Market requirements (coi	ntinued)		Require	ment	met
Item				-		Yes	No	n.a.
	Electro	magnetic emissi	ons					
P10.4			the requirement for low frequency e	electromagnetic field	s of the following volun	tary 🔀		
			AC adapter only)					
P12	Ergono	mics for comput	ting products	007.5				_
P12.1*			gonomic requirements of ISO 9241-			\boxtimes	Щ.	_Ц
P12.2*	. ,	•	meets the requirements of ISO 999	95 and ISO 9241-41	0.	\boxtimes		
P13		ing and docume						
P13.1*	Product	packaging mater	ial type(s): EPE cushion weight (kg	g): 0.20				
			ial type(s): Corrugated weight (kgi ial type(s): LDPE weight (kgi ial type(s): LDPE)					
P13.2*			ackaging is free from PVC.	g). 0.027			$\overline{}$	$\overline{}$
P13.3*			rugated fiberboard packaging, spe	cify the contained a	orcontago of minimum			+
10.5			r content: 70 %(only for Japan)	city the contained p	bercentage of millimum	i post-		Ш
P13.4*	Specify	media for user ar	nd product documentation (tick box)	:				\Box
		tronic, Paper,	Other					
P13.5	(Please	only complete thi	s item if paper documentation used	1)				
			entation on paper media is chlorine	-free:		\boxtimes		
	If Yes, p	lease specify:						
	Totally of	chlorine-free						
	Element	tal chlorine-free				\boxtimes		
	Process	sed chlorine-free						
P14		ry programs						
P14.1	The pro	duct meets the re	quirements of the following volunta	ry program(s):				
	ENEDO	V OTA DO	Onlitania commitme O	D-1 0004/E/04	December 4 and 4 a			
		Y STAR® el: <i>EPEAT</i>	Criteria version: 8.0 Criteria version: 1680.1-2018	Date: 2021/5/31 Date: 2021/7/19	Product category: 2 Product category: No	tobook		
	Eco-lab		Criteria version: 7000.7-2070	Date: 2021/7/19	Product category: No			
		el: PCGL	Criteria version: Ver.14	Date: 2021/7/19	Product category: No	tebook		
P15	Δdditio	nal information	See NOTE B10)		<u> </u>			
P9			specific configuration may vary;	description of the	tested product confid	uration:		
			o representations, guarantees, assi				g the	
	informat	tion contained in t	his document. All information provide	ded by supplier in th	is document is provided	d based on sup	plier's	
			e time of completion, and supplier s					ion
			nate and provided for informational	purposes only. See	a Lenovo Account Rep	resentative for	more	
P9	informat		d Notebooks & Tablet Computers fo	or the latest informat	ion:			
1 9			v/index.cfm?fuseaction=find_a_pro					
					1-4-3			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P17 Gen 2	Logo	
Model Number	20YU, 20YV		Lonovo
Issue Date	2021/05/28		Lenovo.
Additional information			

d)	Year of manufacture:				2021
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			128	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G7	
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			24.55	
g)	Idle state power demand (Watts);				6.77
1)	Sleep mode power demand (Watts);				2.96
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		3.49
)	Off mode power demand (Watts);				0.39
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.70
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 170W: 90,80	%,92,60% / 230W:91,8	35%,91,49%		
	*internal note: show values for all available external po				
0)	Minimum number of loading cycles that t	the batteries can withst	tand (applies only to r	notebook computers):	500 Cycles
p-1)	Measurement methodology used to dete	rmine information men	ntioned in points (I) – i	nternal PSU efficiency	:
0-2)	Measurement methodology used to dete	rmine information men	ntioned in points (m) –	external PSII efficienc	CV.

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement re			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
	IEC 62623 / IEC EN50564:2011 measurement methodology				
(r)	Description of how sl	eep and/or off mode was selected or programmed:			
	refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
		er to power management, 30mins automatically re	eaches sleep mode		
(t)		te condition before the computer automatically re		30	
(u)					
(v)		ver power demand requirement than sleep mode (in re the display sleep mode is set to activate after		10	
(w)					
	User informatio	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all		
(x)	User information on I	now to enable the power management functionality:			
	User information	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V/50HZ, Total Harmonic Distortion	strumentation, set-up and circuits		
		, 			
Addition	al Notebook Batter				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/b	uilt-in Battery				
External/	detachable Battery				
Bios Bacl	Bios Backup Battery				
Other:					
Additiona	l information			<u>'</u>	
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.