



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo	1 . <u> </u>				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Yoga 6 13ALC6				
Model number *	82ND				
Issue date *	2021/4/9				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82ND	Logo	Lend	21/6	
Issue date *	*	2021/4/9		Leik		TH
Product er	nvironr	nental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
		us substances and preparations				
P1.1* F	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
h tı	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated			
P1.5* F	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
(:	see lega	n direct and prolonged skin contact do not release nickel in concentrations above ( il reference). t: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7* F	REACH A	Article 33 information about substances in articles is available at (add URL or mail	contact):	$\boxtimes$		
P2 E	Batteries	3				
		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal	$\boxtimes$		
P2.2* E		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
		and accumulators are readily removable. (See legal reference)		$\square$	П	
		nity verification & Eco design (ErP)				
P3.1* T	Γhe prod Γhe Decl	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2* T	The prod	uct complies with the Eco design requirements for energy-related products, il reference).		$\boxtimes$		
È	Required	information is; in item P15 or added to this document,				
<u>k</u>		able at (add URL): https://www.lenovo.com/us/en/compliance/eco-declaration				
P5 F		packaging				
		g and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔀		
h	nexavale	nt chromium by weight of these together.				
		aging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s) 🔀		
(:	see lega	uct packaging material is free from ozone depleting substances as specified in the ${\tt N}$ I reference).	Montreal Protoc	col 🔀		
		t: Legal reference has no maximum concentration values.				
		nt information				
P6.1* Ir	ntormatio	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82ND	Logo	Len			
Issue date	e *	2021/4/9		Lein		тн	
Product		mental attributes - Market requirements (See General NOTE GN					
		onmental conscious design		Require			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
<b>P7</b> P7.1*		Disassembly, recycling  It have to be treated separately are easily separable					
P7.2*		naterials in covers/housing have no surface coating.				╫	
P7.3*					<u> </u>	+	
P7.3		arts > 100 g consist of one material or of easily separable materials.			屵	<del>  </del>	
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	2.11.6.1		<u>Н</u>	<u> </u>	
P7.5	•	lastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  abels are easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.6*							
D7 7*	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives				Щ.	
P7.8*		ng can be done using commonly available tools					
P7.9	Spare parts are available after end of production for: 5 years					Щ.	
P7.10		s available after end of production for: 5 years					
D7 44*		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	.l. to one a				
P7.12		type: plastic Material type: Material n materials of external electrical cables are PVC free.	п туре:	$\square$		$\overline{}$	
P7.13		n materials of external electrical cables are PVC free.		$\square$	+	+	
P7.13		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi			<u> </u>	<del> </del>	
P7.14	weight ('polyvinyl	plastic cashigrover parts > 25 g contain no more than 0,1% weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in in 25% post-consumer recycled content.	retardants, an	d 🗂			
P7.15		circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🔀			
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<					
P7.17	TBBP	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: 9,10-Dihydro-9-oxa- aphenanthrene 10-Oxide, CAS #: 35948-25-5					
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(40)</i>	ents) > 25 g				
P7.18	1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: confidential, CAS #: confidential (See NOTE B4) ical name: , CAS #: "  CAS	s/preparations i	n 🔲			
	Alt. 2: Ch						
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	have been				
		( ) ( ) ( )	ee note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t a pe	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0.5%.  • weight of recycled material is 3 g.	t (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82ND	Logo	Len	01/0	
Issue date *	2021/4/9		Len		TH.
Product environr	nental attributes - Market requirements (continued)		Requir	emer	t met
Item			Yes	No	n.a.

D7.04*		stance requirements		OTC D7\:		_	
P7.21*	Biobased plastic i	material content is used	d in the product (See No	JIEB/):			
			es below shall be answe				
	<ul> <li>a) Of total plast total plastic l</li> </ul>		the biobased plastic m	aterial content (calcula	ated as a percentage of		
	or	by weight) is %.					
		of the biobased plastic	material is g.				
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.				
DO		I specify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg		
<b>P8</b> P8.1*	Batteries	composition: Li-polym					
			er			<u> Ш</u>	
<b>P9</b>		otion (See NOTE B8)	ls or energy consumption	one are reported:			
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy		
Lilorgy mo	40	100 V AC	115 V AC	230 V AC	modes and test method *	ш	
Peak (On-r	nax)	45 W	45 W	45 W	Full load		
Category	<u>/2</u>						
Short Idle	State - WOL	4.96 W	4.76 W	5.04 W	Use for ENERGY STAR V8		
Enabled					registration (P <sub>idle</sub> )		
Long Idle	State - WOL	0.87 W	0.9 W	0.89 W	Use for ENERGY STAR V8		
Enabled					registration (P <sub>idle</sub> )		
	<del></del>						
Sleep (S3)	- WOL Enabled	<b>0.87</b> W	<b>0.9</b> W	0.89 W	Use for ENERGY STAR V8		
					registration(P <sub>sleep</sub> )		
Sleep (S3)	- WOL Disabled	0.87 W	<b>0.9</b> W	0.89 W	Reference		
	VOL Enabled /	0.31 W	0.3 W	0.32 W	Use for ENERGY STAR V8		
Disable					registration, Use for ErP(P <sub>off</sub> )		
EPS No-loa	ad	0.031 W	0.034 W	0.096 W			
(External power s	upply / charger plugged in the connected from the product.)						
PTEC *	connected from the product.)	NA W	NA W	NA W			
Typical Ene	ergy Consumption						
ETEC *		17.14 kWh/year	16.71 kWh/year	<b>17.45</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$		
Annual Ene	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+		
		Poff: Off Mode(S5) - W	OL Enabled: P <sub>sleen</sub> : Sleep	Mode(S3) - WOL Enable	P <sub>short_Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled		
External Po	ower Supply Efficie		l Efficiency Marking Pro				
	olution * : 1920*10		· · · · · · · · · · · · · · · · · · ·			Ħ	
		ave mode: 10 minutes				Ħ	
P9.2*			on is provided with the	product.		H	
P9.3		class (monitors only):	on to provided mar are	product.			
P10	Emissions	sides (incliniole silly).					
1 10		- Declared according to	o ISO 9296 (See NOTE	B9)			
P10.1			`		it A-weighted sound power level, $L_{WA,c}$ (E	В)	
		* Idle		* 2.6			
	Operation	* CPU Operating		* 3.5			
•	Other mode	Declared A-weighted sour	od pressure level (dB) $L_{p{\sf Am}}$	18.0 (operator posi	tion desktop – idle)		
			od pressure level (dB) $L_{p m Am}$		tion desktop – operating)		
	Measured accord	ing to: X ISO 7779	ECMA-74	1			
		Other	(only if not covered by	FCMA-74)			
	Other Covered by Lower-14)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		82ND				Logo	Long	1/0	
Issue date	) *	2021/4/9					Lenc	VO	н
Product	environr	nental attributes	- Market requirem	nents (cor	ntinued)		Require	ment	met
Item				,	•		Yes	No	n.a.
	Electron	nagnetic emissions							
P10.4	Compute program		requirement for low f	requency e	lectromagnetic field	s of the following voluntar	гу 🗌		
P12		mics for computing							
P12.1*			omic requirements of					$\boxtimes$	
P12.2*	The phys	sical input device me	ets the requirements	of ISO 999	95 and ISO 9241-41	0.		$\boxtimes$	
P13		ng and documenta							
P13.1*	Product Product	packaging material t packaging material t packaging material t	ype(s): <b>paper pad</b> ype(s): <b>cushion</b>	weight (kg weight (kg weight (kg	j): <b>0.033</b>				
P13.2*	Product	plastic primary pack	aging is free from PV	C.					
P13.3*		luct primary corruga er recovered fiber co		aging, spec	cify the contained p	percentage of minimum	post-		
P13.4*			roduct documentatio Other	n (tick box):					
P13.5	Ùser and		em if paper documen ition on paper media						
	,	hlorine-free al chlorine-free							
		ed chlorine-free					H		
P14	Volunta	ry programs							
P14.1			ements of the follow	ing voluntar	y program(s):				
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	)	Date: <b>2021/1/29</b> Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (See							
P9						tested product configu			
	informat knowled	on contained in this ge available at the til here is approximate	document. All inform me of completion, an	ation provid d supplier s	led by supplier in th shall have no obligat	es whether express or imp is document is provided b tion to update such inform a Lenovo Account Repre	pased on supportation. The in	olier's format	ion
P9			otebooks & Tablet Co dex.cfm?fuseaction=			ion: roup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 6 13ALC6	Logo	
Model Number	82ND		Lonovo
Issue Date	2021/4/9		Lenovo.
Additional information			

(d)	Year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	, , ,		• • •	cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorianable	ry and capability adjust	tments applied when <b>a</b>	III discrete graphics	cards (dGfx) are
		Category A	Category B (according to ErP Lot 3)	Category C	Category D
	Memory over base [GB]	16	(======================================	(accounting to an account	(======================================
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cape	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.61			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	•	•	<b>'</b>	3.07
(h)	Sleep mode power demand (Watts);				0.80
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.80
j)	Off mode power demand (Watts);				0.35
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.35
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 45W: 89.52%	%, 90.02%, 89.74%			
	*internal note: show values for all available external p				
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		IEC 62623				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
		-> Wait 5 minutes -> Stable condition	on .			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	off mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		base on User Guide				
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		10 mins		
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		10 mins		
(w)	Information on the er	nergy-saving potential of power management function	nality: <b>Refer to User Guide</b>			
(x)		now to enable the power management functionality:				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50Hz, Total Harmonic Distortion	<2 %			
Addition	al Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Backup Battery						
Other:	Other:					
Additiona	l information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġ/ijiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.