

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html				
Additional information	The latest version of this document can be found at:	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration					

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Yoga 7 14ACN6					
Model number *	82N7					
Issue date *	2021-4-16					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82N7	Logo	Long		
Issue dat	e *	2021-4-16		Leng	JVC	J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb Intaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). ·mail address	s):		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		t packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercun ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Aontreal Protoc	ol 🔀		
P6		ent information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	el number * 82N7 Logo					
Issue dat	te *	2021-4-16		Len	ovc	
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable		N7		
						<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\bowtie
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: aluminum Material type: plastic(PC+ABS)				
P7.12		n materials of external electrical cables are PVC free.			\square	
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i	e retardants, and	. —		
		in 25% post-consumer recycled content.		9		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	ı 🗌	\square	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square		
P7.17	<u>Alt. 1: </u> Cl	nemical specifications of flame retardants in printed circuit boards > 25 g (without	components):			
	TBBPA 26265-0	(additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated Epoxy</i> 8-7	Resins, CAS #	:		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g		_	
P7.18	Alt. 1			\boxtimes		
	concentr	etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparations ir	ים ו ו		
		ent: No legal limits exist, this is a market requirement.				
	1. Chem	ical name: Oligomeric phosphorous compound CAS #: Confidential				
	Alt. 2					
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been	\square		
	The sour	I the following Risk phrases; <i>confidential</i> and Hazard statements: H411;H4: rce(s) for these classifications is/are found at (add URL(s)): <i>European Coun</i>				
	67/548/E					
P7.20*	lfYES;a a) Oft	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is	t (calculated as			
	or	stormage of total placed by worght to .				
		weight of recycled material is g.				
Model nu	mber *	82N7	Logo			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	2021-4-16	Lenovo			
Product environ	Product environmental attributes - Market requirements (continued) Requirement met				
Item		Yes No n.a.			

If YE a) or b) P7.22* Light If me P8 Batte P8.1* Batte P9 Ener	ES; at least one Of total plastic total plastic by The weight of nt sources are fi ercury is used s teries tery chemical co orgy consumption the product the	e of the two alternatives c parts' weight > 25 g, v weight) is %. the biobased plastic n	naterial is g. less than 0,1 mg/lamp. nps: and maxim	ered; aterial content (calcula	ted as a percentage of
a) or b) P7.22* Light If me P8 Batte P8 Batte P8 Batte P9 Ener P9 Ener P9.1 Fort Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Sleep (S5) - WOL E Off (S5) - WOL E	Of total plastic total plastic by The weight of at sources are fi ercury is used a teries tery chemical co argy consumption the product the	c parts' weight > 25 g, weight) is %. the biobased plastic m ree from mercury, i.e. I specify: Number of lam omposition: <i>LI-ION Po</i> tion (See NOTE B8)	the biobased plastic m naterial is g. less than 0,1 mg/lamp. nps: and maxim	aterial content (calcula	
b) P7.22* Light If me P8 Batt P8.1* Batte P9 Ener P9.1 For t Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Short Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E	nt sources are fi ercury is used s teries tery chemical co ergy consumpt the product the	ree from mercury, i.e. I specify: Number of lam omposition: <i>LI-ION Po</i> cion (See NOTE B8)	less than 0,1 mg/lamp. hps: and maxim		rlamp: mg
If me P8 Batte P8.1* Batte P9.1 For t Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E	ercury is used s teries tery chemical co ergy consumpt the product the	specify: Number of lam omposition: <i>LI-ION Po</i> ion (See NOTE B8)	less than 0,1 mg/lamp. hps: and maxim		r lamp: mg
P8 Batter P8.1* Batter P9 Energy P9.1 For t Energy mode * Peak (On-max) Category 2 Short Idle State Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL E	teries tery chemical co orgy consumpt the product the	omposition: <i>LI-ION Po</i> ion (See NOTE B8)	•	um mercury content pe	r lamp: mg
P8.1* Batter P9 Energy P9.1 For t Energy mode * For t Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL E	tery chemical co orgy consumpt the product the	ion (See NOTE B8)	lymer battery		· · ·
P9EnerP9.1For tEnergy mode *Peak (On-max)Category 2Short Idle StateEnabledLong Idle StateEnabledSleep (S3) - WOSleep (S3) - WOOff (S5) - WOL EOff (S5) - WOL E	the product the	ion (See NOTE B8)	lymer battery		
P9.1 For t Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL E	the product the				L
Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL E		i lollowing power levels		ana ara rapartad:	
Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E		65 W	65 W	65 W	Full load
Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E					
Enabled Sleep (S3) - WO Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL E	e - WOL	6.76 W	6.88 W	6.90 W	Use for ENERGY STAR V8.0 registration
Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL L	- WOL	3.42 W	3.45 W	3.50 W	Use for ENERGY STAR V8.0 registration
Off (S5) - WOL E Off (S5) - WOL I	OL Enabled	0.36 W	0.36 W	0.37 W	Reference
Off (S5) - WOL L	OL Disabled	0.36 W	0.36 W	0.37 W	Use for ENERGY STAR V8.0 registration
	Enabled	0.27 W	0.28 W	0.30 W	Reference
EPS No-load	Disabled	0.27 W	0.28 W	0.30 W	Use for ErP
(External power supply / ch wall outlet but disconnected	charger plugged in the ed from the product.)	0.067 W	0.067 W	0.068W	
PTEC * Typical Energy C		W	W	W	
ETEC * Annual Energy C		22.46kWh/year	22.82 kWh/year	22.99 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short Idle} x 0.30)
					d; Pidle: Idle State - WOL Enabled
			Efficiency Marking Pro	otocol) * : VI	
Display resolution	-				
Default time to er	enter energy sa	ve mode: 10 minutes			
P9.2* Infor	rmation about t	he energy save function	on is provided with the	product.	
	с, ,	lass (monitors only):			
P10 Emis	issions				
			ISO 9296 (See NOTE		t A weighted cound newer level ((D)
P10.1 Mode Idle		lode description Idle (Operating)		* 2.0	t A-weighted sound power level, <i>L_{WA,c}</i> (B)
		HDD:Operation		* 2.0	<u> </u>
	C	PU:Operation		4.4	
Othe	er mode	eclared A-weighted sound	d pressure level (dB) $L_{p \text{Am}}$	16.6 (operator posit	ion desktop – idle)
Othe	er mode	eclared A-weighted sound	d pressure level (dB) $L_{p \text{Am}}$	34.6 (operator posit	ion desktop – operating)
Meas		ig to: 🛛 ISO 7779 🗌 Other	ECMA-74		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	82N7			Logo	Lonovo	
lssue dat	:e *	2021-4-16				Lenovo	
Product	environr	nental attribut	tes - Market requirements	(continued)		Requirement	met
Item						Yes No	n.a.
		nagnetic emiss					
P10.4	program	(s): MPR-II(3 pii	the requirement for low frequent of a contract of the second se	ncy electromagnetic field	s of the following volunt	tary 🔀 🗌	
P12		mics for compu					
P12.1*	-	•	gonomic requirements of ISO 9				
P12.2*	The phy	sical input device	e meets the requirements of IS	O 9995 and ISO 9241-41	0.		
P13	Packagi	ing and docume	entation				
	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	rial type(s): PE weight (kg): 0.0	weight (kg): 0.045 ht (kg): 0.051 ht (kg): 0.100			
P13.2*	Product	plastic primary p	ackaging is free from PVC.				
P13.3*			rugated fiberboard packaging, r content: 100 %	specify the contained	percentage of minimum	n post-	
P13.4*	Specify	media for user a ic 🔀, Paper 🔀	nd product documentation (tick	box):			
P13.5	User and		is item if paper documentation entation on paper media is chlo				
	Element	hlorine-free al chlorine-free ed chlorine-free					
P14	Volunta	ry programs					
P14.1	The proc	duct meets the re	equirements of the following vol	luntary program(s):			
	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2021/4/13 Date: Date:	Product category: 2 Product category: Product category:		
P15			(See NOTE B10)				
P9			f specific configuration may				
	informat knowled providec informat	ion contained in ge available at th I here is approxir ion.	o representations, guarantees, this document. All information p ne time of completion, and supp nate and provided for informati	provided by supplier in the plier shall have no obligat onal purposes only. See	is document is provided tion to update such infor a Lenovo Account Repr	l based on supplier's rmation. The informatio	on
P9			d Notebooks & Tablet Compute ps://www.energystar.gov/produ				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 7 14ACN6	Logo
Model number *	82N7	Lonovo
Issue date *	2021-4-16	Lenovo
Additional information		

d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	ry and capability adjus switchable graphics r	tments applied when node with UMA driving	all discrete graphics g the display.	cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.31			
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);		l	ų.	A: 3.50
h)	Sleep mode power demand (Watts);				A: 0.37
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.37
j)	Off mode power demand (Watts);				A: 0.30
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.30
(1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.82%; 90.7	75%; 89.71%			
	*internal note: show values for all available external p	ower supplies			
(0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to r	notebook computers):	300CYCLES
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete	rmine information mer		external PSU efficien	су:

(p-3) Me				
	asurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo		
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode	
		EN 62623:2013 measurement methodo	blogy	
(q) See	quence of steps for	or achieving a stable condition with respect to power	demand::	
		EN 62623:2013 measurement methodo	blogy	
(r) De	scription of how sl	eep and/or off mode was selected or programmed:		
		EN 62623:2013 measurement methodo	blogy	
	quence of events mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
	refe	er to power management, 30mins automatically re	eaches sleep mode	
		te condition before the computer automatically re- not exceed the applicable power demand requirement		10
(u) Le	ngth of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA
(v) Le	ngth of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10
. ,		nergy-saving potential of power management function described in user guide and power manager und programs		
(x) Use	er information on l	now to enable the power management functionality:		
ι	user information	described in user guide and power manager und programs	ler lenovo V17 G2 ITL menu in all	
the	electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion <2 9	strumentation, set-up and circuits	
Additional N	otebook Batter	y Information:	-	
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/built-i	in Battery			
External/deta	chable Battery			
External/deta Bios Backup	-			
	-			
Bios Backup	Battery			

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byla ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.