



ECMA/TC38-TG3/2015/026 (Rev. 1 – 27 Feb 2019)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	0
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		0001/0
e-mail address	Alvin L Carter		Lenovo
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Tablet PC
Commercial name *	Yoga Duet 7 13 ITL6
Model number *	82MA,82Q7
Issue date *	2020/12/8
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82MA,82Q7	Logo	Long	N/0	
Issue dat	e *	2020/12/8		Lend	JVU	ТН
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		•		Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH https://v	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)			Ш	Ш
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal laration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is;	e/eco-			
DE	declarat					
P5 P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercury	, codmium o	nd 🔽		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak e$ legal reference).		. ,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Iontreal Protoc	col 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82MA,82Q7	Logo	Lanava
Issue date *	2020/12/8		LEI IOVO.

-	nvironmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design Require			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	<u> </u>		Щ
P7.2*	Plastic materials in covers/housing have no surface coating.	<u>Ц</u>	$\underline{\underline{M}}$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ц_	$\underline{\underline{X}}$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	Щ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	Ц_	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Materialtype: PC+ABS+15%Talc Material type: PC+ABS Material type: AL5052			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS<, >PC+ABS-TD15FR(40)<	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: BDP, CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>Confidential</i>			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.5%. or			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	82MA,82Q7 2020/12/8	Logo	Len	ovo)
Product environn	nental attributes - Market requirements (continued)		Requir	emer	t met
Item			Yes	No	n.a.

11

	Material and sub	stance requirements	s (continued)			
P7.21*	Biobased plastic i	material content is use	ed in the product (See	NOTE B7):		
P7.22*		free from mercury, i.e specify: Number of la	e. less than 0,1 mg/lam	p. mum mercury content բ	per lamp: mg	
P8	Batteries	ropeony. Namber of it	and maxi	main mercary content	portanip. Thy	
P8.1*		composition: Lithium	ion			┱
P9	,	otion (See NOTE B8)	_			
P9.1			els or energy consump	tions are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	$\overline{}$
		100 V AC	115 V AC	230 V AC	modes and test method *	_
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	5.76 W	5.79 W	5.65 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle Enabled	State - WOL	3.49 W	3.61 W	3.59 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.76 W	0.72 W	0.73 W	Use for ENERGY STAR V8.0 registration (P _{sleep})	
Off (S5) - I	WOL Enabled	0.41 W	0.41 W	0.42 W	Use for ENERGY STAR V8.0 registration (P _{off})	
Off (S5) - I	WOL Disabled	0.41 W	0.41 W	0.42 W	Use for ErP	
EPS No-lo	ad	0.062 W	0.065 W	0.134 W		
(External power s	supply / charger plugged in the sconnected from the product.)					
PTEC *	sconnected from the product.)	W	W	W		X
_	ergy Consumption				<u> </u>	2
ETEC *	ergy Consumption	21.40 kWh/year	21.49 kWh/year	21.15 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	
İ		Poff: Off Mode(S5) - V	VOL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	oled; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficie	ncy Level (Internation	al Efficiency Marking F	Protocol) * : VI		
Display res	solution * : 2160*13	50 megapixels				┭
Default tim	e to enter energy s	ave mode: 30 minutes	3			Ŧ
P9.2*			tion is provided with th	e product		┿
P9.3		class (monitors only):	•	с ргоцион.		<u> </u>
P10	Emissions	, ,,			k	
1.10		- Declared according	to ISO 9296 (See NOT	TE B9)		
P10.1		Mode description			mit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* System Idle		* 2.8		Т
	Operation	* CPU;Operation		* 3.1		Ī
		Declared A-weighted sou $L_{p{\sf Am}}$	nd pressure level (dB)	22 (operator posit	tion desktop – idle)	
	000	Declared A-weighted sou $L_{p{ m Am}}$	nd pressure level (dB)	25 (operator posit	tion desktop – operating)	
	Measured accord	ing to: ISO 7779 Other	ECMA-74	v FCMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	82MA,82Q7	Logo	anava
Issue date *	2020/12/8		 -ei iovo

	iii ii oi iii oi itai atti ibatoo ii	Market requirements (con	tinued)		Require	ment i	met
Item					Yes	No	n.a.
	Electromagnetic emissions						
	Computer display meets the rec program(s): MPR-II(3 pin AC a	dapter only)	ectromagnetic fields	of the following voluntary			
	Ergonomics for computing pr	roducts					
P12.1*	The display meets the ergonom	nic requirements of ISO 9241-3	307 for visual display	technologies.	\boxtimes		
P12.2*	The physical input device meets	s the requirements of ISO 9999	5 and ISO 9241-410		\boxtimes		
	Packaging and documentatio						
	Product packaging material type Product packaging material type Product packaging material type	e(s): Polyethylene Cushions		:0.32kg w/o ODD 0.37kg): 0.17kg w/ODD:0.32kg			
P13.2*	Product plastic primary packagi	ing is free from PVC.			\boxtimes		
	For product primary corrugated consumer recovered fiber conte		ify the contained po	ercentage of minimum post	-		
P13.4*	Specify media for user and prod Electronic, Paper, Oth						
P13.5	(Please only complete this item User and product documentatio If Yes, please specify:						
	Totally chlorine-free Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the requiren	ments of the following voluntary	program(s):				
	Eco-label: C Eco-label: C	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/12/01 Date: Date:	Product category: <i>I2</i> Product category: Product category:			
	Additional information (See N	,					
P9	Energy consumption of speci						
	NOTE: Supplier makes no repre- information contained in this do knowledge available at the time provided here is approximate an information.	ocument. All information provide e of completion, and supplier sl	ed by supplier in this nall have no obligation	document is provided base on to update such informatio	d on supp n. The inf	olier's ormatio	on
P9	See Energy Star Qualified Note http://www.energystar.gov/index						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Duet 7 13 ITL6	Logo	
Model Number	82MA,82Q7		Lonovo
Issue Date	2021/2/8		Lenovo.
Additional information			

d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	, , ,		• • •	cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16GB	(======================================	(======================================	(40000000000000000000000000000000000000
ents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
djustrr ring te	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.60			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				5.18
h)	Sleep mode power demand (Watts);				0.47
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
j)	Off mode power demand (Watts);				0.25
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.45%, 88.	64%, 88.53%, 89.42	%, 89.44%		
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300 cycles
p-1)	0-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficient				:

(p-2)	(2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*			
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Transport of the select sleep or off mode			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10min
(w)	Information on the energy-saving potential of power management functionality: **Refer to User Guide** **Refer to User G			
(x) User information on how to enable the power management functionality: **Refer to User Guide**				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301				
Additional Notebook Battery Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
)				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.