



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	DE4000H			
Model number *	7Y74, 7Y75			
Issue date *	02/28/2020			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		7Y74, 7Y75	Logo	Lon		
Issue dat	e *	02/28/2020		Lend) _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	N/A
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	loride, 1,1,1- naximum			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychol (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in th	e 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm ² /weel	(
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/sustainability-resources	contact):			
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	I 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See I	egal reference)		$\overline{\Box}$	
P2.5*		ternal batteries of a notebook computer cannot be "accessed and replaced by a nor e related text is present and legible on the external packaging (see legal reference)				
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar .				
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
		d information is; given in item P15 or added to this document,				
P5	Droduct	available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5.1*	Packagir	packaging ng and packaging components do not contain more than 0,01% lead, mercury	/, cadmium an	id 🔀		
DC 0*		ent chromium by weight of these together.	-£ 41 4 1/- 1/-	- \ \		
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).		, 🔼	<u> </u>	
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference). In the standard reference has no maximum concentration values.	1ontreal Protoc	ol 🔀		
P6		nt information				
F 0	rreaume	ni momaton				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Model number *	7Y74, 7Y75	Logo	Lanova
Issue date *	02/28/2020		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Metal (Steel) Material type: PC ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes	
	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. All other PCBs	\boxtimes		
57.40	are halogen free.			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:			\square
	1. Chemical name: , CAS #: (See NOTE B4)		ш	\boxtimes
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{}$	
	assigned the following Risk phrases; and Hazard statements:	_	_	
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y74, 7Y75	Logo	Lanava
Issue date *	02/28/2020		Lei IOVO"

Product environmental attributes - Market requirements (continued)		Requirement me	
Item	Yes	No	N/A

	Material and su	bstance requirements	(continued)				
P7.21*	Biobased plastic	material content is used	in the product (See N	OTE B7):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or						
		of the biobased plastic n					
P7.22*		e free from mercury, i.e.					
P7.23*		d specify: Number of lan		um mercury content pe			
	If product includes an integral display, the total mercury content in the integrated display: mg						
P8.1*	Batteries Battery chemica	I composition: Magnesiu	ım Dioxide I ithium				
P9	<u> </u>	ption (See NOTE B8)	III DIOXIGE LIGHUM				
P9.1		the following power level:	s or energy consumption	ons are reported:			
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy		
3,		100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On-	max)	462 W	458 W	445 W	Full load		
Categor	V						
EPS No-loa		W	W	W			
	ower supply /						
`	igged in the wall						
outlet but d	lisconnected from						
the product	t.)						
PTEC *		W	W	W			
	ergy Consumption						
ETEC *	ergy Consumption	kWh/year	kWh/year	kWh/year			
		ency Level (International	<u>I</u> Efficiency Marking Pro	otocol) * :			
Display res		megapixels					
	e to enter energy	• .	tes				
P9.2*		ut the energy save function		product.			
P9.3		y class (monitors only):		F			
P10	Emissions	, ciaco (e.mero e).					
0		- Declared according to	ISO 9296 (See NOTE	: B9)			
P10.1	Mode	Mode description			t A-weighted sound power level, L _{WA,c} (B)		
	Idle	* 35% loading		* 6.3			
	Operation	* 35% loading		* 6.4			
	Other mode	Declared A-weighted sound	d pressure level (dB)	8.5 (operator position	on desktop – idle)		
		L_{pAm}					
	Other mode	Declared A-weighted sound $L_{p{\rm Am}}$	d pressure level (dB)	8.5 (operator position desktop – operating)			
	Measured accor	ding to: X ISO 7779	ECMA-74	1			
		Other	(only if not covered by	FCMA-74)			
	Electromagneti		(Strily it flot covered by	LOWIN 17			
P10.4		y meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary		
	program(s):	,	. 1	J	· · · · · · · · · · · · · · · · · · ·		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		7Y74, 7Y75					Logo	Long	1/0	
Issue date	*	02/28/2020						Leno	VO,	*
Product e	nvironn	nental attributes	- Market requiren	nents (con	tinued)			Require	ment	met
Item								Yes	No	N/A
P12		nics for computing								
P12.1*	The disp	lay meets the ergon	omic requirements of	f ISO 9241-3	307 for visual di	splay technolog	gies.			\boxtimes
P12.2*	The phys	sical input device me	eets the requirements	s of ISO 999	5 and ISO 924	1-410.				\boxtimes
P13	Packagi	ng and documenta	tion							
P13.1*		packaging material t		weight (kg						
		packaging material t		weight (kg						
		packaging material t packaging material t		weight (kg weight (kg						
			7 1	0 \ 0	,)1				
P13.2*	Product packaging material type(s): Laminated LDPE/EPE weight (kg): 0.01 Product plastic primary packaging is free from PVC.									
P13.3*		luct primary corruga er recovered fiber co	ated fiberboard pack entent: 35 %	aging, spec	ify the contain	ed percentage	of minimum p	oost-		
P13.4*	Specify r	nedia for user and p	roduct documentatio	n (tick box):						
		ronic, Paper,	Other							
P13.5	(Please	only complete this it	em if paper documen	ntation used))			_	_	
			ation on paper media	is chlorine-	free:					
	If Yes, pl	ease specify:								
	,	hlorine-free								
	Elementa	al chlorine-free								
	Processe	ed chlorine-free								
P14	Voluntai	ry programs								
P14.1	The prod	luct meets the requi	rements of the follow	ing voluntar	y program(s):			·		· ·
	ENIEDON	Y STAR®	Criteria version:		Data	Droduct	ootogor <i>u</i>			
	Eco-labe		Criteria version:		Date: Date:	Product of Product of				
	Eco-labe		Criteria version:		Date:	Product				

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo

Product category:

Criteria version:

See Energy Star Qualified Enterprise Servers for the latest information: https://www.energystar.gov/products/data center equipment/enterprise servers

Energy consumption of computer products; description of the tested product configuration:

Additional information (See NOTE B10)

Account Representative for more information.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

P15

P9

P9

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

mauo	information	UI.

Commercial name (3.1 (b))	DE4000H	Logo	
Contact Address (3.1 (b))			_
Model Number (3.1 (c))	7Y74, 7Y75		Lenovo
Issue Date	02/28/2020		TH TH
Additional information			

Product environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3				
1.a	Is product considered to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:			
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section			
1.c (3.1 (d))	Year of manufacture:			
1.d (3.1 (p))	Product model part of a server product family? No Yes List of all model configurations that are represented by the model:			
1.e (3.1 (n))	Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:			
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:			
Recycling Data				
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g between 5 g and 25 g above 25 g (b) Neodymium in the HDDs above 25 g			
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.			
	OR - Reference to other information:			
2.c	Firmware Reference to information on last available firmware:			
Additional information				

DATA STORAGE PRODUCTS

2/11/C1010101010				
Commercial name (3.2 (b))	DE4000H	Logo		
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo		
Model Number (3.2 (c))	7Y74, 7Y75			
Issue Date	02/28/2020			
Additional information				

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3		
A.1	Is product considered to be in scope of ErP Lot 9 🛛 in scope 🗌 out of scope Product is out of scope as:		
A.2 (3.2 (a))	Data Storage type Online Data Storage Product Small Data Storage Product Large Data Storage Product Other:		
A.3	Year of manufacture: 2018		
(3.2 (d)) A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power		
(3.2 (e))	(expressed in % and rounded to the first decimal place):		
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places) 0.981		
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9) A1 A2 A3 A3 A4		
	Exception comments		
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.		
A.6 (3.2 (h))	Information on the secure data deletion tool(s) (a) instructions on how to use the functionality:		
((, /	Follow Secure Data Deletion README, starting from SANtricity 11.50.3R1P1 via		
	https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-		
	de4000h/7y74/documentation (b) techniques used:		
	Python script to purge all user data		
	(c) supported secure data deletion standard (if any):		
	OR - Reference to other information: Go through SecureDataDeletion README and run .py accordingly via		
	https://drive.google.com/open?id=1EZ1QLbbM4w8zeUIRwJ-J8iF-AS2VwKOt		
	ING DATA		
B.1 (3.3 (a))	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs level, of the following critical raw		
	materials: less than 5 g less than 5 g		
	between 5 g and 25 g		
D.0	above 25 above 25		
B.2 (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; Refer to the installation guide, use reverse process.		
	https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-		
	de4000h/7y74/documentation		
	 (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of 		
	appropriate size		
	OR - Reference to other information:		
B.3	Firmware		
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-de4000h/7y74/downloads/driver-list/		
	nttps://datacentersupport.ieiiovo.com/us/zc/products/storage/ieiiovo-Storage/tillriksystem-de4ooon/7y/4/downloads/dffvel-list/		
	After EOL'ed, firmware would be available at:		
	https://download.lenovo.com/eol/index.html		
Additional	information		
Auditional			