

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	DE6000H			
Model number *	7Y78			
Issue date *	02/28/2020			
Intended market *	🔀 Global 🛛 Europe 🔀 Asia, Pacific & Japan 🔀 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	7Y78 Logo				
Issue da	ite *	02/28/2020	Leng	DVC	Тм	
Produc	t environ	mental attributes - Legal requirements	Require	ment	met	
ltem			Yes	No	N/A	
P1	Hazardo	ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/sustainability-resources				
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*	Batterie	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)	\boxtimes			
P2.3*		s and accumulators are readily removable. (See legal reference)	\boxtimes			
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Ē		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/compliance/eu-doc</u>	\boxtimes			
P3.2*	•	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes			
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\boxtimes			
P5	Broduce	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀			
P5.2*	The pac	ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of the material(s	;) 🔀			
		e legal reference). duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco		$\overline{\Box}$		
P5.3*	i ne pro					
P5.3*	(see leg	al reference). nt: Legal reference has no maximum concentration values.				
P5.3*	(see leg Comme	al reference). nt: Legal reference has no maximum concentration values. nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	7Y78	Logo			
Issue da	ite *	02/28/2020		Len	ovc	DTH
Product		mental attributes - Market requirements (See General NOTE GN b	· ·			
		nmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	N/A
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	⊢⊢
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	⊢⊢
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	vailable tools.		Ħ	⊢⊢
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				Ħ	Ħ
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ig can be done using commonly available tools		\square		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>Metal (Steel)</i> Material type: <i>PC ABS</i> Material	type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	retardants, and	d 📕		
P7.15		ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n 🗌	\boxtimes	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name: ,	mponents): CAS #:			\boxtimes
	according are halo	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. A gen free.	All other PCBs			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	/preparations i	` 🗆		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				\square
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	have been			\boxtimes
	0	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	,		\boxtimes	
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %.	(calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y78	Logo	Lenovo
Issue date *	02/28/2020		LEIIUVU
Product environm	nental attributes - Market requirements (continued)		Requirement met

Requirement metYesNoN/A

	Material and sul	ostance requirements	(continued)						
P7.21*		material content is used		OTE B7)			-		
17.21									
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		by weight) is %.	the biobased plastic h	iaterial content (calcula	neu as a percentage of				
	or	<i>y</i> in original <i>y</i> is <i>y</i> or							
	b) The weight	of the biobased plastic n	naterial is g.						
P7.22*		free from mercury, i.e.						\boxtimes	
P7.23*	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
-	•								
P8.1*	Batteries	composition: Magnesiu	m Dioxido Lithium						
	,								
P9 P9.1		ption (See NOTE B8) he following power level	s or energy consumpti	ons are reported:					
Energy mod		Power level at	Power level at	Power level at	Reference/Standard f	or ener	av	\boxtimes	
Energy met		100 V AC	115 V AC	230 V AC	modes and test method		33		
Peak (On-r	nax)	462 W	458 W	445 W	Full load				
Cotogor									
Categor EPS No-loa		W	W	W					
	ower supply /	vv	vv	vv					
	gged in the wall								
	isconnected from								
the product	.)								
PTEC *		W	W	W				\boxtimes	
	ergy Consumption								
ETEC *	ergy Consumption	kWh/year	kWh/year	kWh/year				\boxtimes	
		ency Level (International	Efficiency Marking Pro	otocol) * :				\boxtimes	
Display res		negapixels	, ,	,					
	e to enter energy s	0.	es						
P9.2*	0,	t the energy save function	on is provided with the	product			-		
P9.3		class (monitors only):		product.					
P10	Emissions	ciass (monitors only).					_		
FIV		- Declared according to	ISO 9296 (See NOTE	E B9)					
P10.1	Mode	Mode description			it A-weighted sound powe	r level, <i>L</i>	WA,c (E	B)	
	Idle	* 35% loading		* 6.3					
	Operation	* 35% loading		* 6.4					
	Other mode	Declared A-weighted sound	d pressure level (dB)	8.5 (operator position desktop – idle)					
		L_{pAm}							
	Other mode	Declared A-weighted sound	d pressure level (dB)	8.5 (operator positi	on desktop – operating)				
		L_{pAm}							
	Measured accord	ling to: 🔀 ISO 7779 🗌	ECMA-74						
		Other	(only if not covered by	ECMA-74)					
	Electromagnetic	c emissions		, 					
P10.4	• • •	y meets the requirement	for low frequency elec	ctromagnetic fields of th	ne following voluntary			\boxtimes	
	program(s):								

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	7Y78					Logo			
lssue dat	e *	02/28/2020						Lei	lov	OTH
Product	environr	nental attribu	tes - Market requiren	ments (contin	ued)			Req	uireme	nt met
ltem								Y	es N	o N/A
P12		mics for compu								
P12.1*	The disp	play meets the er	gonomic requirements o	of ISO 9241-307	for visual displa	ay technolog	gies.	[
P12.2*	The phy	sical input devic	e meets the requirement	ts of ISO 9995 a	nd ISO 9241-41	10.				
P13	Packagi	ing and docum	entation							
P13.1*	Product Product Product	packaging mate packaging mate packaging mate	rial type(s): <i>PE Foam</i> rial type(s): <i>Corrugate</i> rial type(s): <i>PE Film</i> rial type(s): <i>Wood</i> rial type(s): <i>Laminated I</i>	weight (kg): 0 weight (kg): 4 weight (kg): 0 weight (kg): 8	08 25 85					
P13.2*			ackaging is free from P\							
P13.3*		duct primary cor	rugated fiberboard pack r content: 35 %	kaging, specify	he contained p	percentage	of minimur	<u> </u>		
P13.4*		media for user a ronic,	nd product documentatic	on (tick box):						
P13.5	User and		is item if paper documer entation on paper media					[
	,	hlorine-free al chlorine-free						[
	Process	ed chlorine-free						[
P14	Volunta	ry programs								
P14.1	The proc	duct meets the re	equirements of the follow	ving voluntary pr	ogram(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Da Da Da	te:	Product o Product o Product o	category:			
P15			(See NOTE B10)							
P9	NOTE: S the info supplied informa	Supplier makes rmation contail r's knowledge a tion. The inform	f computer products; of no representations, gu ned in this document. A vailable at the time of nation provided here is e for more information	uarantees, assu All information completion, an s approximate a	rances or war provided by su d supplier sha	ranties wh Ipplier in tl Il have no	ether expre his docume obligation t	ent is provie to update s	ded bas uch	sed on
P9	See Ene	ergy Star Qualif	ied Enterprise Servers r.gov/products/data_ce	for the latest in		ervers				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	DE6000H	Logo	
Contact Address (3.1 (b))			
Model Number (3.1 (c))	7Y78		Lenovo
Issue Date	02/28/2020		
Additional information			

Product	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is product considered to be in scope of ErP Lot 9 🛛 🔀 in scope 🗌 out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family? No Yes
1.e (3.1 (n))	Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recyclin	g Data
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Indicative weight range at component level, of the following critical raw materials: Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Iess than 5 g Iess than 5 g Iss than 5 g Ies
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additiona	l information
1	

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	DE6000H	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c))	7Y78	
Issue Date	02/28/2020	
Additional information		

Draduat a	nvironmental attributes (EU) 2010/424 Annov II points 2.2 and 2.2
A.1	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.2	Is product considered to be in scope of ErP Lot 9 in scope of an action of scope Product is out of scope as:
(3.2 (a))	Large Data Storage Product Other:
A.3 (3.2 (d))	Year of manufacture: 2018
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(3.2 (e))	(expressed in % and rounded to the first decimal place): : Multi-output Single-output 10% 20% 91.8 50% 94.2 100% 92.9 Average
A.5 (3.2 (f))	Power factor at 50 % of the rated load level 0.981
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9) Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6 (3.2 (h))	Information on the secure data deletion tool(s) (a) instructions on how to use the functionality: Follow Secure Data Deletion README, starting from SANtricity 11.50.3R1P1 via https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem- de6000h/7y78/documentation (b) techniques used: Python script to purge all user data (c) supported secure data deletion standard (if any):
	OR - Reference to other information: Go through SecureDataDeletion README and run .py accordingly via https://drive.google.com/open?id=1EZ1QLbbM4w8zeUIRwJ-J8iF-AS2VwKOt
RECYCL	ING DATA
B.1 (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g Indicative weight range at component level, of the following critical raw materials: Iless than 5 g Iless than 5 g
B.2	Instructions on the disassembly operations
(3.3 (b))	 (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem- de6000h/7y78/documentation (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size
	OR - Reference to other information:
B.3	Firmware
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-de6000h/7y78/downloads/driver-list/ After EOL'ed, firmware would be available at:
	https://download.lenovo.com/eol/index.html
Additional	information