



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	1 010 01 10
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Data Storage
Commercial name *	DM240S
Model number *	7Y58
Issue date *	01/15/2020
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Issue date * 01/15/2020		Len		
Does does to consider a constant of the district of the constant of the consta			<u> </u>	ТМ
Product environmental attributes - Legal requirements		Require	emen	t met
Item		Yes	No	N/A
P1 Hazardous substances and preparations				
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1	1)	\boxtimes		
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		\boxtimes		
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlori trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maxi concentration values.				
P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlori terphenyl (PCT) in preparations (see legal reference).	nated			
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	atoms in the			
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	μg/cm²/week			
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail con https://www.lenovo.com/us/en/sustainability-resources	ntact):	\boxtimes		
P2 Batteries				
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the symbol. Information on proper disposal is provided in user manual. (See legal reference)	disposal			
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmiun reference)	n. (See legal			
P2.3* Batteries and accumulators are readily removable. (See legal reference)				\boxtimes
P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal	al reference)			
P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprouser", the related text is present and legible on the external packaging (see legal reference)	ofessional			
P3 Conformity verification & Eco design (ErP)				
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/				
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).				
Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-ph/	-declaration	\boxtimes		
P5 Product packaging	acolaration			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, of hexavalent chromium by weight of these together.	cadmium and	I 🔀		
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the used (see legal reference).	he material(s) 🔀		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Mon (see legal reference). Comment: Legal reference has no maximum concentration values.	ntreal Protoco	I 🔀		
P6 Treatment information				

Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7Y58	Logo	Lanava
Issue date *	01/15/2020		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Metal (Steel) Material type: PC ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes	
	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. All other PCBs	\boxtimes		
57.40	are halogen free.			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)		ш	
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y58	Logo	Lonovo
Issue date *	01/15/2020		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	it met
Item	Yes	No	N/A

	Matarial and audi		(a.a.n4:					
P7.21*		stance requirements material content is used	· · · · · · · · · · · · · · · · · · ·	TE B7\·			1 🔽	
F1.Z1				,				
	If YES; at least one of the two alternatives below shall be answered;							
	or	total plastic by weight) is %.						
		of the biobased plastic r	naterial is a					
P7.22*		free from mercury, i.e.						
	If mercury is used	specify: Number of lan	nps: and maximu	um mercury content pe	r lamp: mg		. 2	
P7.23*	If product include	s an integral display, the	e total mercury content	in the integrated displa	ıy: mg			
P8	Batteries							
P8.1*	Battery chemical	composition:					\boxtimes	
P9	Energy consump	otion (See NOTE B8)						
P9.1		e following power level	s or energy consumption	ns are reported:				
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard	for energ	у	
		100 V AC	115 V AC	230 V AC	modes and test meth	od *		
Peak (On-	max)	262 W	255 W	255 W	Full load			
Categor	V							
EPS No-loa		W	W	W				
(External p	ower supply /							
charger plu	igged in the wall							
	lisconnected from							
the product	t.)	144	10/	147				
PTEC *		W	W	W				
ETEC *	ergy Consumption	kWh/year	kWh/year	kWh/year			\square	
-	ergy Consumption	Kvvii/yeai	Kvvii/yeai	KVVII/yeai				
		ncy Level (International	Efficiency Marking Pro	tocol) *:			\square	
Display res		negapixels	, ,	,				
. ,	e to enter energy s	0 1	tes					
P9.2*		the energy save function		product				
P9.3		class (monitors only):	on is provided with the p	product.				
		class (monitors only).						
P10	Emissions	 Declared according to 	ISO 9296 (See NOTE	R9)				
P10.1		Mode description	7100 0200 (000 110 12		t A-weighted sound pov	ver level. L	va.c. (B)	
	Idle	* 35% loading		* 6.3	, , , , , , , , , , , , , , , , , , ,		7,5 (=)	
	Operation	* 35% loading		* 6.4				
	Other mode	Declared A-weighted soun	d pressure level (dB) L	8.5 (operator position	on desktop – idle)			
		Declared A-weighted soun			on desktop – operating)			
		ing to: X ISO 7779	*	1	<u> </u>			
	Wicasurca accord	Other	(only if not covered by	FCMA-74)				
	Electromagnetic		(Orny if flot covered by	LONIA-17)				
P10.4		meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary			
	program(s):							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

woder number "		7Y58					Logo	Long	1/0	
Issue date	*	01/15/2020						Leno	VO	тм
Product	environn	nental attributes	s - Market requirem	nents (cont	inued)			Require	ment	met
Item			-					Yes	No	N/A
P12		mics for computin								
P12.1*	The disp	lay meets the ergo	nomic requirements of	f ISO 9241-3	07 for visual	display technolo	gies.			\boxtimes
P12.2*	The phys	sical input device m	neets the requirements	s of ISO 9995	and ISO 92	241-410.				\boxtimes
P13		ing and document								
P13.1*	Product Product Product	packaging material packaging material	type(s): Corrugate type(s): PE Film	weight (kg) weight (kg) weight (kg) weight (kg) DPE/EPE	4.08 0.25 8.85	0.01				
P13.2*	Product	plastic primary pac	kaging is free from PV	/C.						
P13.3*		duct primary corruger recovered fiber c	gated fiberboard pack ontent: 35 %	kaging, speci	fy the conta	nined percentage	of minimum	post-		
P13.4*			product documentatio Other	n (tick box):						
P13.5	Ùser and		item if paper documen tation on paper media		ee:					
	•	hlorine-free al chlorine-free								
	Processe	ed chlorine-free						Ħ		
P14	Volunta	ry programs								
P14.1	The proc	duct meets the requ	irements of the follow	ring voluntary	program(s):					
	ENERGY Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:		Date: Date: Date:	Product	category: category: category:			
P15	Addition	nal information (Se	ee NOTE B10)							
P9			omputer products; d							
	the information of the supplier information of the supplie	rmation contained r's knowledge ava tion. The informat t Representative f	representations, gu I in this document. A ilable at the time of c ion provided here is or more information.	All information completion, approximate.	on provided and supplie e and provi	by supplier in t er shall have no ded for informat	his documer obligation to	nt is provided of update such	based	d on
P9			Enterprise Servers ov/products/data cel							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information		ı	
Commercial name (3.1 (b))	DM240S	Logo	
Contact Address (3.1 (b))			_
Model Number (3.1 (c))	7Y58		Lenovo
Issue Date	01/15/2020		
Additional information		•	

Product 6	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is the product consider to be in scope of ErP Lot 9 uin scope out of scope, product is out of scope as:
1.b	Server type Rack Server High Performance Computing (HPC)
(3.1 (a))	Tower Server Multi Node Server
	Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c	Year of manufacture:
(3.1 (d))	
1.d (3.1 (p))	Product model part of a server product family?
(3.1 (μ))	List of all model configurations that are represented by the model:
1.e	Information on the secure data deletion functionality
(3.1 (n))	(a) instructions on how to use the functionality:
	(b) techniques used:
	(c) supported secure data deletion standard (if any):
4.6	OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes
	list of recommended combinations with compatible chassis:
Recycling	
2.a	Indicative weight range at component level, of the (a) Cobalt in the batteries (b) Neodymium in the HDDs
(3.3 (a))	following critical raw materials:
	□ between 5 g and 25 g □ between 5 g and 25 g
	above 25 g above 25 g
2.b	Instructions on the disassembly operations
(3.3 (b))	(a) the type of operation;
	(b) the type and number of fastening technique(s) to be unlocked;
	(c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware
	Reference to information on last available firmware:
Additional	Information

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	DM240S	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c))	7Y58	
Issue Date	01/15/2020	
Additional information		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3		
A.1	Is the product consider to be in scope of ErP Lot 9 🗵 in scope 🗌 out of scope Product is out of scope as:		
A.2 (3.2 (a))	Data Storage type Online Data Storage Product Small Data Storage Product Large Data Storage Product Other:		
A.3 (3.2 (d))	Year of manufacture: 2018		
A.4 (3.2 (e))	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power (expressed in % and rounded to the first decimal place): Multi-output Single-output 10% 20% 91.8 50% 94.2 100% 92.9 Average		
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places) 0.981		
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9) A1 A2 A3 A4		
	Exception comments This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.		
A.6 (3.2 (h))	Information on the secure data deletion tool(s) (a) instructions on how to use the functionality: https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf (b) techniques used: ONTAP 9 feature: 1) Securely purges the deleted files on vol1 on SVM vs1: cluster1::> volume encryption secure-purge start -vserver vs1 -volume vol1 2) Overridden by entering the following command: (Starting from Ontap 9.7) cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true (c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize		
	OR - Reference to other information: https://www.netapp.com/us/media/tr-4569.pdf		
	ING DATA		
B.1 (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g less than 5 g		
B.2 (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem-dm240s/7y58/documentation (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size OR - Reference to other information:		
B.3	Firmware		
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM240S/7Y58/downloads/driver-list/component?name=Product%20Firmware After EOL'ed, firmware would be available at: https://download.lenovo.com/eol/index.html		
Additional information			
1			