



## Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with \* are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo		
Company name *	Lenovo			
Contact information *	Lenovo DCG Storage Development			
e-mail address	Rick Lin	Lenovo.		
	Lenovo Taiwan Branch			
	8F., No. 66, Sanchong Rd.,			
	Nangang Dist., Taipei City, Zipcode: 11502			
	Rlin12@lenovo.com			
Internet site *	https://www.lenovo.com/us/en/about/sustainability			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Data Storage				
Commercial name *	DM5000H				
Model number *	7Y57				
Issue date *	01/15/2020				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### **About Annex B2**

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

		Logo			
Issue date * 01/15/2020	ssue date * 01/15/2020		Len	OVC	<b>J</b> <sub>tm</sub>
Product environmental attributes - Le	gal requirements		Require	ment	met
Item	-		Yes	No	N/A
P1 Hazardous substances and pre					
P1.1* Products do comply with current E	uropean RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$		
P1.2* Products do not contain Asbestos Comment: Legal reference has no			$\boxtimes$		
hydrobromofluorocarbons (HBFC)	pleting Substances: Chlorofluorocarbons (CFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ee legal reference). Comment: Legal reference has no n				
P1.4* Products do not contain more than terphenyl (PCT) in preparations (s	; 0,005% polychlorinated biphenyl (PCB), 0,005% polychee legal reference).	nlorinated			
P1.5* Products do not contain more than	0,1% short chain chloroparaffins (SCCP) with 10-13 car mass of chlorine in the SCCP (see legal reference).	bon atoms in the	· 🔀		
(see legal reference).	n contact do not release nickel in concentrations above (nce when tested according to EN1811:2011-5.	0,5 μg/cm²/week			
P1.7* REACH Article 33 information about https://www.lenovo.com/us/en/sus	ut substances in articles is available at (add URL or mail tainability-resources	contact):	$\boxtimes$		
P2 Batteries					
P2.1* If the product contains a battery or	an accumulator, the battery/accumulator is labeled with osal is provided in user manual. (See legal reference)	the disposal			
	ontain more than 0,0005% of mercury or 0,002% of cadr	nium. (See legal	$\boxtimes$		
P2.3* Batteries and accumulators are re	adily removable. (See legal reference)		$\boxtimes$		
P2.4* Documentation includes the numb	er of cycles the (secondary) battery can withstand. (See	legal reference)	$\overline{\mathbb{X}}$		
	ook computer cannot be "accessed and replaced by a no not legible on the external packaging (see legal reference				
P3 Conformity verification & Eco d	esign (ErP)				
	conformance with applicable legal requirements (see lebe requested at: https://www.lenovo.com/us/en/compliai				
P3.2* The product complies with the Eco (see legal reference).	design requirements for energy-related products,				
Required information is;	given in item P15 or added to this document, available at: <a href="https://www.lenovo.com/us/en/compliance/">https://www.lenovo.com/us/en/compliance/</a>	aco-declaration			
P5 Product packaging	available at. https://www.ienevo.com/as/en/compliance/	COC GCGGGGGGGG			
	onents do not contain more than 0,01% lead, mercur	y, cadmium an	d 🔀		
	ed with abbreviations and numbers indicating the nature	of the material(s	)		
	free from ozone depleting substances as specified in the I maximum concentration values.	Montreal Protoco	ol 🔀		
P6 Treatment information					

Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1\*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7Y57	Logo	Lanava
Issue date *	01/15/2020		LEI IOVO

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Metal (Steel) Material type: PC ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen			
	as defined in IEC 61249-2-21. (See <sup>5</sup> NOTE B2)		<u></u>	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
57.47	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:	Ш	Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. All other PCBs is halogen free.		Ш	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1	concentrations above 0,1%:			$\boxtimes$
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
77 204	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y57	Logo	Lonovo
Issue date *	01/15/2020		Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requi	remer	it met
Item	Yes	No	N/A

	Material and su	bstance requirements	(continued)					
P7.21*		material content is used		OTE B7):				
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  or							
	b) The weight of the biobased plastic material is g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
D= 00#		d specify: Number of lan		um mercury content pe				
P7.23*		es an integral display, the	e total mercury content	in the integrated displa	ay: mg			
P8	Batteries		on Disorida Lithiona					
P8.1*		composition: Magnesiu	IM DIOXIGE LITHIUM					
<b>P9</b>		ption (See NOTE B8)	o or operav concumpti	one are reported:				
Energy mo		he following power level  Power level at	Power level at	Power level at	Reference/Standard for energy			
Lineigy ino	do	100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	462 W	458 W	445 W	Full load			
Cataman								
Categor		10/	101	10/	T			
EPS No-lo	ad ower supply /	W	W	W				
	igged in the wall							
	disconnected from							
the produc								
PTEC *	,	W	W	W				
	ergy Consumption				_			
ETEC *		kWh/year	kWh/year	kWh/year				
	ergy Consumption	 ency Level (International	Efficiency Marking Dr	otopol\ * :				
		,	Elliciency Marking Pro					
Display res		negapixels	1					
	e to enter energy							
P9.2*		t the energy save function	on is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):						
P10	Emissions	5	100 0000 /0 NOTE	- DO)				
P10.1	Mode Mode	Declared according to  Made description	150 9296 (See NOTE		it A-weighted sound power level, L <sub>WA,c</sub> (B)			
F 10.1	Idle	* 35% loading		* 6.3	A-weighted sound power level, LWA,c (B)			
	Operation	* 35% loading		* 6.4				
	Other mode	Declared A-weighted sound	d prossure level (dR)		- n de determinate			
	Other mode	$L_{pAm}$		8.5 (operator position	on desktop – idie)			
	Other mode	Declared A-weighted sound $L_{p{\sf Am}}$	d pressure level (dB)	8.5 (operator position	on desktop – operating)			
	Measured accord	ding to: X ISO 7779	ECMA-74					
		Other	(only if not covered by	FCMA-74)				
	Electromagneti		(Sing it flot dovoicd by					
P10.4		y meets the requirement	t for low frequency elec	tromagnetic fields of th	ne following voluntary			
	program(s):		, , ,	•	• • • • •			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

woder nur	libei	7Y57				Logo	Long	MO	
Issue date	date * 01/15/2020					Lenc			
Product	environn	nental attributes	s - Market requirem	ents (continued	)		Require	men	t met
Item			•	•	•		Yes	No	N/A
P12	Ergonor	mics for computin	ng products						
P12.1*	The disp	lay meets the ergo	nomic requirements of	ISO 9241-307 for	visual display technolo	gies.			$\boxtimes$
P12.2*	The phys	sical input device n	neets the requirements	of ISO 9995 and IS	SO 9241-410.				$\boxtimes$
P13	Packagi	ing and document	tation						
P13.1*	Product Product Product	packaging material packaging material packaging material		weight (kg): 0.91 weight (kg): 4.08 weight (kg): 0.25 weight (kg): 8.85 DPE/EPE weight (	(kg): <b>0.01</b>				
P13.2*	Product	plastic primary pac	kaging is free from PV	C.					
P13.3*		duct primary corruger recovered fiber of	gated fiberboard packa content: <b>35</b> %	aging, specify the	contained percentage	of minimum p	oost-		
P13.4*	Specify r		product documentation Other	tick box):					
P13.5	Ùser and		item if paper document Itation on paper media i						
	•	chlorine-free al chlorine-free							
	Processe	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	duct meets the requ	uirements of the following	ng voluntary progra	nm(s):				
	ENERGY Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product o Product o Product o	category:			
P15		nal information (S							
P9			omputer products; de						
	the information of the supplier information of the supplie	rmation contained r's knowledge ava tion. The informat t Representative i	o representations, gua d in this document. Al nilable at the time of co tion provided here is a for more information.	ll information prov ompletion, and su approximate and	rided by supplier in th upplier shall have no provided for informat	his document obligation to t	is provided update such	base	d on
P9			d Enterprise Servers fo ov/products/data_cen						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)*  * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

# Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

### Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

#### **SERVERS**

Additional information

General information			
Commercial name (3.1 (b) )	DM5000H	Logo	
Contact Address (3.1 (b) )			
Model Number (3.1 (c) )	7Y57		Lenovo
Jeeus Data	01/15/2020		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is the product consider to be in scope of ErP Lot 9  uin scope out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family? No Yes List of all model configurations that are represented by the model:
1.e (3.1 (n))	Information on the secure data deletion functionality  (a) instructions on how to use the functionality:  (b) techniques used:  (c) supported secure data deletion standard (if any):  OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recycling	g Data
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials:  (a) Cobalt in the batteries (b) Neodymium in the HDDs  less than 5 g  between 5 g and 25 g  above 25 g  (b) Neodymium in the HDDs  above 25 g
2.b (3.3 (b))	Instructions on the disassembly operations  (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additional	Information

### **DATA STORAGE PRODUCTS**

DATA CTORACE I RODUCTO		
Commercial name (3.2 (b) )	DM5000H	Logo
Contact Address (3.2 (b) )	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo
Model Number (3.2 (c))	7Y57	
Issue Date	01/15/2020	
Additional information		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3		
A.1	Is the product consider to be in scope of ErP Lot 9 🗵 in scope 🗌 out of scope Product is out of scope as:		
A.2	Data Storage type		
(3.2 (a) )	Large Data Storage Product Other:		
A.3 (3.2 (d))	Year of manufacture: 2018		
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power		
(3.2 (e))	(expressed in % and rounded to the first decimal place)∷ ⊠ Multi-output ☐ Single-output		
A.5	10% 20% 91.8 50% 94.2 100% 92.9 Average  Power factor at 50 % of the rated load level		
(3.2 (f) )	(rounded to three decimal places)		
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9)		
	Exception comments		
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.		
A.6 (3.2 (h))	Information on the secure data deletion tool(s)  (a) instructions on how to use the functionality:		
PECYCI	(c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize  OR - Reference to other information: https://www.netapp.com/us/media/tr-4569.pdf  ING DATA		
B.1	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs		
(3.3 (a))	level, of the following critical raw		
	materials:		
	between 5 g and 25 g between 5 g and 25 g		
	above 25 above 25		
B.2 (3.3 (b))	Instructions on the disassembly operations  (a) the type of operation; Refer to the installation guide, use reverse process.  https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-dm5000h  (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide.  (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size		
	OR - Reference to other information:		
B.3	Firmware		
	Reference to information on last available firmware: <a href="https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-dm5000h/7y57/downloads/driver-list/component?name=Product%20Firmware">https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-dm5000h/7y57/downloads/driver-list/component?name=Product%20Firmware</a>		
	iisvoomponent:name=F10uuct/020Fiimware		
	After EOL'ed, firmware would be available at: https://download.lenovo.com/eol/index.html		
Additional	information		
Additional			