

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Data Storage		
Commercial name *	DM7000F		
Model number *	7Y40		
Issue date *	01/15/2020		
Intended market *	🔀 Global 🛛 Europe 🔀 Asia, Pacific & Japan 🔀 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 - P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	7Y40	Logo			
Issue date *		01/15/2020		Leno		Этн
Produc	t environ	mental attributes - Legal requirements		Require	men	t met
ltem				Yes	No	N/A
P1		ous substances and preparations				
P1.1*	Product	o do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Product	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/sustainability-resources	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\boxtimes		
P2.2*	Batterie	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀		
P2.3*	Batterie	and accumulators are readily removable. (See legal reference)		\boxtimes		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See le	egal reference	e) 🔀	Ē	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\square		
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	oco-declaratio			
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	ind 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	of the materia	(s) 🔀		
P5.3*	The pro	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Iontreal Proto	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	7Y40	Logo			
Issue da	ite *	01/15/2020		Len	OVC	D _m
Product		mental attributes - Market requirements (See General NOTE GN				
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	N/A
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	⊢⊢
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	\dashv
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ħ	⊢⊢
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				Ħ	Ħ
	Product					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ig can be done using commonly available tools				
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>Metal (Steel)</i> Material type: <i>PC ABS</i> Materia	l type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir n 25% post-consumer recycled content.	e retardants, an	d 🗖		
P7.15		ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n 🗌	\boxtimes	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name:	omponents): , CAS #:			\boxtimes
	according are halo	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. gen free.	All other PCBs			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations i	n		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	have been			\bowtie
	0		ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y40	Logo	Lenovo
Issue date *	01/15/2020		LEHUVU
Product environmental attributes - Market requirements (continued)			Requirement met

Requirement metYesNoN/A

	Material and su	bstance requirements	(continued)				
P7.21*		material content is used		IOTE B7):			
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 						
	, .	of the biobased plastic r					
P7.22*	If mercury is use	e free from mercury, i.e. d specify: Number of lan	nps: and maxim	num mercury content pe			\square
P7.23*	If product include	es an integral display, the	e total mercury conten	t in the integrated displa	ay: mg		
P8	Batteries						
P8.1*	Battery chemical composition: Magnesium Dioxide Lithium						
P9		ption (See NOTE B8)					
P9.1		he following power level					
Energy mo	de	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard f modes and test method		′ 🖂
Peak (On-	max)	351 W	348 W	345 W	Full load		
Categor	<u>y</u>						
charger plu	ower supply / ugged in the wall lisconnected from	W	W	W			
PTEC *)	W	W	W			\square
Typical En	ergy Consumption						
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year			\square
External Po	ower Supply Efficie	ency Level (International	Efficiency Marking Pr	otocol) * :			\boxtimes
Display res	solution * :	megapixels					\square
Default tim	e to enter energy	save mode: minu	tes				\square
P9.2*	Information abou	it the energy save function	on is provided with the	product.	_		
P9.3	Energy efficiency	/ class (monitors only):					
P10	Emissions	- Declared according to		= 89)			
P10.1	Mode	Mode description			it A-weighted sound powe	er level. Lw	A.c. (B)
	Idle	* 35% loading		* 6.9			
	Operation	* 80% loading		* 8.8			
	Other mode	Declared A-weighted sound	d pressure level (dB)	53 (operator position desktop – idle)			
	Other mode	Declared A-weighted sound L _{pAm}	d pressure level (dB)	73 (operator positio	on desktop – operating)		
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						
	Electromagneti	c emissions					
P10.4	Computer displa program(s):	y meets the requiremen	t for low frequency ele	ctromagnetic fields of th	ne following voluntary		

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	7Y40				Logo				
Issue date *		01/15/2020				-	Le	enc	OVO	TH
Product	environ	nental attribut	es - Market requiren	nents (continue	d)		Re	quire	ment	met
ltem								Yes	No	N/A
P12		mics for comput								
P12.1*	The disp	alay meets the er	gonomic requirements o	of ISO 9241-307 fo	visual display technol	ogies.				\square
P12.2*	The phy	sical input device	e meets the requirement	s of ISO 9995 and	ISO 9241-410.					\boxtimes
P13		ing and docume								
P13.1*	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	ial type(s): <i>PE Foam</i> ial type(s): <i>Corrugate</i> ial type(s): <i>PE Film</i> ial type(s): <i>Wood</i> ial type(s): <i>Laminated L</i> ial type(s): <i>PP Harden I</i>							
P13.2*			ackaging is free from P\					\boxtimes		
P13.3*	For proc		rugated fiberboard pack		e contained percentag	e of minimu	m post-			
P13.4*	Specify	media for user ar ronic, Paper,	nd product documentation	on (tick box):						
P13.5	Úser an If Yes, p	d product docum lease specify:	is item if paper documer entation on paper media							
	-	hlorine-free								
		al chlorine-free								
	Process	ed chlorine-free								
P14		ry programs								
P14.1	The pro	duct meets the re	equirements of the follow	ing voluntary prog	ram(s):					
	ENERG Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date Date Date	Product	category: category: category:				
P15	Additio	nal information	(See NOTE B10)			<u> </u>				
P9			f computer products; a							
	the info supplie informa	rmation contain r's knowledge a tion. The inform	no representations, gued in this document. A vailable at the time of a nation provided here is e for more information	All information pro completion, and s approximate and	ovided by supplier in supplier shall have no	this docume obligation	ent is pro to update	vided e such	based	don
P9	See Ene	ergy Star Qualifi	ed Enterprise Servers .gov/products/data_ce	for the latest info						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	DM7000F	Logo	
Contact Address (3.1 (b))			
Model Number (3.1 (c))	7Y40		Lenovo
Issue Date	01/15/2020		
Additional information			

Product	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is the product consider to be in scope of ErP Lot 9 🔄 in scope 🗌 out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family? No Yes
1.e (3.1 (n))	 Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recyclin	g Data
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Isss than 5 g Isss than 5 g Isss than 5 g between 5 g and 25 g between 5 g and 25 g above 25 g above 25 g
2.b (3.3 (b))	 Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additional	I information
1	

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	DM7000F	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo
Model Number (3.2 (c))	7Y40	
Issue Date	01/15/2020	
Additional information		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.1	Is the product consider to be in scope of ErP Lot 9 🛛 in scope 🗌 out of scope Product is out of scope as:
A.2	Data Storage type
(3.2 (a))	Large Data Storage Product Other:
A.3 (3.2 (d))	Year of manufacture: 2018
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(3.2 (e))	(expressed in % and rounded to the first decimal place): : D Multi-output Single-output 20% 92.7 50% 94.0 100% 91.8 Average
A.5 (3.2 (f))	Power factor at 50 % of the rated load level 0.984 0.984
A.6 (3.2 (g))	Operating condition class A1 A2 A3 A4 (as defined in Table 6 or ErP lot 9)
	Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6	Information on the secure data deletion tool(s)
(3.2 (h))	(a) instructions on how to use the functionality: https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf
	(b) techniques used:
	ONTAP 9 feature:
	1) Securely purges the deleted files on vol1 on SVM vs1: cluster1::> volume encryption secure-purge start -vserver vs1 -volume vol1
	2) Overridden by entering the following command: (Starting from Ontap 9.7)
	cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true
	(c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize
	OR - Reference to other information: https://www.netapp.com/us/media/tr-4569.pdf
RECYCL	ING DATA
B.1	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs
(3.3 (a))	level, of the following critical raw materials:
	materials: Less than 5 g Less than 5 g between 5 g and 25 g between 5 g and 25 g
	above 25
B.2	Instructions on the disassembly operations
(3.3 (b))	(a) the type of operation; <i>Refer to the installation guide, use reverse process.</i>
	https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem- dm7000f/7y40/documentation
	 (b) the type and number of fastening technique(s) to be unlocked; <i>Refer to the installation guide.</i>
	(c) the tool(s) required. <i>Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of</i>
	appropriate size
	OR - Reference to other information:
B.3	Firmware
	Reference to information on last available firmware:
	https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM7000F/7Y40/downloads/driver-
	list/component?name=Product%20Firmware
	After EOL'ed, firmware would be available at:
	https://download.lenovo.com/eol/index.html
Additional	information
L	