



## Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with \* are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	DM7100H			
Model number *	7D26			
Issue date *	02/05/2020			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Issue date *   02/05/2020		
P1		
P1 Hazardous substances and preparations  P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)  P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrocbromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	No D	N/A
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)  P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
P1.2* Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
terphenyl (PCT) in preparations (see legal reference).		
	$\Box$	
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	Ш	
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/sustainability-resources		
P2 Batteries		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		
P2.3* Batteries and accumulators are readily removable. (See legal reference)		
P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	$\overline{\Box}$	
P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)		
P3 Conformity verification & Eco design (ErP)		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliance/eu-doc">https://www.lenovo.com/us/en/compliance/eu-doc</a>		
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).		
Required information is;  given in item P15 or added to this document,  available at: <a href="https://www.lenovo.com/us/en/compliance/eco-declaration">https://www.lenovo.com/us/en/compliance/eco-declaration</a>		
P5 Product packaging		
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.		
P6 Treatment information		

Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1\*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7D26	Logo	П	
Issue date *	02/05/2020			

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Metal (Steel) Material type: PC ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		$\boxtimes$	
	as defined in IEC 61249-2-21. (See <sup>5</sup> NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Only MIDPLANE,440MMX81MM,6MM" includes halogen. All other PCBs are	$\boxtimes$		
57.40	halogen free.			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			$\bowtie$
	1. Chemical name: , CAS #: (See NOTE B4)	ш	ш	
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{}$	
	assigned the following Risk phrases; and Hazard statements:	_		
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	Logo Logo		Lonovo
Issue date *	02/05/2020		Lei IOVO,

Product environmental attributes - Market requirements (continued)		Requirement me		
Item	Yes	No	N/A	

	Material and su	bstance requirements	(continued)					
P7.21*	Biobased plastic	material content is used	in the product (See No	OTE B7):				
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is  %.							
	b) The weight of the biobased plastic material is g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
D7.00*		d specify: Number of lan		um mercury content pe				
P7.23*	•	es an integral display, the	e total mercury content	in the integrated displa	ay: mg			
P8.1*	Batteries	I composition: Magnesiu	ım Diovido Lithium					
P9	<u> </u>	nption (See NOTE B8)	IIII DIOXIGE LIUIIGIII					
P9.1		the following power level:	s or energy consumption	ons are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy			
Lilorgy ino	do	100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	1857 W	1825 W	1771 W	Full load			
Categor	V							
EPS No-loa		W	W	W				
	ower supply /	,,,	,,	.,				
`	igged in the wall							
outlet but d	lisconnected from							
the product	t.)							
PTEC *		W	W	W				
Typical Energy Consumption								
ETEC * Annual Energy Consumption		kWh/year	kWh/year	kWh/year				
		ency Level (International	L Efficiency Marking Pro	otocol) * :				
Display res		megapixels	3					
	e to enter energy	• .	tes					
P9.2*		ut the energy save function		product.				
P9.3		y class (monitors only):		r				
P10	Emissions	,,						
		- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description	·	Statistical upper limit	t A-weighted sound power level, L <sub>WA,c</sub> (B)			
	Idle	* 35% loading		* 6.3				
	Operation	* 35% loading		* 6.4				
	Other mode	Declared A-weighted sound $L_{p  m Am}$	d pressure level (dB)	8.5 (operator position	on desktop – idle)			
	Other mode $Declared A$ -weighted sound pressure level (dB) $L_{pAm}$ 8.5 (operator position desktop – operating)							
	Measured accor	ding to: X ISO 7779	ECMA-74	L				
		Other	(only if not covered by	ECMA-74)				
	Electromagneti		(c) Il liot covered by					
P10.4		y meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary			
	program(s):		, , , , , , , , ,	•	· · · · ·			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

wodei nu	imber "	7D26			Logo		one	VO	
Issue dat	:e *	02/05/2020					.eno	VU	тн
Product	environn	nental attrib	utes - Market requirement	s (continued)		F	Require	ment	met
Item			-				Yes	No	N/A
P12	Ergonor	nics for comp	uting products						
P12.1*	The disp	lay meets the	ergonomic requirements of ISC	9241-307 for visua	l display technologies.				X
P12.2*	The phys	sical input devi	ce meets the requirements of I	SO 9995 and ISO 9	241-410.				
P13		ng and docun							
P13.1*	Product Product	packaging mat packaging mat	erial type(s): <b>Wood</b> we erial type(s): <b>Laminated LDPE</b>	ight (kg): <b>1.55</b> ight (kg): <b>9.10</b> E/EPE weight (kg):	0.38				
P13.2*	Product	plastic primary	packaging is free from PVC.				$\boxtimes$		
P13.3*			orrugated fiberboard packagin per content: <b>35</b> %	g, specify the conta	ained percentage of mir	nimum post-			
P13.4*		media for user ronic, ⊠Pape	and product documentation (tid r,	ck box):					
P13.5	Ùser and		this item if paper documentatio mentation on paper media is ch						
		hlorine-free							
	Element	al chlorine-free							
	Processe	ed chlorine-free	9						
P14	Volunta	ry programs							
P14.1	The prod	luct meets the	requirements of the following v	oluntary program(s)	:				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product categor Product categor Product categor	y:			
P15			n (See NOTE B10)						
P9			of computer products; descr						
	the info supplier informa Accoun	rmation conta 's knowledge tion. The infor t Representati	s no representations, guaran ined in this document. All int available at the time of comp mation provided here is appo ive for more information.	formation provided pletion, and suppli roximate and provi	l by supplier in this doo er shall have no obligat ided for informational p	cument is pl tion to upda	rovided late such	based	d on
P9			ified Enterprise Servers for to ar.gov/products/data center						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)*  * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

# Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

### Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

#### **SERVERS**

General information			
Commercial name (3.1 (b))	DM7100H	Logo	
Contact Address (3.1 (b))			_
Model Number (3.1 (c))	7D26		Lenovo
Issue Date	02/05/2020		
Additional information			

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is product considered to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family?
1.e (3.1 (n))	Information on the secure data deletion functionality  (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any):  OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recycling	
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials:  (a) Cobalt in the batteries (b) Neodymium in the HDDs  less than 5 g  between 5 g and 25 g  above 25 g  (b) Neodymium in the HDDs  less than 5 g  between 5 g and 25 g  above 25 g
2.b (3.3 (b))	Instructions on the disassembly operations <ul> <li>(a) the type of operation;</li> <li>(b) the type and number of fastening technique(s) to be unlocked;</li> <li>(c) the tool(s) required.</li> </ul>
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additional	Information

### **DATA STORAGE PRODUCTS**

2.11.7.0.10.10.10.10		
Commercial name (3.2 (b) )	DM7100H	Logo
Contact Address (3.2 (b) )	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c) )	7D26	
Issue Date	02/05/2020	
Additional information		

Product environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3			
A.1	Is the product consider to be in scope of ErP Lot 9 🛛 in scope 🗌 out of scope Product is out of scope as:		
A.2 (3.2 (a))	Data Storage type  Online Data Storage Product  Small Data Storage Product  Large Data Storage Product  Other:		
A.3 (3.2 (d))	Year of manufacture: 2020		
A.4 (3.2 (e))	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power (expressed in % and rounded to the first decimal place):  Multi-output Single-output 10% 20% 92.7 50% 94.4 100% 92.7 Average		
A.5 (3.2 (f) )	Power factor at 50 % of the rated load level (rounded to three decimal places)  1.000		
A.6 (3.2 (g))	Operating condition class  (as defined in Table 6 or ErP lot 9)		
	Exception comments		
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.		
A.6 (3.2 (h) )	Information on the secure data deletion tool(s)  (a) instructions on how to use the functionality: Follow DM series security hardening guide for ontap9 via https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf from datacenter support  (b) techniques used:  ONTAP 9 feature:  1) Securely purges the deleted files on vol1 on SVM vs1: cluster1::> volume encryption secure-purge start -vserver vs1 -volume vol1 2) Overridden by entering the following command: (Starting from Ontap 9.7) cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true		
	(c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize  OR - Reference to other information:		
RECYCL	ING DATA		
B.1 (3.3 (a))	Indicative weight range at component level, of the following critical raw materials:  (a) Cobalt in the batteries  (b) Neodymium in the HDDs    less than 5 g     less than 5 g     between 5 g and 25 g     between 5 g and 25 g     component   comp		
B.2	above 25 above 25		
(3.3 (b))	Instructions on the disassembly operations  (a) the type of operation; Refer to the installation guide, use reverse process.  https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem-dm7100h/7d26/documentation  (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide.  (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size		
	OR - Reference to other information:		
B.3	Reference to information on last available firmware: https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM7100H/7D26/downloads/driver-list/component?name=Product%20Firmware  After EOL'ed. firmware would be available at: https://download.lenovo.com/eol/index.html		
Additional	information		