



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs	Lenovo	
e-mail address	Alvin L Carter	LETIOVO	
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Notebook				
Commercial name *	IdeaPad 3 15IAU7/ IdeaPad 15s IAU7D			
Model number *	82RK			
Issue date *	2022-4-15			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82RK	Logo	Long	21/0		
Issue date	e *	2022-4-15		Lend		тн	
Product	environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		us substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes			
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes			
D4.0*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	lorido 111	\boxtimes	Ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
		ation values.	id/iiiidiii				
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
	terpheny	I (PCT) in preparations (see legal reference).					
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in t	ne 🔀			
D4.0*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	2.	. 🔽			
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/wee	ek 🔀		Ш	
		al reference). It: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).				
		/ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	oomaorj.		ш		
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal						
	symbol.	nformation on proper disposal is provided in user manual. (See legal reference)	•				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
D0.04	reference	/			_		
P2.3*		and accumulators are readily removable. (See legal reference)					
P3		nity verification & Eco design (ErP)					
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg				Ш	
		eclaration of Conformity can be requested at (add link or e- www.lenovo.com/us/en/compliance/eu-doc for EU		,			
		/www.lenovo.com/us/en/compliance/uk-doc for UK		<i>‡</i>			
		•					
P3.2*		uct complies with the Eco design requirements for energy-related products,					
	, ,	al reference).					
	Required	I information is; given in item P15 or added to this document,			ш	\sqcup	
	I-44	available at (add URL):					
P5		www.lenovo.com/us/en/compliance/eco-declaration packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔀			
1 0.1	hexavale	ent chromium by weight of these together.	y, oddiniani d		ш		
P5.2*	The pack	raging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) 🔀			
	used (se	e legal reference).					
P5.3*		uct packaging material is free from ozone depleting substances as specified in the N	Nontreal Proto	col 🔀			
		al reference).					
D6		tt: Legal reference has no maximum concentration values.					
P6		on for recyclers/treatment facilities is available (see legal reference).					
1 0.1	iiiioiiiialii	on to recyclorative difficulties is available (see legal reference).				\square	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		82RK	Logo	Lond	21/2	
		2022-4-15		Lend	DVO"	
Produc		mental attributes - Market requirements (See General NOTE GN	below)	Dannina		-4
Item		onmental conscious design tory to fill in. Additional information regarding each item may be found under P14.		Requirer Yes	No	n.a.
P7		Disassembly, recycling		165	INO	II.a.
P7.1*		at have to be treated separately are easily separable		\square		$\overline{}$
P7.2*		naterials in covers/housing have no surface coating.			X	Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.				∺
P7.4*	<u> </u>	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	-		-	╫
P7.5			-	╫		
P7.6*	•	arts are free from metal inlays or have inlays that can be removed with commonly a	avaliable tools.		-#-	╬
P7.0		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product	ng can be done e.g. with processor, memory, cards or drives				
					-#-	井
P7.8*		ng can be done using commonly available tools				井
P7.9		arts are available after end of production for: 5 years				Щ.
P7.10		s available after end of production for: 5 years				
57.44		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: PC+ABS Material type: Fe n materials of external electrical cables are PVC free.				$\overline{}$
P7.13		n materials of external electrical cables are PVC free.				井
				<u> </u>		井
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	e retardants, an	nd		Ш
		in 25% post-consumer recycled content.	ii parto containii	9		
P7.15		circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ≥ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				
	TBBF 26265-0	PA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy 8-7	Resins, CAS #:	: 🛚		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations i	in 🔲		
		ical name: Oligomeric phosphorous compound CAS #: confidential				
		ical name: CAS #:				
		ical name: CAS #:				
	4. Chem Alt. 2	ical name: , CAS #:				
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			币
	assigned	the following Risk phrases; and Hazard statements: H411;H413				
	The sour	rce(s) for these classifications is/are found at (add URL(s)): European Coun	icil Directive			
	67/548/E	, ,				
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t a pe	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0 %.	nt (calculated as			
	or b) The	weight of recycled material is				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82RK	Logo	Lenovo				
Issue date *	2022-4-15						
Product environmental attributes - Market requirements (continued) Requirement met							

Item

Material and sul	stance requirements	(continued)					
P7.21* Biobased plastic	1* Biobased plastic material content is used in the product (See NOTE B7):						
a) Of total plas	ne of the two alternativ tic parts' weight > 25 g by weight) is 0 %	, the biobased plastic		ated as a percentage of			
or b) The weight	of the biobased plastic	material is g.					
P7.22* Light sources are	free from mercury, i.ed specify: Number of la	. less than 0,1 mg/lam	p. mum mercury content p	per lamp: mg			
P8 Batteries							
P8.1* Battery chemical	composition: LI-ION P	olymer battery and li	thium-metal battery				
P9 Energy consum	P9 Energy consumption (See NOTE B8)						
	ne following power leve	els or energy consump	tions are reported:				
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-max)	65 W	65 W	65 W	Full load			
Category 1							
Short Idle State - WOL Enabled	5.83 W	5.87 W	5.92 W	ENERGY STAR Computers V8.0 (P _{idle})			
Long Idle State - WOL Enabled	1.54 W	1.59 W	1.64 W	ENERGY STAR Computers V8.0 (P _{idle})			
Sleep (S3) - WOL Enabled	0.48 W	0.49 W	0.50 W	ENERGY STAR Computers V8.0(P _{sleep})			
Off (S5) - WOL Enabled	0.25 W	0.26 W	0.27 W	ENERGY STAR Computers V8.0(P _{off})			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		0.108 W	0.108 W				
ETEC * Annual Energy Consumption	18.70 kWh/year	18.88kWh/year	19.12 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)			
Category 2							
Short Idle State - WOL Enabled	6.43 W	6.49 W	6.54 W	ENERGY STAR Computers V8.0			
Long Idle State - WOL Enabled	2.70 W	2.73 W	2.78 W	ENERGY STAR Computers V8.0			
Sleep (S3) - WOL Enabled	0.64 W	0.64 W	0.65 W	ENERGY STAR Computers V8.0			
Off (S5) - WOL Enabled	0.25 W	0.26 W	0.27 W	ENERGY STAR Computers V8.0			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.108 W	0.108 W	0.108 W				
ETEC * Annual Energy Consumption	21.76 kWh/year	21.97 kWh/year	22.20 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short Idle} x 0.30)			
Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled							
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: V/							
Display resolution * : 2.07 me							
Default time to enter energy save mode: 10 minutes							
P9.2* Information abou	t the energy save func	tion is provided with the	e product.				
P9.3 Energy efficiency class (monitors only):							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm} \\$

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Yes

No

n.a.

P10	Emissions						
	Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)				
	Idle	* Idle	* 2.6				
	Operation	* Operation	* 4.5				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	34.7 (operator position desktop – operating)				
	Measured according to: ☐ ISO 7779 ☐ ECMA-74						
		Other (only if not covered by ECMA-74)					

Model number *		82RK			Logo		ono	VO	
Issue date	*	2022-4-15				L	eno	VO.	
Product e	nvironn	nental attributes	- Market requirements (continued)		R	Requirer	ment	met
Item							Yes	No	n.a.
		nagnetic emission							
P10.4	program	(s): MPR-II(3 pin A		cy electromagnetic fields	s of the following v	oluntary			
P12		nics for computing							
P12.1*	-		omic requirements of ISO 92	•			\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements of ISO	9995 and ISO 9241-41	0.		\boxtimes		
P13		ng and documenta							
P13.1*	Product Product Product	packaging material packaging material packaging material packaging material	type(s): Corrugated FiberBo type(s): paper(manual) type(s): corner paper weight type(s): EPE weight (kg): 0.01 type(s): PP weight (kg): 0.00	weight (kg): 0.046 t (kg): 0.0389 t (kg): 0.093	g): 0.35				
P13.2*			aging is free from PVC.				\square		
P13.3*	consume	er recovered fiber co	ated fiberboard packaging, s ontent: 89.42 %		percentage of min	imum post-			
P13.4*	Electroni	ic 🗵, Paper 🗵, O		,					
P13.5	Ùser and		em if paper documentation u ation on paper media is chlor						
	Elementa	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1			rements of the following volu	ntary program(s):					
	ENERGY Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/7/15 Date: Date:	Product category Product category Product category	y:			
P15		nal information (Se							
P9			ecific configuration may va						
	informati knowled	on contained in this ge available at the ti here is approximate	epresentations, guarantees, a document. All information pr me of completion, and suppli e and provided for information	ovided by supplier in thi er shall have no obligat	s document is pro ion to update such	vided based information	on supp	olier's ormatio	on
P9			otebooks & Tablet Computer dex.cfm?fuseaction=find_a_			Ю			
	•								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 15IAU7/ IdeaPad 15s IAU7D	Logo	
Model number *	82RK		Lonovo
Issue date *	2022-4-15		Lenovo.
Additional information			

d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
·)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	16		
capability adjustments applied during testing	Additional internal storage	No (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A	G5		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.76			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		12.20		
g)	Idle state power demand (Watts);				A:3.65, B:3.97
1)	Sleep mode power demand (Watts);				A:0.50, B:0.58
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A:0.50, B:0.58
)	Off mode power demand (Watts);				A:0.33, B:0.24
;)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.33, B:0.24
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	<u> </u>
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 88.20%; 89.1	18%;89.37%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that		tand (applies only to r	notebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer <i>NA</i>	ntioned in points (I) – i	nternal PSU efficiency:	
o-2)	Measurement methodology used to dete	ermine information mer		external PSU efficience	cy:

(p-3)	3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 62623:2013 measurement methodo	plogy			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		EN 62623:2013 measurement methodo	ology			
(s)		required to reach the mode where the equipment auwer management, 30mins automatically reaches				
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		10		
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after		10		
(w)		nergy-saving potential of power management function				
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all			
(x)	User information on	now to enable the power management functionality:				
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V, 50GHz, Total Harmonic Distortion	1 <2 %			
Additio	nal Notebook Batter	v Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal	/built-in Battery					
Externa	l/detachable Battery					
Bios Ba	Bios Backup Battery					
Other:	Other:					
Addition	Additional information					
)						
o hotton fin	al in this product connet be a	asily rapid and by years the machine				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.