



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	L.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	IP Flex 5 Chrome 14IAU7			
Model number *	82T5			
Issue date *	2022-4-30			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		er * 82T5		Long	N/C		
Issue date	*	2022-4-30		Lend		тн	
Product	environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		X			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).					
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes			
	https://w	www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	,		_		
P2	Batteries						
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	\boxtimes			
DO Ot		Information on proper disposal is provided in user manual. (See legal reference)	. (0 1		_		
P2.2*	reference		iium. (See leg		Ш	Ш	
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes			
P3		nity verification & Eco design (ErP)					
P3.1*	The D	duct is CE-marked to show conformance with applicable legal requirements (see lege eclaration of Conformity can be requested at (add link or e- vww.lenovo.com/us/en/compliance/eu-doc for EU and	gal reference). mail addres				
	https://v	www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	, ,	I information is; Siven in item P15 or added to this document,		\boxtimes			
	rtequirec	available at (add URL):			ш		
	https://w	www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium a	ind 🔀			
		ent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature α e legal reference).					
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Iontreal Proto	col 🔀			
	Commer	nt: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		8215	Logo	Len		
Issue dat	te *	2022-4-30		Len		TH
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable			Ц_	Ц.
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials. arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Щ_	
P7.4*						
P7.5	Plastic p		Щ.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Щ.	<u> </u>
P7.8*		ng can be done using commonly available tools				Щ
P7.9		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
D7.44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: PC+ABC+15% tac				
P7.12		n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.			X	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and (0,1%		\vdash
7.14	weight (* polyvinyl	phasic casing cover parts > 25 g contain no more trian 0,17% weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants,	and		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗔 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halo	ogen		
P7.16		starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without core), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 3594				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18		etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparation	ıs in 🔀		
	2. Chem 3. Chem	ical name: halogen-free organic phosphorus compound CAS #: confidential ical name: CAS #: ical name: CAS #: ical name: CAS #:				
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	h have been			
		rce(s) for these classifications is/are found at (add URL(s)): , (See note	e B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t a pe	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 3.46%. Exweight of recycled material is 14.6 g.	nt (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	8275	Logo	Lenovo
Issue date *	2022-4-30		Lei IOVO.
Product environr		Requirement met	
Item			Yes No n.a.

		tance requirements							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
;	 a) Of total plastic total plastic by 		s below shall be answe the biobased plastic m		culated as a percentage of				
	or b) The weiaht of	the biobased plastic n	naterial is a.						
			less than 0,1 mg/lamp.		М П				
		specify: Number of lan	nps: and maxim	um mercury conten		_			
	Batteries								
	,	omposition: LI-ION Po	lymer						
P9	inergy consumption (See NOTE B8) or the product the following power levels or energy consumptions are reported:								
		Power level	s or energy consumption Power level at	ons are reported: Power level at	Reference/Standard for energy				
Energy mode	5	100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *				
Category	<u>1</u>								
Short Idle S Enabled	tate - WOL	5.41 W	5.17 W	5.56 W	ENERGY STAR Computers V8.0 (P _{idle})				
Long Idle Si Enabled	tate - WOL	0.46 W	0.40 W	0.49 W	ENERGY STAR Computers V8.0 (P _{Idle})				
Sleep (S3) -	WOL Enabled	0.46 W	0.40 W	0.49 W	ENERGY STAR Computers V8.0 (P _{sleep})				
Off (S5) - W	OL Enabled	0.26 W	0.26 W	0.29 W	ENERGY STAR Computers V8.0 (Post) Use for ErP				
Category	2								
Short Idle S Enabled	tate - WOL	3.69 W	3.58 W	3.61 W	ENERGY STAR Computers V8.0 (P _{idle})				
Long Idle Si Enabled	tate - WOL	0.63 W	0.63 W	0.60 W	ENERGY STAR Computers V8.0 (P _{idle})				
Sleep (S3) -	WOL Enabled	0.63 W	0.63 W	0.60 W	ENERGY STAR Computers V8.0 (P _{sleep})				
Off (S5) - W	OL Enabled	0.29 W	0.29 W	0.33 W	ENERGY STAR Computers V8.0 (P _{off})				
EPS No-load (External power sup wall outlet but discor	pply / charger plugged in the nnected from the product.)	0.06 W	0.06 W	0.06 W					
PTEC *	gy Consumption	W	W	W					
ETEC * Annual Ener	gy Consumption	16.60(Cat1); 12.57(Cat2) kWh/year Poff: Off Mode(S5) - WC	15.73(Cat1); 12.53(Cat2) kWh/year DL Enabled: Psigg; Sleep	17.18(Cat1); 12.82(Cat2) kWh/year Mode(S3) - WOL En	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$ abled; P_{idle} : Idle State - WOL Enabled				
External Pov	ver Supply Efficien		Efficiency Marking Pro			_			
	lution * : 2.07 meg		, 5	,	1920*1200				
		ve mode: 8.5 minutes							
			on is provided with the	product.		_			
	Energy efficiency class (monitors only):								

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions					
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle	* SSD:Idle	* 2.4			
	Operation	* SSD: Operating	* 2.9			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p {\rm Am}}$	(operator position desktop – idle)			
1	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	(operator position desktop – operatingSSD)			
		P	30 (operator position desktop – operatingCPU)			
	Measured according to: ☐ ISO 7779 ☐ ECMA-74					
	Other (only if not covered by ECMA-74)					

Model nun	nber *	82T5				Logo	Long		
Issue date	*	2022-4-30					Leno	VO,	
Product e	nvironr	nental attributes	- Market requirem	ents (con	ntinued)		Require	ment	met
Item			•		•		Yes	No	n.a.
	Electron	magnetic emission	S						
P10.4	Compute program	er display meets the (s): MPR-II(3 pin A	requirement for low from from from from from from from from	requency el	lectromagnetic field	s of the following volunta	ary 🔀		
P12	Ergono	mics for computing	products						
P12.1*	The disp	lay meets the ergon	omic requirements of	ISO 9241-	307 for visual displa	ay technologies.			
P12.2*	The phys	sical input device me	eets the requirements	of ISO 999	95 and ISO 9241-41	0.	\boxtimes		
P13		ng and documenta							
P13.1*	Product Product Product	packaging material packaging material packaging material packaging material packaging material	type(s): PE Bag type(s): EPE type(s): PP Handle type(s):	weight (kg weight (kg weight (kg weight (kg weight (kg	n): 0.15 n): 0.098 n): 0.0028				
P13.2*	Product	plastic primary pack	aging is free from PV	C.	•		\boxtimes		
P13.3*		duct primary corrugater recovered fiber co		aging, spec	cify the contained p	percentage of minimum	post-		
P13.4*	Specify I		product documentation	n (tick box):					
P13.5	Ùser and		em if paper document ation on paper media						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The prod	duct meets the requi	rements of the followi	ng voluntar	y program(s):				
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:		Date: 2021/4/30 Date: Date:	Product category: 1/2 Product category: Product category:			
P15		nal information (Se			-1	44114			
79	NOTE: Sinformatiknowled	Supplier makes no re ion contained in this ge available at the ti I here is approximate	epresentations, guaral document. All informa me of completion, and	ntees, assu ation provid d supplier s	rances or warrantie led by supplier in th hall have no obligat	tested product configures whether express or important is document is provided the tion to update such infor a Lenovo Account Representation.	nplied, regardin based on supp mation. The int	olier's formati	ion
P9	See Ene	ergy Star Qualified N	otebooks & Tablet Co dex.cfm?fuseaction=f						
			-			· · · · · · · · · · · · · · · · · · ·			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IP Flex 5 Chrome 14IAU7	Logo	
Model number *	82T5	1.0	novo.
Issue date *	2022-4-30	Le	enovo.
Additional information			·
•			•

d)	Year of manufacture:				2022
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	8			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.43			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
3)	Idle state power demand (Watts);	l		ı	A : 2.36
1)	Sleep mode power demand (Watts);				A : 1.69
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:NA
)	Off mode power demand (Watts);				A : 0.33
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : NA
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 87,98%,88,63	3%,88,83%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer	itioned in points (I) – in	nternal PSU efficiency:	:
0-2)	Measurement methodology used to dete	rmine information mer	tioned in points (m) –	external PSU efficienc	cv.

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology					
(p-4)	Measurement metho power as defined in I	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode				
		EN 62623:2013 measurement methodo	ology				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		EN 62623:2013 measurement methodo	ology				
(r)	Description of how s	eep and/or off mode was selected or programmed:					
		EN 62623:2013 measurement methodo	ology				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
	refe	er to power management, 30mins automatically re	eaches sleep mode				
(t)		te condition before the computer automatically resont exceed the applicable power demand requirement		8.5			
(u)	Length of time after	r a period of user inactivity in which the compute	r automatically reaches a power	NA			
(v)		ver power demand requirement than sleep mode (in ore the display sleep mode is set to activate after		7.5			
(w)		nergy-saving potential of power management function		7.0			
		refer to user manual					
(x)	User information on	how to enable the power management functionality:					
		refer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution:					
		230V, 50GHz, Total Harmonic Distortion	1 <2 %				
Addition	al Notebook Batter	y Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/	detachable Battery						
Bios Bac	kup Battery						
Other:	Other:						
Additiona	Additional information						
)							
	the Alexander and Alexander and Alexander (Co.)	9 1 11 11 11 11					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.