



ECMA/TC38-TG3/2015/026

(Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes

## **Notebooks and Tablets**

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEHOVO.
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	IdeaPad 5 Pro 16IAH7			
Model number *	82SK			
Issue date *	2022/03/07			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

wodei nur		IdeaPad 5 Pro 16IAH7	Logo	Lenc	WO	
Issue date	*	2022/03/07		Lenc		н
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		•		Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.		ek 🔀			
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with t information on proper disposal is provided in user manual. (See legal reference)	the disposal	$\boxtimes$		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	uct is CE-marked to show conformance with applicable legal requirements (see legal arequirements) (see legal arequirements	gal reference).			
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
		l information is;		$\boxtimes$		
	•	available at (add URL):				
	https://w	/ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	The prod	uct packaging material is free from ozone depleting substances as specified in the Nal reference). It: Legal reference has no maximum concentration values.	Montreal Protoc	col 🔀		
		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	mber *	IdeaPad 5 Pro 16IAH7	Logo	Lone	01/0	
Issue dat	e *	2022/03/07		Lend		ты
Product		mental attributes - Market requirements (See General NOTE GN I	•			
		onmental conscious design	F	Requirer		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				$\blacksquare$
P7.3*		arts > 100 g consist of one material or of easily separable materials.			$\stackrel{\triangle}{\vdash}$	$\vdash$
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\square$	╫	$\vdash$
P7.5	· · · · · · · · · · · · · · · · · · ·				+	$\blacksquare$
P7.6*	•	re easily separable. (This requirement does not apply to safety/regulatory labels).	valiable teele.		∺	$\blacksquare$
1 7.0	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\square$	$\overline{\Box}$	
P7.8*	Upgrading can be done using commonly available tools		X	∺		
P7.9		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: AL/PC+ABS Material type: PC+ABS Materia	I type:			
P7.12		n materials of external electrical cables are PVC free.			<u></u>	
P7.13		n materials of internal electrical cables are PVC free.			Ц_	Щ
P7.14	weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	retardants, and			
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔀 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen	ı 🛚		
P7.16	Flame re	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >FR(40)<		$\boxtimes$		
P7.17	Alt. 1: Cl TBBF 50-1	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Plamtar-DOPO-HQ</i> , (	mponents): CAS #: <b>99208-</b>			
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	, 0			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance: ations above 0,1%: ical name: <i>BPADP</i> , CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations in			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <b>FR(40)</b>			
P7.19	assigned The sour	er parts > 25 g, flame retardant substances/preparations above 0,1% are used which at the following Risk phrases; and Hazard statements: H224 - H341 - H350 rec(s) for these classifications is/are found at (add URL(s)): European Councilinate (Sec. (See note B5))	- H412			
P7.20*	If YES; a	sumer recycled plastic material content is used in the product (See Note B6):  It least one of the two alternatives below shall be answered;  otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content  ercentage of total plastic by weight) is %.	(calculated as			

The weight of recycled material is 32.9 g.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	IdeaPad 5 Pro 16IAH7	Logo	Lenovo
Issue date *	2022/03/07		Lei IOVO.
Product environr	mental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

P7.21*		stance requirements		NOTE B7):			
1 7.21	Biobased plastic material content is used in the product (See NOTE B7):						
		e of the two alternative ic parts' weight > 25 g			lated as a percentage of		
	total plastic b		the biobasea plastic i	naterial content (calcal	ated as a persentage of		
	or						
P7.22*		f the biobased plastic if free from mercury, i.e.		`			
P1.22		specify: Number of lar		o. num mercury content p	per lamp: mg		
P8	Batteries	<u></u>					
P8.1*	Battery chemical of	composition: Lithium i	on				
P9		tion (See NOTE B8)					
P9.1		e following power leve			1=		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at	Reference/Standard for energy modes and test method *		
Peak (On-	max)	135 W	135 W	230 V AC 135 W	Full load		
		700 11	100 11	700 11	7 411 1044		
Categor	<u>y2</u>						
Short Idle	State - WOL	9.84 W	10.05 W	10.56 W	ENERGY STAR Computers		
Enabled					V8.0 (P <sub>idle</sub> )		
Long Idle	State - WOL	0.99 W	1.01 W	1.04 W	ENERGY STAR Computers		
Enabled					V8.0 (P <sub>idle</sub> )		
Sleep (S3)	- WOL Disabled	0.99 W	1.01 W	1.04 W	ENERGY STAR Computers		
					V8.0(P <sub>sleep</sub> )		
Off (S5) - I	NOL Disabled	<b>0.48</b> W	0.49 W	<b>0.51</b> W	ENERGY STAR Computers		
					V8.0(P <sub>sleep</sub> )		
EPS No-loa	ad	0.06 W	0.06 W	0.06 W			
(External power s	supply / charger plugged in the connected from the product.)						
PTEC *	connected from the product.)	W	W	W		$\boxtimes$	
	ergy Consumption						
ETEC *		<b>30.81</b> kWh/year	<b>31.47</b> kWh/year	<b>32.97</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$		
Annual En	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)		
		P <sub>off</sub> : Off Mode(S5) - W	OL Disabled; P <sub>sleep</sub> : Slee	ep Mode(S3) - WOL Disa	bled; P <sub>idle</sub> : Idle State - WOL Enabled		
External Po	ower Supply Efficier	ncy Level (Internationa	I Efficiency Marking P	rotocol) * : V/			
Display res	solution * : 2560*16	00 megapixels					
Default tim	e to enter energy sa	ave mode: 10 minutes				Ī	
P9.2*	Information about	the energy save functi	on is provided with the	e product.		Ħ	
P9.3	Energy efficiency	class (monitors only):		·			
P10	Emissions	, ,,					
	Noise emission -	- Declared according to	o ISO 9296 (See NOT	E B9)			
P10.1		Mode description			nit A-weighted sound power level, $L_{ extstyle WA,c}$		
	Idle *	System Idle		* 2.2		$\boxtimes$	
	Operation *	CPU;Operation		* 4.2		$\boxtimes$	
	Outlot Hiodo	Declared A-weighted soun	d pressure level (dB)	22 (operator positi	ion desktop – idle)		
		$L_{pAm}$					
		Declared A-weighted soun 1	d pressure level (dB)	42 (operator positi	ion desktop – operating)		
		$L_{pAm}$					
	Measured accordi	· = -	ECMA-74				
		Other	(only if not covered b	y ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		IdeaPad 5 Pro 16IA	A <i>H7</i>		Logo	Lama		
Issue date	*	2023/03/07				Leno	VO.	
Product 6	environn	nental attributes	- Market requirements (co	ntinued)		Require	ment	met
Item			•	•		Yes	No	n.a.
	Electron	nagnetic emissions	•					
P10.4	program	(s): MPŔ-II(3 pin AC		electromagnetic fields of th	e following voluntary	<b>/</b> ⊠		
P12		nics for computing						
P12.1*	The disp	lay meets the ergono	omic requirements of ISO 9241	-307 for visual display tech	nnologies.	$\boxtimes$		
P12.2*	The phys	sical input device me	ets the requirements of ISO 99	995 and ISO 9241-410.		$\boxtimes$		
P13		ng and documentat						
P13.1*	Product Product Product Product	packaging material ty packaging material ty packaging material ty packaging material ty	ype(s): Corrugated Fiberboar ype(s): paper(manual) ype(s): corner paper ype(s): Paper cushion ype(s): Plastic (EPE) ype(s): Plastic (LDPE)	weight (kg): 0.02kg weight (kg): 0.017kg weight (kg): 0.0378kg weight (kg): 0.1148kg weight (kg): 0.012kg	ht (kg): <b>0.438kg</b>			
P13.2*	Product	plastic primary packa	aging is free from PVC.			$\boxtimes$		
P13.3*		luct primary corruga er recovered fiber co	ited fiberboard packaging, spentent: 90 %	ecify the contained percer	ntage of minimum p	ost-		
P13.4*	Elect	ronic, 🔀 Paper, 🔲 🤇		·				
P13.5	Ùser and		em if paper documentation use tion on paper media is chlorine					
		hlorine-free al chlorine-free						
	Processo	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requir	ements of the following volunta	ary program(s):				
	ENERGY Eco-labe Eco-labe		Criteria version: 8 Criteria version: Criteria version:	Date: Pro	duct category: 2 duct category: duct category:			
P15	Addition	nal information (See	NOTE B10)		<u> </u>			
P9	Energy	consumption of spe	ecific configuration may vary	; description of the teste	d product configur	ation:		
	NOTE: S informati knowled	Supplier makes no re ion contained in this ge available at the tir here is approximate	presentations, guarantees, ass document. All information provine of completion, and supplier and provided for informational	surances or warranties whe ided by supplier in this doc shall have no obligation to	ether express or impli nument is provided ba update such informa	ied, regarding ased on supp ation. The inf	lier's ormati	on
P9			otebooks & Tablet Computers f dex.cfm?fuseaction=find_a_pro		pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1
* Specific exemptions apply for certain products and applications.	
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *	P2.1, P2.2, P2,3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	82SK	Logo	
Model Number	IdeaPad 5 Pro 16IAH7		Lonovo
Issue Date	2022/03/07		Lenovo.
Additional information			
•			

	Product environmental attributes				
d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Categ disabled and if the system is tested with				cards (dGfx) are
F)	Etec value (kWh) per ErP Lot 3 Categorenable	ory and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			,
ents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	22.71			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1	•	•	7.970
h)	Sleep mode power demand (Watts);				0.597
i)	Sleep mode with WOL enabled power of	demand (Watts) (where	enabled);		NA
j)	Off mode power demand (Watts);				0.237
k)	Off mode with WOL enabled power der	nand (Watts) (where er	nabled);		NA
1)	Internal power supply efficiency at 10 %	6, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Aver	age		
m)	External power supply efficiency (if app	licable)*:			
	Average active efficiency: 88.45%, 88	8.64%,88.53%,89.42	2%, 89.44%		
0)	*internal note: show values for all available external Minimum number of loading cycles that		stand (applies only to n	otebook computers):	300 cycles
(p-1)	Measurement methodology used to det	ermine information me	ntioned in points (I) – i	nternal PSU efficiency	:

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  ≥70% of Cmin					
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode				
	IEC 62623					
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::				
	Power on -> Wait 5 minutes -> Stable con	ndition				
(r) Description of how s	eep and/or off mode was selected or programmed:					
	Begin menu -> Power -> Select sleep or o	ff mode				
(s) Sequence of events off mode:	required to reach the mode where the equipment au	omatically changes to sleep and/or				
	NA					
	te condition before the computer automatically re		30min			
(u) Length of time after	not exceed the applicable power demand requirement a period of user inactivity in which the compute	r automatically reaches a power	NA NA			
	ver power demand requirement than sleep mode (in tre the display sleep mode is set to activate after		10min			
	nergy-saving potential of power management function					
	Refer to User Guide					
(x) User information on	now to enable the power management functionality:					
	Refer to User Guide					
	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Additional Notebook Batter	y Information:					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:	Other:					
Additional information						
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.