

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		LEIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo C24-17/D24-17			
Model number *	62A0			
Issue date *	2019/12/30			
Intended market *	🔄 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	62A0	Logo							
Issue dat	е *	2019/12/30		Lena	DVC	Тм				
Product environmental attributes - Legal requirements Re						equirement met				
Item				Yes	No	n.a.				
P1	Hazardo	ous substances and preparations								
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$						
P1.2*	Products Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$						
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.										
P1.4*	Products terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\square$						
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀						
P1.6*	Parts wit (see lega Commer	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀						
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\square$						
P2	Batterie	S								
P2.1*	If the pro symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			$\square$				
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega			$\boxtimes$				
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\times$				
P3	Conform	nity verification & Eco design (ErP)								
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see leg daration of Conformity can be requested at: https://www.lenovo.com/us/en/complain	gal reference). nce/eu-doc	$\boxtimes$						
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		$\boxtimes$						
	Require	d reference).								
	Required	given in term 15 of added to this document, $\square$ available at: $https://www.lenovo.com/us/en/compliance/e$	oco-declaration							
P5	Product									
P5.1*	Packadi	ng and packaging components do not contain more than 0.01% lead. mercur	y, cadmium ar	nd 🔽						
	hexavale	ent chromium by weight of these together.	-							
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature over legal reference).	of the material(	s) 🔀						
P5.3*	The pro Protocol Commer	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Montre	al 🔀						
P6	Treatme	nt information								
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\square$						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	62A0	Logo				
Issue dat	e * 2019/12/30		-	Len	ovo	Тм	
Product environmental attributes - Market requirements (See General NOTE GN below)							
H	- Enviro	onmental conscious design		Require	ment	met	
Item	-=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	NO	n.a.	
F /	Disasse	mbly, recycling					
P7.1*	Parts that	t have to be treated separately are easily separable		$\square$			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.					
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Π		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē		
-	Product	lifetime					
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$			
P7.8*	Upgradir	ig can be done using commonly available tools		$\boxtimes$			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*	Product of Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC</i> Materia	al type:				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$		
P7.14	External weight ( polyvinyl containin	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) og more than 25% post-consumer recycled content.	romine and 0,1 e retardants, ar chlorine in par	% 🔀 nd ts			
P7.15	Printed of halogen	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs >: as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lo	w	$\square$		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				$\boxtimes$	
P7.17	Alt. 1: Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):	$\boxtimes$			
	<u>Alt. 2: </u> Ch according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			$\square$	
P7.18	Alt. 1: Fl concentr 1. Chemi 2. Chemi 3. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in			
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\boxtimes$	
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been			$\square$	
DZ CC	The sour	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)	<b>K</b>			
P7.20*	Postcons If YES; a a) Of t a pe or b) The	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 0%. (EPEAT calculation) / 0% (TCO calcul e weight of recycled material is 0 g.	it (calculated as ation)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *       2019/12/30         Product environmental attributes - Market requirements (continued)       Requirement met         Item       Yes       No       n.a.         Material and substance requirements (continued)       Yes       No       n.a.         P7.21*       Biobased plastic material content is used in the product (See NOTE B7):       Image: Colspan="2">Colspan="2"Colspan="2">Colspan="2"Colsp							
Product environmental attributes - Market requirements (continued)       Requirement met         Item       Yes       No       n.a.         Material and substance requirements (continued)       Yes       No       n.a.         P7.21*       Biobased plastic material content is used in the product (See NOTE B7):       Image: Continued in the product in the product (See NOTE B7):       Image: Continued in the product in t							
Yes No n.a.         Material and substance requirements (continued)         P7.21*       Biobased plastic material content is used in the product (See NOTE B7):       Image: Content is used in the product (See NOTE B7):       Image: Content is used in the product (See NOTE B7):         If YES; at least one of the two alternatives below shall be answered;       a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.       Image: Content is used in the product (See NOTE B3)         P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp.       Image: Content per lamp: mg       Image: Content per lamp: mg         P8       Batteries       Image: Content per lamp: mg       Image: Content per lamp: mg         P9.1       For the product the following power levels or energy consumptions are reported:       Image: Content per lamp: md       Image: Content per lamp: md         ENERGY STAR® On Mode*       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       16.93 W       16.79 W       16.84 W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1							
Material and substance requirements (continued)         P7.21*       Biobased plastic material content is used in the product (See NOTE B7):       Image: Content is is used in the product (See NOTE B7):         If YES; at least one of the two alternatives below shall be answered;       a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic parts' weight) is 0%.       or       b) The weight of the biobased plastic material is 0g.         P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp.       Image: Content percentage of the product provide the product of the product of the product the following power of lamps: and maximum mercury content per lamp: mg       Image: Content percentage of the product provide the power level at 115 V AC       Power level at power level at 115 V AC       Power level at 230 V AC       Reference/Standard for energy modes and test method *         ENERGY STAR® On Mode*       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC*       16.93 W       16.79 W       16.84 W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1							
P7.21*       Biobased plastic material content is used in the product (See NOTE B7):       Image: Comparison of the two alternatives below shall be answered;         a)       Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.       Image: Calculated as a percentage of total plastic by weight) is 0%.         or       b)       The weight of the biobased plastic material is 0g.         P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg       Image: Calculated as a percentage of total plastic material is 0g.         P8.1*       Batteries       Image: Calculated as a percentage of power level at power level at power level at product the following power levels or energy consumptions are reported:       Image: Calculated as a percentage of power level at to 0.0 V AC       Power level at power power power program requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC *       16.93 W       16.79 W       1							
If YES; at least one of the two alternatives below shall be answered;         a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.         or       b) The weight of the biobased plastic material is 0g.         P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg       Image: Content of the product of the following power levels or energy consumptions are reported:         P8.1*       Batteries       Image: Consumption (See NOTE B8)         P9.1       For the product the following power levels or energy consumptions are reported:       Reference/Standard for energy mode *         Energy mode *       Power level at 115 V AC       230 V AC       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Low Power       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       16.79 W       16.84 W       ENERGY Program Requirements for Computer Monitors: Ver. 7.1							
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.         or         b) The weight of the biobased plastic material is 0g.         P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg         P8         Batteries         P9.1       For the product the following power levels or energy consumptions are reported:         Energy mode *       Power level at Power level at 115 V AC         P0 VAC       116.79W         ENERGY STAR® Low Power       0.13W         Sleep Mode*       0.13W         Sleep Mode*       0.08W         PTEC *       16.93 W         PTEC *       16.93 W							
or       b)       The weight of the biobased plastic material is 0g.         P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg       Image: Content of Conte							
b) The weight of the biobased plastic material is 0g.         P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg       Image: Content of Conte							
P7.22*       Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg       Image: Content of Conte							
P8       Batteries         P8.1*       Battery chemical composition:         P9       Energy consumption (See NOTE B8)         P9.1       For the product the following power levels or energy consumptions are reported:         Energy mode *       Power level at 100 V AC         100 V AC       115 V AC         230 V AC       modes and test method *         ENERGY STAR® On Mode*       16.95W         (System Idle)       0.13W         ENERGY STAR® Low Power       0.13W         0.13W       0.18W         ENERGY STAR® Off / Apparent Off Mode*       0.08W         PTEC *       16.93 W         PTEC *       16.93 W         16.79 W       16.84 W							
P8.1*       Battery chemical composition:       Image: Composition (See NOTE B8)         P9       Energy consumption (See NOTE B8)       Power levels or energy consumptions are reported:         Energy mode *       Power level at 100 V AC       Power level at 115 V AC       Power level at 230 V AC       Reference/Standard for energy modes and test method *         ENERGY STAR® On Mode*       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1							
P9       Energy consumption (See NOTE B8)         P9.1       For the product the following power levels or energy consumptions are reported:         Energy mode *       Power level at 100 V AC       Power level at 115 V AC       Power level at 230 V AC       Reference/Standard for energy modes and test method *         ENERGY STAR® On Mode*       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC *       16.93 W       16.79 W       16.84 W       Intervention State Stat							
P9.1       For the product the following power levels or energy consumptions are reported:         Energy mode *       Power level at 100 V AC       Power level at 115 V AC       Power level at 230 V AC       Reference/Standard for energy modes and test method *         ENERGY STAR® On Mode* (System Idle)       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC *       16.93 W       16.79 W       16.84 W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1							
Energy mode *       Power level at 100 V AC       Power level at 115 V AC       Power level at 230 V AC       Reference/Standard for energy modes and test method *         ENERGY STAR® On Mode* (System Idle)       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC *       16.93 W       16.79 W       16.84 W       Image: Computer Monitors: Ver. 7.1							
ENERGY STAR® On Mode*       16.95W       16.79W       16.84W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC *       16.93 W       16.79 W       16.84 W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1							
Interview							
Monitors: Ver. 7.1         ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC * Tension For exampling       16.93 W       16.79 W       16.84 W       Image: Computer Start							
ENERGY STAR® Low Power Sleep Mode*       0.13W       0.13W       0.18W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC * Turning Energy Computing       16.93 W       16.79 W       16.84 W       Image: Computer Start							
Sleep Mode*     Image: Computer Mode and Computer Monitors: Ver. 7.1       ENERGY STAR® Off / Apparent Off Mode*     0.08W     0.09W     0.14W     ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1       PTEC *     16.93 W     16.79 W     16.84 W							
ENERGY STAR® Off / Apparent Off Mode*       0.08W       0.09W       0.14W       ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1         PTEC * Trained Energy Computing       16.93 W       16.79 W       16.84 W							
Apparent Off Mode*     Requirements for Computer Monitors: Ver. 7.1       PTEC *     16.93 W       Traised Ensure Computing     16.79 W							
PTEC * 16.93 W 16.79 W 16.84 W							
PTEC * 16.93 W 16.79 W 16.84 W							
PIEC <sup>*</sup> 76.93 W 76.79 W 76.84 W							
I VOICAL EDEROV CONSUMPTION							
ETEC * 52.7kWh/year 52.23 kWh/year 52.65 kWh/year E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.6 +							
Annual Energy Consumption P <sub>sleep</sub> x 0.1 + P <sub>idle</sub> x 0.3)							
External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : N/A							
Pierley resolution + 1020/1080 megoniyels							
Inspiray resolution : 1920 Troop megapixels Requirements for Computer Monitors: Ver. 7.0							
ENERGY STAR® Program							
Default time to enter energy save mode: 15 seconds Requirements for Computer							
P9.2* Information about the energy save function is provided with the product.							
P9.3* The product meets the energy requirements of the following voluntary program/s:							
ENERGY STAR® version: 7.1 Product category: Display.							
P10 Emissions Naise emission Declared eccepting to ISO 0206 (See NOTE D0)							
P10.1 Mode Mode description Statistical upper limit A-weighted sound power level / was (B)							
Idle * N/A * N/A							
Operation * N/A * N/A							
Other mode Declared A-weighted sound pressure level (dB) L_A (operator position desktop – idle)							
Other mode Declared A-weighted sound pressure level (dB) I (operator position deskton – operating)							
Other mode Declared A-weighted sound pressure level (dB) $L_{pAm}$ (operator position desktop – operating)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	ımber *	62A0				Logo	Long		
Issue dat	te *	2019/12/30					Leno		TPI
Product	environr	nental attribut	es - Market requirem	nents (con	tinued)		Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emissi	ons						
P10.4	Compute program	er display meets (s):	the requirement for low f	requency el	ectromagneti	c fields of the following voluntar	у		$\square$
P12	Ergono	nics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements of	ISO 9241-3	307 for visual	display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packagi	ng and docume	entation						
P13.1*	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	ial type(s): <i>EPS</i> ial type(s): <i>PE Bag</i> ial type(s): <i>Paper</i> ial type(s): <i>Carton</i>	weight (kg weight (kg weight (kg weight (kg	): 0.20 ): 0.02 ): 0.23 ): 0.79				
P13.2*	Product	plastic primary p	ackaging is free from PV	C.			$\boxtimes$		
P13.3*	For proc	luct primary con er recovered fibe	rugated fiberboard packa r content: <b>80</b> %	aging, spec	ify the conta	ined percentage of minimum	post-		
P13.4*	Specify XElect	media for user ar ronic, 🔀Paper,	nd product documentation	n (tick box):					
P13.5	(Please User and If Yes, p	only complete the product docume lease specify:	is item if paper documen entation on paper media	tation used) is chlorine-f	ree:				
	Totally c Element Process	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	luct meets the re	quirements of the followi	ing voluntary	y program(s):				
	ENERG	Y STAR®	Criteria version: 7.1	1	Date:	Product category: Disp	lays		
	Eco-labe	el: <b>TCO</b>	Criteria version: 7.0	)	Date: May25,2018	Product category: <i>Disp</i>	lays		
	Eco-labe	el:	Criteria version:		Date:	Product category:			
P15	Additio	nal information	(See NOTE B10)						
P9	Energy	consumption of	specific configuration	may vary;	description	of the tested product configu	ration:		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								
P9	See Ene https://w	rgy Star Qualifie ww.energystar.g	d Monitors & Displays for ov/products/office_equip	r the latest i ment/display	nformation: ys				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1