



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs	Lenovo		
e-mail address	Alvin L Carter	LETIOVO		
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo G25-10				
Model number *	65FE				
Issue date *	2019/09/06				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	del number * 65FE Logo		Logo	Long		
Issue dat	te *	2019/09/06		Lend		<b>J</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week	( <u> </u>		$\boxtimes$
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				$\boxtimes$
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at:: https://www.lenovo.com/us/en/complial				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document,		$\boxtimes$		
DE	D	available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5.1*		packaging	, and mirror	a 🔽		
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature or the legal reference).	`	,		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference). nt: Legal reference has no maximum concentration values.	Montreal Protoco	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	65FE	Logo	Lanava
Issue date *	2019/09/06		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$-\frac{\square}{\square}$		+
P7.2*			<u> </u>	<del></del>
	Plastic parts > 100 g consist of one material or of easily separable materials.		<del>  </del>	-
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Ц</u>	Щ.
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	
	Product lifetime	<u> </u>	_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	<u>Ц</u>
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7 40	Material type: ABS Material type: PC Material type: POM			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u> </u> _		
P7.13	Insulation materials of internal electrical cables are PVC free.	_ <u>_</u>		_ <u></u> _
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			İ
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		_	
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		_	_
	according ISO 1043-4:			$\boxtimes$
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			$\boxtimes$
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	The state of the s			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	<u>_</u>	<u></u>	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$
	assigned the following Risk phrases; and Hazard statements:			
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)	<u> </u>		
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 52.23%.			
	or			
	b) The weight of recycled material is <b>767.6</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65FE	Logo	Lonovo
Issue date *	2019/09/06		Lei Iovo.

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)				
P7.21*		<b>.</b>	in the product (See No	OTE B7):			
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.</li> <li>or</li> </ul>						
P7.22*	b) The weight of the biobased plastic material is 0g.  Light sources are free from mercury, i.e. less than 0,1 mg/lamp.						
P1.22"		Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps:  And maximum mercury content per lamp:  mg					
P8	Batteries	opeony: Humber of tal		unit not out y contont po			
P8.1*	Battery chemical of	composition:					
P9		tion (See NOTE B8)					
P9.1	For the product th		s or energy consumption	ons are reported:			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY S (System Id	STAR® On Mode* le)	12.9	12.87	12.86	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
ENERGY S Sleep Mod	STAR® Low Power e*	0.25	0.25	0.28	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
ENERGY STAR® Off / Apparent Off Mode*		0.22	0.22	0.26	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
PTEC * Typical Ene	ergy Consumption	12.9 W	12.87 W	12.86 W			
ETEC * Annual Energy Consumption		<b>40.97</b> kWh/year	40.88 kWh/year	<b>41.02</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$		
External Po	ower Supply Efficier	ncy Level (International	l Efficiency Marking Pro	tocol) * :			
Display res	solution* : 1902x10	180 megapixels			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
Default time	e to enter energy sa	ave mode: 30 seconds			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
P9.2*			on is provided with the				
P9.3*			ents of the following volute category: <b>Display</b> .	untary program/s:			
P10	Emissions						
	Noise emission -	ssion – Declared according to ISO 9296 (See NOTE B9)					
P10.1		Mode description		Statistical upper limi	t A-weighted sound power level, L <sub>WA,c</sub> (B)		
	Idle *	HDD: Idle		*			
		HDD: Operating		*			
			d pressure level (dB) $L_{p  m Am}$		sition desktop – idle)		
	Other mode ${m Declared A-weighted sound pressure level (dB)} L_{p{ m Am}}$			(operator position desktop – operating)			
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	76Logo	Lenovo
Issue date *		LEI IOVO.

Product 6	Product environmental attributes - Market requirements (continued)					met
Item						n.a.
	Electromagnetic emissions					
P10.4		r display meets the requirement for low frequency electromagnetic fields of the following voluntary				$\boxtimes$
	program(s):					
P12	Ergonomics for computing products		<u> </u>			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307		echnologies.		Щ	
P12.2*	The physical input device meets the requirements of ISO 9995 ar	nd ISO 9241-410.		$\boxtimes$		
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Paper (Carton)  Product packaging material type(s): LDPE (bag)  Product packaging material type(s): EPE(bag)  weig	ght (kg): <b>0.338</b> eight (kg): <b>0.646</b> ght (kg): <b>0.012</b> ht (kg): <b>0.026</b>				
P13.2*	Product plastic primary packaging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify t consumer recovered fiber content: 90%	he contained per	centage of minimum pos	t-		
P13.4*	Specify media for user and product documentation (tick box):  Electronic, Paper, Other					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:					
	Totally chlorine-free  Elemental chlorine-free					
	Processed chlorine-free					
P14	Voluntary programs					
P14.1	The product meets the requirements of the following voluntary program(s):  ENERGY STAR® Criteria version: 8.0 Date: 2019/08/09  Eco-label: Criteria version: Date: Product category: LCD Monitor  Product category: LCD Monitor  Product category: Product category: Product category: Product category:					
P15	Additional information (See NOTE B10)					
P9	Energy consumption of specific configuration may vary; des					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P9	See Energy Star Qualified Monitors & Displays for the latest inforn https://www.energystar.gov/products/office_equipment/displays	mation:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1