



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		<u></u>			
Contact information *	Lenovo Global Environmental Affairs		Lenovo.			
e-mail address	Alvin L Carter		LEITOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information		·				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Lenovo S24q-10					
Model number *	61E7					
Issue date *	2019/09/16					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		61E7	Logo	Long		
Issue dat	e *	2019/09/16		Lend) _{tm}
Product environmental attributes - Legal requirements			Require	men	met	
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	naximum			
5.4		ration values.			_	
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).			Ш	
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart	oon atoms in the	e 🔀		
P1.6*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	N.F	. 🔽	_	
F 1.0		th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).	,5 μg/cm ⁻ /week		Ш	Ш
	` 0	nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
		ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			ш	ш
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal			
		Information on proper disposal is provided in user manual. (See legal reference)			ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
	reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					\boxtimes
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		\boxtimes		
		laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian	ice/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	d information is; given in item P15 or added to this document,		\square		
	rtcquirct	available at: https://www.lenovo.com/us/en/compliance/e	on declaration		ш	
P5	Droduct	packaging	co-deciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ codmium on	d 🔽		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).		,		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N al reference).	Montreal Protoco	ol 🔀		
	` 0	ar reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
	ommati					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61E7	Logo	Lanava
Issue date *	2019/09/16		LEI IOVO.

Product	tenvironmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		$\overline{\Box}$	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.		X	╁
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			Ħ
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\overline{\Box}$	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\Box}$	T
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7 40	Material type: PC Material type: PC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free. Insulation materials of internal electrical cables are PVC free.			井
P7.13				Щ.
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	"		
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)		\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\boxtimes		
	_ , , _ , _ , _ , _ , _ , _ ,		ш	ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			\bowtie
D7 10	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
P7.18	concentrations above 0,1%:	· 🖂		\square
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			_
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		_Ц	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes	Ш	
	If YES; at least one of the two alternatives below shall be answered;			
1	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 67.2%. (EPEAT calculation) / 85% (TCO calculation) or			
	b) The weight of recycled material is 466.7 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61E7	Logo	Lonovo
Issue date *	2019/09/16		Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requirement met		
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)							
P7.21*		•	d in the product (See No	OTE B7):						
	If VES: at least on	e of the two alternative	e bolow shall be answe	ared:						
	,	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		total plastic by weight) is 0 %.								
	or									
P7.22*			material is 0 g. less than 0,1 mg/lamp.							
P1.22		specify: Number of lar		um mercury content pe	r lamp: mg					
P8	Batteries	opcony. Itamber of lar	iipo. ana maximi	ann moreary content pe	riamp. mg					
P8.1*	Battery chemical of	composition:								
P9	Energy consump	tion (See NOTE B8)								
P9.1			ls or energy consumption	ons are reported:						
Energy m		Power level at	Power level at	Power level at	Reference/Standard for energy					
		100 V AC	115 V AC	230 V AC	modes and test method *					
	STAR® On Mode*	17.05	16.76	16.8	ENERGY STAR® Program Requirements for Computer					
(System I	dle)		10110	10.0	Monitors: Ver. 8.0					
ENERGY	STAR® Low Power				ENERGY STAR® Program					
Sleep Mo		0.25	0.24	0.3	Requirements for Computer					
					Monitors: Ver. 8.0					
ENERGY	STAR® Off /	0.40	0.40	0.04	ENERGY STAR® Program					
Apparent	Off Mode*	0.16	0.16	0.21	Requirements for Computer Monitors: Ver. 8.0					
					Worldors. Ver. 0.0					
DTEO *		147.04344	40.7010/	40.004						
PTEC * Typical Energy Consumption		17.04 W	16.76 W	16.8 W						
ETEC *	lergy Consumption	53.7 kWh/year	52.75 kWh/year	53.22 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 +$					
Annual Energy Consumption		Con Kivinyou	oziro kirinyodi	COILL KIVIII your	$P_{\text{sleep}} \times 0.1 + P_{\text{idle}} \times 0.3$					
External F	Power Supply Efficier	ncy Level (Internationa	I Efficiency Marking Pro	otocol) * :						
					ENERGY STAR® Program					
Display re	esolution* : 2560*14	40 megapixels		Requirements for Computer						
					Monitors: Ver. 8.0					
Default tin	ne to enter energy sa	ave mode: 15 seconds			ENERGY STAR® Program Requirements for Computer					
Dolault til	ne to enter energy se	ave mode. 10 seconds			Monitors: Ver. 8.0					
P9.2*	Information about	the energy save functi	on is provided with the	product.						
P9.3*	The product meet	s the energy requireme	ents of the following volu	untary program/s:						
			duct category: Display.							
		s from TPV plant test								
P10	Emissions	Declared according to	o ISO 9296 (See NOTE	DO)						
P10.1		Mode description	0 130 9290 (See NOTE		t A-weighted sound power level, $L_{WA,c}$ (B)					
1 10.1		HDD: Idle		*	A-weighted sound power level, $L_{WA,c}$ (B)					
		HDD: Operating		*						
			od pressure level (dB) $L_{p{ m Am}}$	/energter neg						
	Othermode	occiared A-weighted souri	d pressure level (db) L _{pAm}	(operator position desktop – idle)						
	Other mode ${\it Declared A-weighted sound pressure level (dB)} L_{p{\rm Am}}$			(operator pos	sition desktop – operating)					
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74		·					
		Other	(only if not covered by	ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		61E7				Logo	Leno	VO	
Issue date	*	2019/09/16					Lenc	VO.	4
Product	environn	nental attributes	- Market requirem	nents (con	tinued)		Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emission	ıs						
P10.4	program	(s):	•	requency el	ectromagnetic fields	s of the following voluntar	У		
P12	Ergonor	nics for computing	g products						
P12.1*	The disp	lay meets the ergor	nomic requirements of	f ISO 9241-	307 for visual displa	y technologies.	\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements	of ISO 999	5 and ISO 9241-410	0.			\boxtimes
P13		ng and documenta							
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): Bag type(s):	weight (kg weight (kg weight (kg weight (kg): 0.22): 0.02				
P13.2*	Product	plastic primary pacl	kaging is free from PV	C.			\boxtimes		
P13.3*	consume	er recovered fiber co	ontent: 80 %			ercentage of minimum	post-		
P13.4*			product documentation Other	n (tick box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:								
	Totally cl	hlorine-free							
	Elementa	al chlorine-free							
	Processe	ed chlorine-free							
P14		ry programs							
P14.1	ENERGY Eco-labe Eco-labe	Y STAR® el: el:	irements of the following Criteria version: 8.0 Criteria version: Criteria version:		y program(s): Date: 2019/09/09 Date: Date:	Product category: <i>LCD</i> Product category: Product category:	Monitor		
P15	Addition	nal information (Se	e NOTE B10)						
P9	Energy (consumption of sp	pecific configuration	may vary;	description of the	tested product configu	ration:		
	informati knowledo provided informati	on contained in this ge available at the t here is approximat on.	s document. All inform time of completion, an te and provided for info	ation provid d supplier s ormational p	ed by supplier in thi hall have no obligati ourposes only. See a	s whether express or imp s document is provided b ion to update such inform a Lenovo Account Repres	pased on supp nation. The int	olier's formati	on
P9			Monitors & Displays for products/office_equip						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1