



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	All-in-One Computer
Commercial name *	Lenovo V50 All-in-One 24"
Model number *	11FJ, 11FK, 11FL, 11FM
Issue date *	2020.4.24
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	ENERGY STAR®,CEL, EPEAT, Low blue light,TCO

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	11FJ, 11FK, 11FL, 11FM	Logo	Lon	21/	
Issue dat	te *	2020.4.24		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		X		
	trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact).			
1 1.7		ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш	
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal			
		Information on proper disposal is provided in user manual. (See legal reference)	ino diopodai		ш	
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar		\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products,		\square		
	(see lega	al reference).				
	Required	d information is; given in item P15 or added to this document,		\boxtimes		
		available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature lee legal reference).	of the material(s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference).	∕lontreal Protoc	ol 🔀		
-		nt: Legal reference has no maximum concentration values.				
P6		nt information			_	
P6.1*	ıntormati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	11FJ, 11FK, 11FL, 11FM	Logo	Lonovo
Issue date *	2020.4.24		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	g		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >ABS<,>PC+ABS-FR(40)<	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i	n		
	concentrations above 0,1%:			\boxtimes
	1. Chemical name:, CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	•			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:>PC+ABS-FR(40)<			Ш
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:	_		
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 7.06%.			
	or			
	b) The weight of recycled material is 96.1 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11FJ, 11FK, 11FL, 11FM	Logo	Lonovo
Issue date *	2020.4.24		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

Material and sub	stance requirements	(continued)			
P7.21* Biobased plastic r	material content is use	d in the product (See N	IOTE B7):		
	free from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp. mps: and maxin	o. num mercury content pe	er lamp: mg	
P8 Batteries					
-	composition: Lithium	Manganese Dioxide			
	otion (See NOTE B8)				
		els or energy consumpt		T	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш
Peak (On-max)	120 W	120 W	120 W	Full load	
Category 1					
Short Idle State - WOL Enabled	18.67 W	19.00 W	19.21 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle State - WOL Enabled	6.11 W	6.22 W	6.06 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S3) - WOL Enabled	0.82 W	0.82 W	0.75 W	Use for ENERGY STAR V8 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	0.814 W	Use for ErP	
Off (S5) - WOL Enabled	0.84 W	0.83W	0.79 W	Use for ENERGY STAR V8 registration (Poff)	
Off (S5) - WOL Disabled	W	W	0.79 W	Use for ErP	
Category 2					
Short Idle State - WOL Enabled	18.96 W	19.37 W	19.44 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle State - WOL Enabled	5.08 W	5.58 W	6.14 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S3) - WOL Enabled	0.75 W	0.76 W	0.70 W	Use for ENERGY STAR V8 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	0.814 W	Use for ErP	
Off (S5) - WOL Enabled	0.82 W	0.80W	0.76 W	Use for ENERGY STAR V8 registration (Poff)	
Off (S5) - WOL Disabled	W	W	0.832 W	Use for ErP	
EPS No-load (External power supply / charger plugged in the	W	0.158 W	0.190 W		
wall outlet but disconnected from the product.)		1	<u> </u>	1	
PTEC *	W	W	W		\boxtimes
Typical Energy Consumption ETEC *	1: 58.75 kWh/year	1:59.7 kWh/year	1: 59.91kWh/year	V7 E _{TEC} = (8760/1000) x (P _{off} x	$\overline{}$
Annual Energy Consumption	2: 58.31 kWh/year	2: 59.84 kWh/year	2: 60.23 kWh/year	0.45 + P _{sleep} x 0.05+ P _{long_Idle} x 0.15+ P _{short_Idle} x 0.35)	
				V8 E _{TEC} = (8760/1000) x (P _{off} x 0.15 + P _{sleep} x 0.45 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)	
E (I B				Enabled; Pidle: Idle State - WOL Enabled	
External Power Supply Efficien	ncy Level (Internationa	ai ⊑iīlciency Marking Pr	OTOCOI) *: VI	International Efficiency Marking Protocol for External Power Supplies	
Display resolution * : 2.07 me	nanivele				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

r												
		0,	ode: 25 minutes									
P9.2*			nergy save functio	n is provided wi	ith the pr	oduct.						
P9.3	Energy e	efficiency class	(monitors only):									\boxtimes
P10	Emissio											
D40.4			ared according to	ISO 9296 (See	NOTE B		l' 't . A	. Callata al la c			1 (
P10.1	Mode Idle		description D:Idle			* 3.0	pper limit A-	veignted sc	una power	ievei,	LWA,c (<u>B)</u>
	Operatio		D: Operating			* 3.0						oxdot
	Other me						-4	da alda a la	(a)			
		Declare	d A-weighted sound		r		ator position					
	Other mo		d A-weighted sound		B) L_{pAm}	Z1.5 (opera	ator position	desktop – op	beraung)			
	Measure	d according to:		ECMA-74 only if not cove	ered by E	CMA-74)						
		T										
Model n	umber *	11FJ, 11FK, 1	1FL, 11FM					Logo	10	no	W/0	
Issue da	ite *	2020.4.24							Le)VO	тм
Dradua	4 anvironr	nantal attribu	itaa Markat ra	autromonto /	loonting	, a d\			Da	~ivo	no o not	mod
Item	t environi	nentai attribi	<mark>ites - Market re</mark>	quirements (continu	iea)			Re	quire Yes	ment No	n.a.
Itom	Flectron	nagnetic emis	sions							103	140	11.4.
P10.4	Compute	er display meets	the requirement		cy electro	omagnetic fi	elds of the fo	llowing volu	intary			
P12			uting products	, K								
P12.1*			rgonomic requirer	ments of ISO 92	241-307	for visual dis	play technol	ogies.		П		П
P12.2*	The phy	sical input device	ce meets the requi	rements of ISO	9995 ar	nd ISO 9241-	-410.			Ħ	X	Ħ
P13	Packagi	ng and docum	entation									
P13.1*	Product Product	packaging mate packaging mate	erial type(s): carto erial type(s): cush	<i>ion</i> weigh	nt (kg): 1. nt (kg): 0.							
D40.0*			erial type(s): bag	0.067							_	_
P13.2*			packaging is free							\boxtimes		Щ.
P13.3*	consume	er recovered fib	rrugated fiberboa er content: <mark>80</mark> %		•	he containe	d percentag	e of minim	um post-			<u> </u>
P13.4*		media for user a ronic, <mark>⊠</mark> Paper	and product docur , Other	nentation (tick b	oox):							Ш
P13.5	Ùser and		his item if paper d nentation on pape									
	,	hlorine-free										
		al chlorine-free								Ц		
		ed chlorine-free								<u>Ц</u>		
P14		ry programs		. Calle San al		(-)						
P14.1	The prod	auct meets the i	equirements of th	e following volu	intary pro	ogram(s):						
	Eco-labe	el: Energy Star	Criteria vers	sion: 8.0	Da	te: 2020/4	Product	category:	All-in-One			
		el: EPEAT	Criteria vers			te: 2020/4		category:				
	Eco-labe Eco-labe	el: Low Blue lig	tht Criteria vers Criteria vers			te: 2020/5 te: 2020/5		category:				
	ECO-labe	H. 700	Chiena vers	SIUII. O	Da	le. 2020/3	Floduci	category.	All-III-Olle			
P15			(See NOTE B10)									
P9			of specific config 219M-M18-50 ; RA						figuration:	CPU	: i7-	
	NOTE: S	Supplier makes	no representation	s, guarantees, a	assuranc	es or warrar	nties whether	express or				
			this document. A the time of comple									ion
		here is approx	imate and provide									
P9			ed Notebooks & T	ablet Computer	rs for the	latest inforn	nation:					
			ov/index.cfm?fuse					_code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V50 All-in-One 24"	Logo
Model Number	11FJ, 11FK, 11FL, 11FM	Lanava
Issue Date	2020.4.24	Lenovo.
Additional information		

d)	year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	III discrete graphics (cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]		32		32
ents ting	Additional internal storage	(Yes / No)	YES (Yes / No)	(Yes / No)	YES (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	NO (Yes / No)	(Yes / No)	NO (Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	NO (Yes / No)	(Yes / No)	NO (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	YES #: 1 (Yes / No)	#: (Yes / No)	YES #: 1 (Yes / No)
	Category of discrete graphics Card(s)		G2		G2
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		N/A		N/A
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		27.44		24.31
g)	Idle state power demand (Watts);	<u> </u>		l	D: 5.69 / B : 5.39
h)	Sleep mode power demand (Watts);				D: 0.814 / B : 0.81
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		D: 0.829 / B : 0.79
)	Off mode power demand (Watts);				D: 0.832 / B : 0.79
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		D: 0.814 / B : 0.75
l)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 S	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 90w 88.26%	120w 89.8%			
	*internal note: show values for all available external p	ower supplies			
o)	Minimum number of loading cycles that	the batteries can withst	tand (applies only to n	otebook computers):	NA
p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) – ii	nternal PSU efficiency:	
p-2)	Measurement methodology used to dete				cy:

(p-3)	Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	Refer to IEC 6262								
(q)	Sequence of steps for								
	Based on user manual/Power on->Wait 5 minutes->Stable condition								
(r)	Description of how sleep and/or off mode was selected or programmed:								
	Based on user manual/Begin menu -> Power -> Select sleep or off mode								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan									
(t)	(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):									
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w)	Information on the energy-saving potential of power management functionality:								
NA NA									
(x)	User information on how to enable the power management functionality:								
	Set the power	s effect when your computers have							
	been idle for a speci-								
	Table 1. Default power								
	Turn off the displayPut the computer t								
	To awaken the comp								
	To reset the power p 1. Go to Control Page 2. Click Power On								
Click Power Options , and then choose or customize a power plan of your preference. Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of									
(z)	the electricity supply used for electrical tes								
		ī							
	Туре		Or ***		Make and Model **				
	AC Power Source	e e	230V;50Hz		EXTECH;6810;SN:1450172	1			
	Power Meter		0~200V;0~20A	YOK	YOKOGAWA;WT210;SN:91H427511				
	Hygrothermograp	oh	−20 to 50°C;20 to 90%		SEKONIC;ST-50	<u>.</u>			
	Light Measuring		1°; 0.01 to 999,900 cd/m2		Konica Minolta;LS-150	-			
Addition	nal Notebook Batter	y Info	ormation:						
		Batt	tery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/	'a		
			battery[ies] in this product cannot baced by users themselves. 1)	e easily					
Internal/built-in Battery						\triangleright	3		
External/detachable Battery									
Bios Backup Battery						3			
		<u> </u>			<u> </u>				

Other:									
Additional information									
1)									

The battery[ies] in this product cannot be easily replaced by users themselves

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

olo garının olarında paranında varindiyası regari leriyaya baresizi. A termék akkumulátorátlakkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.