

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	ThinkPad L13 Gen 3 AMD;ThinkPad L13 Yoga Gen 3 AMD, ThinkPad S2 Gen 7 AMD, ThinkPad S2 Yoga Gen 7 AMD					
Model number *	21B9,21BA,21BB,21BC,21BD,21BE					
Issue date *	2022/03/18					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	21B9,21BA,21BB,21BC,21BD,21BE Logo				
Issue date *		2022/03/18	Lend	Lenovo.		
	t environ	mental attributes - Legal requirements	Require			
Item	<u></u>		Yes	No	n.a.	
P1		bus substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)				
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in t ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes			
P2	Batterie					
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square			
P2.2*	referenc		al 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square			
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,	\boxtimes			
	(see leg	al reference).				
	Require	d information is; 🛛 🛛 given in item P15 or added to this document,	\square			
		🔀 available at (add URL):				
		vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material e legal reference).				
P5.3*	(see leg	tuct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference).	col 🔀			
DC		nt: Legal reference has no maximum concentration values.				
P6.1*		nt information		_		
۳0.I	mormat	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	21B9,21BA,21BB,21BC,21BD,21BE		Logo	Lan		
Issue date *		2022/03/18		-	Lend	ovo	тн
Produc	- Enviro	nental attributes - Market requirements (See nmental conscious design		below)	Require	ment	met
Item		ory to fill in. Additional information regarding each item	may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling					
P7.1*		have to be treated separately are easily separable					<u> </u>
P7.2*		aterials in covers/housing have no surface coating.					
P7.3*	•	rts > 100 g consist of one material or of easily separat			\square		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Image: Control of the second se						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime						
	Product	ifetime					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or d	rives		\square		
P7.8*	Upgradir	g can be done using commonly available tools			\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material	and substance requirements					
P7.11*		over/housing material type (e.g. plastics, metal, alumir					
	Material	ype: AL Material type: PC/ABS		ial type: GFRF			
P7.12	Insulatio	materials of external electrical cables are PVC free.	Wate	rial type: PC/A		\square	
P7.12		materials of internal electrical cables are PVC free.				<u> </u>	─────
P7.13 P7.14			0.10/ weight (1000 mmm)	hund of	10/	<u> </u>	<u> </u>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed c	rcuit boards, PCBs (without components) are low halo d in IEC 61249-2-21. (See 1NOTE B2)	gen: all 🔀 PCBs > 25 g	are low hald	ogen 🔀		
P7.16	Marking:		-				
P7.17		emical specifications of flame retardants in printed circ A (additive),TBBPA (reactive) (See NOTE B3), 🔀			\boxtimes		
		emical specifications of flame retardants in printed circ ISO 1043-4: FR(40)	uit boards (without compor	nents) > 25 g	\boxtimes		
P7.18	concentr	ame retarded plastic parts > 25 g contain the following ations above 0,1%: cal name: , CAS #: (See NOTE B4)	g flame retardant substanc	es/preparation	is in		
	2. Chem	cal name: , CAS #: " cal name: , CAS #: " cal name: , CAS #: "					
	<u>Alt. 2: </u> Cł	emical specifications of flame retardants in plastic part	s > 25 g according ISO 104	43-4: FR(40)	\boxtimes		
P7.19		parts > 25 g, flame retardant substances/preparations the following Risk phrases; and Hazard statem		h have been			
		ce(s) for these classifications is/are found at (add URI		See note B5)			
P7.20*	lfYES;a a) Oft ape	umer recycled plastic material content is used in the problem to the two alternatives below shall be answered a plastic parts' weight > 25 g, the postconsumer recycles of total plastic by weight) is 8.68% .	ered;	nt (calculated	as		
	or b) The	weight of recycled material is 45.5 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	21B9,21BA,21BB,21BC,21BD,21BE 2022/03/18	Logo	Lenovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

	Material and su	bstance requirements	s (continued)							
P7.21*		material content is use		NOTE B7):						
	If YES: at least o	one of the two alternativ	es below shall be ans	wered.		_				
					lated as a percentage of					
		by weight) is %.	•	· ·						
	or	- f the school	an advantation of a							
P7.22*		of the biobased plastic e free from mercury, i.e		a		_				
F 7.22		d specify: Number of la		imum mercury content p						
P8	Batteries	<u> </u>	······································							
P8.1*	Battery chemica	l composition: Lithium	lon							
P9	Energy consum	ption (See NOTE B8)								
P9.1										
Energy mo	ode *									
Deels (On		100 V AC	115 V AC	230 V AC	modes and test method *					
Peak (On-	illax)	VV 60	00 00	0000						
Categor	y 2									
Short Idle	State - WOL	5.268W	5.364W	5.436W	ENERGY STAR Computers					
Enabled					V8.0 (P _{idle})					
Long Idle	State - WOL	1.116W	1.116W	1.20W	ENERGY STAR Computers					
Enabled		1.11000		1.2000	V8.0 (P _{idle})					
Sleep (S3)	- WOL Disabled	1.116W	1.116W	1.20 W	ENERGY STAR Computers					
					V8.0					
Off (S5) -	WOL Disabled	0.432W	0.384W	0.48W	ENERGY STAR Computers					
					V8.0					
EPS No-lo	ad	0.10W	0.10 W	0.11 W						
	supply / charger plugged in the sconnected from the product.									
ETEC *(2)	connected from the product.	19.19kWh/year	19.34kWh/year	20.07kWh/year	$E_{\text{TEC}} = (8760/1000) \times (P_{\text{off}} \times 0.25 +$					
	ergy Consumption		10.04kWill/year	20.07 KWWW.yCar	$P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10+$					
					P _{short_Idle} x 0.30)					
		Poff: Off Mode(S5) - V	/OL Enabled; Psleep: Sleep	ep Mode(S3) - WOL Enab	oled; Pidle: Idle State - WOL Enabled					
External P	ower Supply Effici	ency Level (Internation	al Efficiency Marking F	Protocol) * : VI						
Display res	solution * : 2.3 me	gapixels			1920* 1200					
Default tim	e to enter energy	save mode: 10 minutes	3			Ē				
P9.2*	Information abou	it the energy save func	tion is provided with th	ne product.		Ē				
P9.3		y class (monitors only):								
P10	Emissions	,								
		- Declared according	to ISO 9296 (See NO	TE B9)						
P10.1	Mode	Mode description			nit A-weighted sound power level, $L_{WA,c}$ ((B)				
	Idle	* Idle mode		* 2.7	• • • • •					
	Operation	* Operating (CPU)		* 3.7		Ē				
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_{μ}	Am NA (operator posi	ition desktop – idle)					
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_p		tion desktop – operating-HDD) tion desktop – operating-CPU)					
	Measured accor	ding to: 🔀 ISO 7779	ECMA-74	i i i i i politici politi						
		Other	(only if not covered	by FCMA-74)						
	1			~, _0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	nber *	21B9,21BA,	21BB,21BC,21BD,21BE				Logo				
Issue date	*	2022/03/18					enovo.				
Product	environm	nental attrib	utes - Market requirement	ts (continue	ed)			Re	quire	ment	met
Item									Yes	No	n.a
		nagnetic emi									
P10.4	program(s): MPR-II(3	ets the requirement for low frequ p <i>in AC adapter only)</i>	uency electror	nagnetic fields	s of the foll	owing volun	tary	\square		
P12			puting products								
P12.1*	The displ	ay meets the	ergonomic requirements of ISC	O 9241-307 fc	r visual displa	y technolog	gies.		\boxtimes		
P12.2*	The phys	ical input dev	rice meets the requirements of l	ISO 9995 and	ISO 9241-41	0.			\boxtimes		
P13	Packaging and documentation										
P13.1*	Product p Product p	backaging ma backaging ma		eight (kg): 0.3 eight (kg): 0.0							
P13.2*	Product p	plastic primary	y packaging is free from PVC.						\square		
P13.3*			corrugated fiberboard packagir ber content: 60 %	ng, specify th	e contained p	ercentage	of minimun	n post-			
P13.4*	Specify n		and product documentation (ti	ick box):							
P13.5	Ùser and		this item if paper documentatic imentation on paper media is c						\boxtimes		
	Totally ch	nlorine-free							\square		
	Elementa	al chlorine-fre	e								
	Processe	ed chlorine-fre	e						П		
P14	Voluntar	y programs									
P14.1			e requirements of the following	voluntary prog	ram(s):						
	ENERGY	′ STAR®	Criteria version: V8	Date	: 2021/12/13	Product of	category: 2				
	Eco-labe	: EPEAT	Criteria version: IEEE 1680.	1-2018 Date	: 2022/4/18		ategory: No	otebook			
	Eco-labe		Criteria version: 14.0		: 2022/4/18		category: No				
	Eco-labe		Criteria version: 9.0	Date	2022/04/18	Product of	category: No	otebook			
P15			on (See NOTE B10)								
P9			of specific configuration ma								
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.										
P9	See Ener	rgy Star Quali	fied Notebooks & Tablet Comp gov/index.cfm?fuseaction=find				code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L13 Gen 3 AMD;ThinkPad L13 Yoga Gen 3 AMD, ThinkPad S2 Gen 7 AMD, ThinkPad S2 Yoga Gen 7	Logo
Model Number	21B9,21BA,21BB,21BC,21BD,21BE	
Issue Date	2022/03/18	Lenovo
Additional information		

(d)	year of manufacture:				2022
(e)	Etec value (kWh) per ErP Lot 3 Categen disabled and if the system is tested wit				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Catego enable	ory and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32			
capability adjustments applied during testing	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	6.73			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A			
(g)	Idle state power demand (Watts);				1.20
(h)	Sleep mode power demand (Watts);				1.20
(i)	Sleep mode with WOL enabled power of	lemand (Watts) (where	enabled);		N/A
j)	Off mode power demand (Watts);				0.48
(k)	Off mode with WOL enabled power den	nand (Watts) (where en	abled);		N/A
(I)	Internal power supply efficiency at 10 %	o, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	external power supply efficiency (if appl	icable)*:			
	Average active efficiency: 65W: 90.33	%,92.04%,91.91%,91.2	1%		
(0)	*internal note: show values for all available external Minimum number of loading cycles that		tand (applies only to n	otebook computers):	500 cycles
(p-1)	Measurement methodology used to det	ermine information mer	tioned in points $(l) - i$	nternal PSU efficiency	-

(p-2) Measuremer	nt methodology used to determine informa EN 50563:2011 mea	tion mentioned in points (m) – ex surement methodology	tternal PSU efficiency:				
(p-3) Measuremer	nt methodology used to determine informa IEC 61960 measu	tion mentioned in points (o) – loa rement methodology	iding cycles batteries:				
(p-4) Measuremer	nt methodology used to determine information	tion mentioned in maximum, idle	, sleep, off mode				
	fined in Point P9.1 in the Product IT Eco I		· • •				
	IEC 62623 / IEC EN50564:20	11 measurement methodology					
(q) Sequence of	steps for achieving a stable condition wit	h respect to power demand::					
	IEC 62623 / IEC EN50564:2011 measurement methodology						
(r) Description of	of how sleep and/or off mode was selecte By selecting sleep and/or off mo		tom				
(s) Sequence of	events required to reach the mode when						
off mode:	·		angee te eleep ana, el				
		to sleep after 10 minutes					
condition wh	idle state condition before the comput ich does not exceed the applicable power	demand requirements for sleep	mode (in minutes):	10 mins			
	me after a period of user inactivity in w as a lower power demand requirement t		ly reaches a power	N/A			
(v) Length of ti	me before the display sleep mode is se	t to activate after user inactivity	(in minutes):	10 mins			
(w) Information of	on the energy-saving potential of power m	anagement functionality:					
User int	iormation described in User Guide and pro	Power Manager under ThinkVa grams	antage menu in all				
(x) user informa	tion on how to enable the power manage	ment functionality:					
User int	ormation described in User Guide and pro	Power Manager under ThinkVa grams	antage menu in all				
	(1) At ambient temperature: <u>24.8</u> °C						
	(2) Input AC Voltage (V) & Frequency (H						
	(3) Line Impedance: less than 0.25	ohm					
	(4) Total Harmonic Distortion (voltage)	<2%					
	(5) Relative Humidity:						
	(6) Ambient light:Lux						
	(7) Equipment list:						
	Equipment Name	Model name					
	Yokogawa	WT210					
	Dettem Information						
Additional Notebook	Battery Information: Battery[ies] not user repla	ceable Batterylies	s] user replaceable	n/a			
	The battery[ies] in this product replaced by users themselves.	cannot be easily		Tira			
Internal/built-in Batter	· · ·						
External/detachable B							
Bios Backup Battery							
Other:							
Additional information							

1) The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad e saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

šio gamino baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

II-batterija/batterija/batterija f dan il-prodott ma tistax/jistghux tig/jigu sostitwita/ mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit produktet kan ikke lett erstattes av brukerne selv. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (baterille) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.