



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad T14s AMD
Model number *	20UH, 20UJ
Issue date *	2020/05/10
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	20UH, 20UJ	Logo	Lon		
Issue dat	te *	2020/05/10		Lend		<b>J</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$		
	hydrobro trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/weel	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):		$\overline{}$	
F 1.7		ww.lenovo.com/us/en/sustainability-resources	contact).	$\boxtimes$		Ш
P2	Batterie	· · · · · · · · · · · · · · · · · · ·				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	the disposal		$\overline{}$	
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)	•		<u> </u>	
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	ոium. (See lega	l 🔀	Ш	
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	$\boxtimes$		
		laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	nce/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document,		$\boxtimes$		
	•	available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			_
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium ar	nd 🔀		
		ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature $\alpha$	of the material(	s) 🔀		
P5.3*		duct packaging material is free from ozone depleting substances as specified in the N	Jontreal Protoc	ol 🔀	$\Box$	
	(see lega	al reference).				
P6		nt: Legal reference has no maximum concentration values.  nt information				
P6.1*						
F0.1	mormati	on for recyclers/treatment facilities is available (see legal reference).		$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20UH, 20UJ	Logo	Lanava
Issue date *	2020/05/10		LEI IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	me <u>nt</u>	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC+45%GF Material type: EP+70%CF Material type: PC+AB\$  Material type: MgAI	;		
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resint CAS #: confidential	, 🔀		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%:  1. Chemical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "	n 🖂		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>confidential</i> and Hazard statements: <i>confidential</i> The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\square$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 6.13%.  or  b) The weight of recycled material is 20.2 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20UH, 20UJ	Logo	Lonovo
Issue date *	2020/05/10		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

P7.21* Biobased plastic material content is used in the product (See NOTE B7):  P7.22* Light sources are free from mercury, i.e. less than 0.1 mg/lamp.  If mercury is used specify; Number of lamps:  P8 Batteries  P8.1* Battery chemical composition: Li-ion  P9 Energy consumption (See NOTE B8)  P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode* Power level at 115 V AC 230 V AC  Peak (On-max) 65 W 65 W 65 W Full load  Category 2  Short Idle State - WOL Enabled  Long Idle State - WOL 4.33 W 4.32 W 4.44 W Use for ENERGY STAR V8 registration (P <sub>side</sub> )  Enabled  Long Idle State - WOL Enabled  Off (S5) - WOL Enabled  0.37 W 0.37 W 0.42 W Use for ENERGY STAR V8 registration (P <sub>side</sub> )  Off (S5) - WOL Disabled W W 0.42 W Use for ENERGY STAR V8 registration (P <sub>side</sub> )  Off (S5) - WOL Disabled D 0.37 W 0.42 W Use for ENERGY STAR V8 registration (P <sub>side</sub> )  PEFS No-load  (Esternal power supply changer injugand in he undoed bed submorted from the product by mode of the power of the powe		Material and sub	stance requirements	(continued)		
If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg  P8 Batteries  P8.1* Battery chemical composition: Li-lon  P9 Energy consumption (See NOTE B8)  P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode * Power level at 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC Full load  Category 2  Short Idle State - WOL 6.57 W 6.58 W 6.66 W Use for ENERGY STAR V8 registration (P <sub>Paso</sub> )  Long Idle State - WOL 4.33 W 4.32 W 4.44 W Use for ENERGY STAR V8 registration (P <sub>Paso</sub> )  Sleep (S3) - WOL Enabled 1.62 W 1.61 W 1.68 W Use for ENERGY STAR V8 registration (P <sub>Paso</sub> )  Off (S5) - WOL Enabled 0.37 W 0.37 W 0.42 W Use for ENERGY STAR V8 registration (P <sub>Paso</sub> )  Off (S5) - WOL Disabled W W 0.42 W Use for ENERGY STAR V8 registration (P <sub>Paso</sub> )  Off (S5) - WOL Disabled W W 0.42 W Use for ENERGY STAR V8 registration (P <sub>Paso</sub> )  Off (S5) - WOL Disabled W 0.096 W 0.114 W Use for EPP  EPS No-load (Element power supply i charge religged in the unit older bit disconded bits miss pointed bits miss poin	P7.21*				IOTE B7):	
P8. ** Batter/s Composition: Li-ion	P7.22*					
P8.1* Battery chemical composition: Li-ion  P9 Energy consumption (See NOTE B8)  P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode * Power level at 100 V AC 115 V AC 230 V AC nodes and test method *  Peak (On-max) 65 W 65 W 65 W Full load  Category 2  Short Idle State - WOL 6.57 W 6.58 W 6.666 W Use for ENERGY STAR V8 registration (Ptute)  Enabled		•	specify: Number of la	mps: and maxin	num mercury content p	er lamp: mg
P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 V						
P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode * Power level at 100 V AC   Power level at 115 V AC   230 V AC   230 V AC   modes and test method * Full load * modes and test method * modes and test method * Full load * modes and test method * Full load * Tull load *						
Power level at 100 V AC   Power level at 115 V AC   230 V AC   Reference/Standard for energy modes and test method *   Peak (On-max)   65 W   65 W   Full load				L		
100 V AC						Deference/Standard for energy
Category 2  Short Idle State - WOL Enabled 6.57 W 6.58 W 6.66 W Isse for ENERGY STAR V8 registration (Ptale)  Long Idle State - WOL Enabled 1.62 W 1.61 W 1.68 W Isse for ENERGY STAR V8 registration (Ptale)  Sleep (S3) - WOL Enabled 1.62 W 1.61 W 1.68 W Isse for ENERGY STAR V8 registration (Ptale)  Off (S5) - WOL Enabled 0.37 W 0.37 W 0.42 W Use for ENERGY STAR V8 registration (Policep)  Off (S5) - WOL Disabled W W 0.42 W Use for ENERGY STAR V8 registration (Policep)  EPS No-load 0.094 W 0.096 W 0.114 W (Issemple plugged in the well-cultible but discorrected from the product.)  PTEC * 3.07 W 3.06 W 3.13 W Isse for ErP  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	Energy mo	ae				
Short Idle State - WOL Enabled  Long Idle State - WOL Enabled  Long Idle State - WOL Enabled  Long Idle State - WOL Enabled  Sleep (S3) - WOL Enabled  1.62 W  1.61 W  1.68 W  Use for ENERGY STAR V8 registration (Ptalia)  Sleep (S3) - WOL Enabled  0.37 W  0.37 W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  State of ENERGY STAR V8 registration (Ptalia)  W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  State of ENERGY STAR V8 registration (Ptalia)  W  0.42 W  Use for ENERGY STAR V8 registration (Ptalia)  State of ENERGY STAR V8	Peak (On-I	max)	<b>65</b> W	65 W	<b>65</b> W	Full load
Enabled  Long Idle State - WOL Enabled  1.62 W  1.61 W  1.68 W  1.68 W  1.68 W  1.68 W  1.69 W Use for ENERGY STAR V8 registration (P <sub>idle</sub> )  Sleep (S3) - WOL Enabled  0.37 W  0.37 W  0.42 W  1.65 - WOL Disabled  Esternal power supply (charger plugged in the wall cultibut disconnected from the product)  Prec Typical Energy Consumption  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07 (1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function sip provided with the product.  P10 Emissions  Noise emission - Declared according to ISO 9296 (See NOTE B9)	Category	<u>y 2</u>				
Long Idle State - WOL Enabled  4.33 W  4.32 W  4.44 W  Use for ENERGY STAR V8 registration (P <sub>Idle</sub> )  Sleep (S3) - WOL Enabled  1.62 W  1.61 W  1.68 W  Use for ENERGY STAR V8 registration (P <sub>Steep</sub> )  Off (S5) - WOL Enabled  0.37 W  0.42 W  Use for ENERGY STAR V8 registration (P <sub>off</sub> )  Off (S5) - WOL Disabled  W  0.42 W  Use for ENERGY STAR V8 registration (P <sub>off</sub> )  Off (S5) - WOL Disabled  W  0.096 W  0.114 W  Use for ENERGY STAR V8 registration (P <sub>off</sub> )  Off (S5) - WOL Disabled  EPS No-load (External power supply I charger plugged in the product.)  PTEC * Annual Energy Consumption  ETEC * Annual Energy Consumption  Post: Off Mode(S5) - WOL Enabled; P <sub>Steep</sub> : Sleep Mode(S3) - WOL Enabled; P <sub>Idle</sub> : Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P10 Emissions  Noise emission - Declared according to ISO 9296 (See NOTE B9)	Short Idle	State - WOL	6.57 W	6.58 W	6.66 W	Use for ENERGY STAR V8
Enabled  Sleep (S3) - WOL Enabled  1.62 W  1.61 W  1.68 W  Use for ENERGY STAR V8 registration (Psleep)  Off (S5) - WOL Enabled  0.37 W  0.37 W  0.42 W  Use for ENERGY STAR V8 registration (Port)  Off (S5) - WOL Disabled  W  W  0.42 W  Use for EP  EPS No-load  (External power supply / charger plugged in the wall outlet but disconnected from the product.)  PTEC  Typical Energy Consumption  ETEC *  Annual Energy Consumption  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P10 Emissions  Noise emission - Declared according to ISO 9296 (See NOTE B9)	Enabled					registration (Pidle)
Sleep (S3) - WOL Enabled  1.62 W  1.61 W  1.68 W  1.69	Long Idle	State - WOL	4.33 W	4.32 W	4.44 W	Use for ENERGY STAR V8
Control of the cont	Enabled					registration (P <sub>idle</sub> )
Control of the cont	Cloop (C2)	WOL Enabled	4 62 \\/	1.61 \//	1.60\\\	Use for ENERGY STAR VO
Post	Sieep (33)	- WOL Ellabled	7.02 VV	7.07 VV	7.00 VV	
Post	Off (S5) - V	WOL Enabled	0.37 W	0.37 W	0.42 W	Use for ENERGY STAR V8
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)  PTEC * Typical Energy Consumption  ETEC * Annual Energy Consumption  ETEC * Annual Energy Consumption  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	(3.7)					registration (Poff)
(External power supply / charger plugged in the wall outlet but disconnected from the product.)  PTEC *  Typical Energy Consumption  ETEC *  Annual Energy Consumption  Poff: Off Mode(S5) - WOL Enabled; Psteep: Sleep Mode(S3) - WOL Enabled; Pide: Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	Off (S5) - V	WOL Disabled	W	W	0.42 W	Use for ErP
Section   Processing   Proces	EPS No-loa	ad	0.094 W	0.096 W	<b>0.114</b> W	
Typical Energy Consumption  ETEC * Annual Energy Consumption  26.85 kWh/year  26.83 kWh/year  27.46 kWh/year  ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_idle x 0.10 + Pshort_idle x 0.30)  Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	(External power s wall outlet but disc	supply / charger plugged in the connected from the product.)				
ETEC * Annual Energy Consumption  26.85 kWh/year  26.83 kWh/year  27.46 kWh/year  ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_idle x 0.10 + Pshort_idle x 0.30)  Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	PTEC *		3.07 W	3.06 W	3.13 W	
Annual Energy Consumption  + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30)  P <sub>off:</sub> Off Mode(S5) - WOL Enabled; P <sub>sleep</sub> : Sleep Mode(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)		ergy Consumption	00.05114#	00.00114#./	07.40134#	5 (0700(4000) (7 0.05
P <sub>short_Idle</sub> x 0.30    P <sub>off: Off Mode(S5) - WOL Enabled; P<sub>sleep</sub>: Sleep Mode(S3) - WOL Enabled; P<sub>Idle</sub>: Idle State - WOL Enabled   External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : VI                                 </sub>		oray Concumption	26.85 kWh/year	26.83 kWh/year	27.46 kWh/year	
Poff: Off Mode(S5) - WOL Enabled; Piete: Idle State - WOL Enabled  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	Alliuai Liie	ergy Correctinguori				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI  Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)			Poff: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Slee	n Mode(S3) - WOL Enab	
Display resolution *: 2.07(1980*1080) megapixels  Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)	External Po	ower Supply Efficie				
Default time to enter energy save mode: 10 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)			•	, ,	,	
P9.2* Information about the energy save function is provided with the product.  P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)		•	• •			
P9.3 Energy efficiency class (monitors only):  P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)				ion is provided with the	product	
P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)	P9.3				producti	
Noise emission – Declared according to ISO 9296 (See NOTE B9)	L		3,			
			- Declared according t	o ISO 9296 (See NOTI	E B9)	
P10.1   Mode   Mode description   Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)	P10.1		Mode description	,		nit A-weighted sound power level, L <sub>WA,c</sub> (B)
Idle * HDD idle * 2.5		Idle	* HDD idle		* 2.5	
Operation * Operating (CPU) * 3.5		Operation				
Other mode Declared A-weighted sound pressure level (dB) $L_{pAm}$ 16 (operator position desktop – idle)		Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{n{\sf A}1}$	16 (operator positi	ion desktop – idle)
Other mode Declared A-weighted sound pressure level (dB) $L_{pAm}$ 16 (operator position desktop – operating CPU)						ion desktop – operating CPU)
26 (operator position desktop – operating HDD)			-	$\mathcal{L}_{p}$ Aı	26 (operator positio	
Measured according to: X ISO 7779 ECMA-74		Measured accord	ing to: X ISO 7779	FCMA-74	1	
Other (only if not covered by ECMA-74)			_		/ ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	20UH, 20UJ			Logo		1/0	
Issue date	*	2020/05/10				Leno	VO,	м
Product	environn	nental attrib	utes - Market requirements (	continued)		Require	ment	met
Item			•	•		Yes	No	n.a.
	Electron	nagnetic emis	sions					
P10.4			s the requirement for low frequence in AC adapter only)	y electromagnetic fields of	the following voluntary			
P12	Ergonor	nics for comp	uting products					
P12.1*	The disp	lay meets the	ergonomic requirements of ISO 92	41-307 for visual display te	chnologies.	$\boxtimes$		
P12.2*	The phys	sical input devi	ce meets the requirements of ISO	9995 and ISO 9241-410.		$\boxtimes$		
P13		ng and docun						
P13.1*	Product	packaging mat	erial type(s): <i>PIC EPE</i> weight	(kg): <b>0.026</b> (kg): <b>0.026</b> (kg): <b>0.39</b>				
P13.2*	Product	plastic primary	packaging is free from PVC.			$\boxtimes$		
P13.3*			orrugated fiberboard packaging, so per content: <b>70</b> %	pecify the contained perce	entage of minimum pos	t-		
P13.4*		media for user ronic, ⊠Pape	and product documentation (tick b r, ☐Other	ox):				
P13.5	Ùser and		this item if paper documentation us mentation on paper media is chlori					
	•	hlorine-free al chlorine-free						
		ed chlorine-free						
P14	Volunta	ry programs						
P14.1		<u> </u>	requirements of the following volui	ntary program(s):				
	Eco-labe Eco-labe	el: <b>TCO</b>	Criteria version: 8.0 Criteria version: IEEE 1680.1- 20 Criteria version: Ver.13 Criteria version: Gen8.0	18 Date: 2020/03/31 F Date: 2020/03/31 F	Product category: 2 Product category: Noteb Product category: Noteb Product category: Noteb	ook		
P15			n (See NOTE B10)					
P9			of specific configuration may va					
	informati knowledg provided informati	ion contained in ge available at I here is approxion.	no representations, guarantees, and this document. All information protection the time of completion, and suppliciting and provided for information	ovided by supplier in this do er shall have no obligation t nal purposes only. See a Le	ocument is provided base to update such information	ed on supp on. The inf	olier's formati	ion
P9			ied Notebooks & Tablet Computer gov/index.cfm?fuseaction=find_a_r		&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T14s AMD	Logo	
Model number *	20UH, 20UJ		Lonovo
Issue date *	2020/05/10		Lenovo.
Additional information			

d)	Year of manufacture:				2019	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	28				
nents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NA				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.08				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);		<u> </u>	<u> </u>	4.35	
h)	Sleep mode power demand (Watts);				1.65	
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.65	
j)	Off mode power demand (Watts);				0.42	
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.42	
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ige			
(m)	External power supply efficiency (if appl	icable)*:				
	Average active efficiency: 65W:89,41%	,88,62%,88,96%				
	*internal note: show values for all available external p					
(o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):					
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA					
(p-2)	Measurement methodology used to dete	ermine information men		external PSU efficience	cy:	

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 62623:2013 measurement methodology			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623 / IEC EN50564:2011 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  IEC 62623 / IEC EN50564:2011 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed:  refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode:  ACPI system level G2/S5 ('soft off') state			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  *refer to power management, 30mins automatically reaches sleep mode*			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10
(w)	Information on the energy-saving potential of power management functionality:  refer to user manual			
(x)	User information on how to enable the power management functionality:  refer to user manual			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V/50HZ, Total Harmonic Distortion<2%			
Additio	nal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Addition	nal information			
\				
)				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.