



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo]	
Contact information *	Lenovo Global Environmental Affairs		ODOVO
e-mail address	Alvin L Carter		Lenovo
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information The latest version of this document can be found at:		_	
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad X1 Carbon Gen 10
Model number *	21CB, 21CC
Issue date *	2022/02/07
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	21CB, 21CC	Logo	Long	WC	
Issue date	e *	2022/02/07		Lend		тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		
	hydrobro trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\boxtimes		
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal large) large in the large	gal reference).			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	Required	I information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ont chromium by weight of these together.	, cadmium a	nd 🔀		
P5.2*	The pack	xaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference).	Iontreal Protoc	col 🔀		
		nt: Legal reference has no maximum concentration values.				_
P6		nt information				
P6.1*	intormati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	21CB, 21CC	Logo	Lanava
Issue date *	2022/02/07		Lei IOVO.

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: Carbon Material type: PC+40% T Material type: Insulation materials of external electrical cables are PVC free.			_
P7.12			<u> </u>	井
	Insulation materials of internal electrical cables are PVC free.		<u> </u>	<u> </u>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1 —		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🛚		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resin CAS #: Confidential			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: H411 Toxic to aquatic life with long lasting effects The source(s) for these classifications is/are found at (add URL(s)):			
	https://ec.europa.eu/growth/sectors/chemicals/classification-and-labelling-clpghs_en,			
	(See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 15.27%. or b) The weight of recycled material is 15.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21CB, 21CC	Logo	Lanova
Issue date *	2022/02/07		Leliovo

Product environmental attributes - Market requirements (continued)	Requi	emen	t met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)			
P7.21*			d in the product (See N	OTE B7):		$\overline{\Box}$
		c parts' weight > 25 g,	es below shall be answe the biobased plastic m		ited as a percentage of	
	or	f the biobased plastic r	material is a.			
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.		ΧП	П
		specify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg	
P8 P8.1*	Batteries	amposition: Lithium L				
		composition: Lithium I	on			<u> Ш</u>
P9		tion (See NOTE B8)	ls or energy consumption	one are reported:		
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy	\Box
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-r	max)	65 W	65 W	65W	Full load	
Category	<u>/ 2</u>					
Short Idle Enabled	State - WOL	7.70W	7.68W	7.66W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle State - WOL Enabled 1.03W 1.08W 1.42W ENERGY STAR Computers V8 (P _{idle})						
Sleep (S3)	- WOL Enabled	1.03W	1.08W	1.42W	ENERGY STAR Computers V8 (P _{sleep})	
Off (S5) - V	VOL Enabled	0.22W	0.22W	0.27W	ENERGY STAR Computers V8 (Poff)	
EPS No-loa (External power s wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.10W	0.10 W	0.12 W		
ETEC *(2) Annual Ene	ergy Consumption	21.86 kWh/year	22.04 kWh/year	23.61 kWh/year	ETEC = $(8760/1000) \times (P_{\text{off}} \times 0.25 + P_{\text{sleep}} \times 0.35 + P_{\text{long_fdle}} \times 0.10 + P_{\text{short_fdle}} \times 0.30)$	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	ed; Pidle: Idle State - WOL Enabled	
External Po	wer Supply Efficier	ncy Level (Internationa	l Efficiency Marking Pro	otocol) * : VI		
Display res	olution * : 8.29 meg	gapixels			3840*2400	一
Default time	e to enter energy sa	ave mode: 10 minutes				Ħ
P9.2*			on is provided with the	product.		Ħ
P9.3		class (monitors only):	•	•		
P10	Emissions	, ,,				
		- Declared according to	ISO 9296 (See NOTE	B9)		
P10.1		Mode description	•		it A-weighted sound power level, $L_{W\!A,c}$ (I	В)
		Idle mode		* 2.2		
	Operation *	Operating (SSD) Operating (CPU)		* 2.6 * 3.4		
		Declared A-weighted soun	d pressure level (dB) $L_{p m Am}$	NA (operator positi	on desktop – idle)	
			d pressure level (dB) $L_{p m Am}$		on desktop – operating-HDD) on desktop – operating-CPU)	
	Measured accordi	ng to: X ISO 7779 Nother	ECMA-74	FCMA-74)		

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	21CB, 21CC	Logo	Long	V/0	
Issue date *	2022/02/07		Leno	VO.	
Product enviro	nmental attributes - Market requirements (continued)		Require	ment i	met
Item	·		Yes	No	n.a.
	romagnetic emissions				
progra	outer display meets the requirement for low frequency electromagnetic fields of the fo tam(s): MPR-II(3 pin AC adapter only)	ollowing voluntar	y 🔀		
	nomics for computing products				
1	isplay meets the ergonomic requirements of ISO 9241-307 for visual display technol	ogies.	\boxtimes		
P12.2* The p	hysical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
	aging and documentation				
Produ Produ Produ Produ	uct packaging material type(s): Corrugated veight (kg): 0.303 veight (kg): 0.063 veight (kg): 0.025 veight (kg): 0.130 veight (
P13.2* Produ	ct plastic primary packaging is free from PVC.				
consu	roduct primary corrugated fiberboard packaging, specify the contained percentagumer recovered fiber content: 80%	e of minimum p	oost-		
	fy media for user and product documentation (tick box): ectronic, ⊠Paper,Other				
Ùser	se only complete this item if paper documentation used) and product documentation on paper media is chlorine-free: , please specify:				
Totall	y chlorine-free		\bowtie		
Eleme	ental chlorine-free		$\overline{\boxtimes}$		
Proce	ssed chlorine-free				
P14 Volur	ntary programs				
P14.1 The p	roduct meets the requirements of the following voluntary program(s):				
Eco-la Eco-la Eco-la	abel: EPEAT Criteria version: IEEE 1680.1-2018 Date: 2022/3/8 Production PCGL Criteria version: 14.0 Date: 2022/3/8 Production Date: 2022/3/8 Production Date: 2022/06/30	t category: 2 t category: Note t category: Note t category: Note	book		
	ional information (See NOTE B10)				
	gy consumption of specific configuration may vary; description of the tested p			-	
the in supp infor Acco	E: Supplier makes no representations, guarantees, assurances or warranties we iformation contained in this document. All information provided by supplier in lier's knowledge available at the time of completion, and supplier shall have not mation. The information provided here is approximate and provided for information.	this document o obligation to u ational purpose	is provided l update such	based	on
	nergy Star Qualified Notebooks & Tablet Computers for the latest information /www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGrou		co		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Carbon Gen 10	Logo	
Model Number	21CB, 21CC		Lenovo
Issue Date	2022/02/07		renovo.
Additional information			

(d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjus	tments applied when a	ıll discrete graphics (cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.34			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	11.34			
g)	Idle state power demand (Watts);	l			3.24
ר)	Sleep mode power demand (Watts);				1.76
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.76
)	Off mode power demand (Watts);				0.24
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.24
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	external power supply efficiency (if applie	cable)*:			
	Average active efficiency: 45w:87,98%,	88,63%,88,83%;65W:	89,41%,88,62%,88,96	5%	
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that the		tand (applies only to n	otebook computers):	500 cycles
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) - ir	nternal PSU efficiency:	
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficience	DY:

(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: **IEC 61960 measurement methodology**						
(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode						
power as de	fined in F	Point P9.1 in the Product IT Eco De				
IEC 62623 / IEC EN50564:2011 measurement methodology						
q) Sequence of steps for achieving a stable condition with respect to power demand::						
IEC 62623 / IEC EN50564:2011 measurement methodology						
(r) Description of how sleep and/or off mode was selected or programmed:						
By selecting sleep and/or off mode thru Windows operating system						
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
Automatically changes to sleep after 10 minutes						
(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):						
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
						10 mins
(w) Information on the energy-saving potential of power management functionality:						
User information described in User Guide and Power Manager under ThinkVantage menu in all programs						
(x) user information on how to enable the power management functionality:						
User information described in User Guide and Power Manager under ThinkVantage menu in all						
programs						
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
230V, 50GHz, Total Harmonic Distortion <2 %						
(1) At ambient temperature: 23.9 °C						
(2) Input AC Voltage (V) & Frequency (Hz): 230 V, 50 Hz						
(3) Line Impedance: less than <u>0.26</u> ohm						
(4) Total Harmonic Distortion (voltage): <5%						
(5) Relative Humidity: <u>49%</u>						
	pient light: NA_Lux					
(7) Equipment list:						
	(// Equi	the tall and the	Mo	dol namo	1	
		Equipment Name Power Meter	Model name		-	
			YOKOGAWA-WT210			
		AC Source	Chro	oma-61601	J	
Additional Notebook Battery Information:						
/ taattional Hotobool	· Batto.	Battery[ies] not user replace	ceable	Battery[ies] user re	placeable	n/a
		The battery[ies] in this product of replaced by users themselves. 1)			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,,
Internal/built-in Battery						
External/detachable E	Battery					
Bios Backup Battery						
Other:						
Additional information						
)						

¹⁾The battery[ies] in this product cannot be easily replaced by users themselves.
Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.
Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.
Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

Lalles batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

La batteriarie Dateriari in questo prodotto non puorposonio essere radamente sostituitare dair uter Lietotăji paŝi nevar nomainit ŝă ražojuma akumulatoru(-us). Ŝio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji fdan il-prodott ma tistavijistipux tigi/jijou sositiwita/i mili-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.