



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	ThinkPad X13 Gen 2 AMD					
Model number *	20XH, 20XJ					
Issue date *	2021/03/11					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		20XH, 20XJ	Logo	Long		
Issue dat	e *	2021/3/11		Lend	JVC	) <sub>TH</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)			
P1.2*		do not contain Asbestos (see legal reference).		$\boxtimes$		
D. 1.01		nt: Legal reference has no maximum concentration value.  do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			_	
P1.3*		nloride, 1,1,1-	$\boxtimes$	Ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	Idamidin			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$		
	terpheny	/I (PCT) in preparations (see legal reference).		<del></del>		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (	),5 μg/cm²/wee	k 🔀		
	(see lega	al reference).			_	
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail <a href="www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure">www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</a>	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadne)	nium. (See lega	al 🔀		
P2.3*		s and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc for EU and  www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,		$\square$	$\overline{}$	
1 0.2		al reference).			ш	ш
	-	d information is; given in item P15 or added to this document,				
	•	available at (add URL):				
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium ai	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material(	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		al 🔀			
P6		nt: Legal reference has no maximum concentration values.  nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
1 0.1	morman	on to recyclorate authorit racillues is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

woder number *		20XH, 20XJ	Logo	Lon	01/6	
Issue da	te *	2021/3/11		Len	OVC	<b>)</b> <sub>th.</sub>
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	mbly, recycling				
P7.1*	Parts tha	at have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\overline{\mathbb{X}}$	
P7.3*	Plastic p	earts > 100 g consist of one material or of easily separable materials.			Ħ	一百
P7.4*	Plastic p		Ħ	Ħ		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available too	ls.	Ħ	Ħ
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			$\overline{\Box}$	$\overline{\Box}$
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools			$\overline{\Box}$	Ħ
P7.9	Spare pa	arts are available after end of production for: 5 years				Ħ
P7.10	Service i	is available after end of production for: 5 years				$\overline{\Box}$
	Material	and substance requirements				
P7.11*			al type: Mg-A	4/		
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		$\boxtimes$		
P7.14	weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants	, and		
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are	e low 🔀		
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	TBBF	hemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Phosphorus Modifie</i> confidential				
		hemical specifications of flame retardants in printed circuit boards (without compon- ig ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: halogen-free organic phosphorus compound, CAS #: confidentialical name: ical name:  , CAS #: ical name:  , CAS #: ical name:		$\square$		
		hemical specifications of flame retardants in plastic parts > 25 g according ISO 104		$\boxtimes$		
P7.19	assigned (TORAY_C	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: (3452S) (TEIJIN_GXV-3540UI)				
D7.00*			See note B5)			
P7.20*	If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6):  at least one of the two alternatives below shall be answered;  total plastic parts' weight > 25 g, the postconsumer recycled plastic material content  ercentage of total plastic by weight) is 5.39%.	nt (calculated	I as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	per * 20XH, 20XJ				Logo	1/0	
Issue date	*	2021/3/1	1			Lenc		
Product 6	environn	nental at	tributes - Market re	equirements (contin	ued)	Require	ment met	
Item						Yes	No n.a.	
	Material	and subs	tance requirements	(continued)				
P7.21*	Biobased	l plastic m	aterial content is used	in the product (See NC	OTE B7):			
	If YES; a	t least one	e of the two alternative	s below shall be answe	red;			
	a) Of t	otal plasti	c parts' weight > 25 g	, the biobased plastic n	naterial content (calculat	ed as a percentage		
		otal plastic	by weight) is %	<b>.</b>				
	or b) The	weight of	the biobased plastic n	naterial is a				
P7.22*				less than 0,1 mg/lamp.				
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8	Batteries							
P8.1*			omposition: Li-ion					
<b>P9</b>	Energy of	consumpt	tion (See NOTE B8)	s or energy consumptio	no are reported:			
Energy mo		roduct trie	Power level at	Power level at		Reference/Standard for ene	erav 🔲	
Linergy into	uo		100 V AC	115 V AC		nodes and test method *	,,9)	
Peak (On-I	max)		65 W	65 W	65 W	Full load		
Category	v 2							
		<u> </u>	5.00.104	0.0714/	0.0004			
Short Idle Enabled	State - W	OL	5.89 W	6.07 W		Jse for ENERGY STAR V8 registration		
	C4=4= 14//	<u> </u>	4.40 \\\	4.20.14/		Use for ENERGY STAR V8		
Long Idle : Enabled	State - WC	JL	4.19 W	4.29 W		registration		
Litabica						cgistiation		
Sleep (S3)	- WOL Di	sabled	0.56 W	0.58 W		Jse for ENERGY STAR V8		
					1	registration		
Off (S5) - V	NOL Enab	led	0.35 W	0.39 W	0.41 W	Use for ENERGY STAR V8		
					1	registration, ErP (P <sub>idle</sub> )		
EPS No-loa	ad		0.095 W	0.096 W	0.117 W			
(External power s wall outlet but disc	supply / charger p	olugged in the						
PTEC *			W	W	W		X	
Typical Ene	ergy Consi	umption	04.041104117	00.00134//	00.051)///	- (0700(4000) (D 0		
ETEC * Annual Ene	aray Conei	ımntion	<b>21.64</b> kWh/year	22.33 kWh/year	23.25 kWh/year	$\Xi_{TEC} = (8760/1000) \times (P_{off} \times 0.00)$ + $P_{sleep} \times 0.45 + P_{long\_Idle} \times 0.00$	25	
Alliluai Lik	orgy Corist	amption				P <sub>short Idle</sub> x 0.25)		
					Mode(S3) - WOL Enabled;	Pidle: Idle State - WOL Enabled		
External Po	ower Supp	ly Efficien	cy Level (International	Efficiency Marking Prof	tocol) * : VI			
Display res	olution * :	4.096 me	gapixels			2560*1600		
			ve mode: 10 minutes					
P9.2*	Informati	on about t	he energy save function	on is provided with the p	product.			
P9.3	Energy e	fficiency c	lass (monitors only):					
P10								
P10.1	Mode Mode		Declared according to lode description	ISO 9296 (See NOTE		-weighted sound power level,	/ (D)	
P 10.1	Idle		HDD idle		* 2.5	-weighted sound power level,	L <sub>WA,c</sub> (D)	
	Operation		Operating (SSD)		* 2.5			
	Speration	*	Operating (CPU)		* 3.7			
	Other mo	ode D	eclared A-weighted sound	d pressure level (dB) $_{L_{p m Am}}$	17 (operator position	desktop – idle)		
	Other mo	ode D	eclared A-weighted sound	d pressure level (dB) $L_{p \text{Am}}$		desktop – operatingSSD)		
	<u> </u>			1 = 0.44 74	27 (operator position	desktop – operatingCPU)		
	Measure	d accordin	ng to: X ISO 7779 X		ECMA 74)			
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		20XH, 20XJ				Logo		Lon	01/	
Issue date	e *	2021/3/11						Len	OVO	J <sub>™</sub>
Product	environn	nental attrik	outes - Market requirer	ments (co	ntinued)		Requirement			
met										
Item								Yes	No	n.a.
	Electron	nagnetic emi	issions							
P10.4	program	(s): <b>MPR-II(3</b>	ets the requirement for low pin AC adapter only)	frequency	electromagnetic fields	of the following volu	untary			
P12	Ergonor	nics for com	puting products							
P12.1*		•	ergonomic requirements of		•	-		$\boxtimes$		
P12.2*	The phys	sical input dev	vice meets the requirement	ts of ISO 99	995 and ISO 9241-410	).		$\boxtimes$		
P13		ng and docu								
P13.1*	Product Product Product	packaging ma packaging ma packaging ma	aterial type(s): Paper cush aterial type(s): Corrugated aterial type(s): LDPE aterial type(s):	weight (k weight (k weight (k	weight (kg): <b>0.231</b> (g): <b>0.306</b> (g): <b>0.026</b> (g):					
P13.2*	Product	plastic primar	y packaging is free from P\	VC.				$\boxtimes$		
P13.3*	consume	er recovered f	corrugated fiberboard pack liber content: <b>70</b> %		•	rcentage of minimur	n post-	=		
P13.4*		nedia for use ronic, ⊠Pap	r and product documentation er, ☐Other	on (tick box	):					
P13.5	Úser and	only complete I product docu ease specify:	e this item if paper docume umentation on paper media	ntation used a is chlorine	d) e-free:					
	Elementa	hlorine-free al chlorine-fre ed chlorine-fre								
P14		ry programs								
P14.1			e requirements of the follow	wing volunts	ary program(s):					
	ENERGY	Y STAR® el: <b>EPEAT</b> el: <b>TCO</b>	Criteria version: 8.0 Criteria version: IEEE 16 Criteria version: NoteBo Criteria version: V13	580.1 <b>-2</b> 018	Date: 2020/12/31	Product category: Product category: Product category Product category	: Noteb y: Note	book		
P15	Addition	al information	on (See NOTE B10)							
P9	Energy	consumption	n of specific configuration	n may vary	; description of the	tested product con	ıfigura	tion:		
	NOTE: S informati knowledo provided informati	Supplier make on contained ge available a here is appro on.	s no representations, guar- in this document. All inform it the time of completion, an eximate and provided for in	rantees, ass mation provi nd supplier iformational	surances or warranties ided by supplier in this shall have no obligati I purposes only. See a	s whether express o s document is provic on to update such ir a Lenovo Account R	or implie ded bas nformat	ed, regard sed on su tion. The	pplier's	s ation
P9			ified Notebooks & Tablet C							·
	http://ww	w.energystar	.gov/index.cfm?fuseaction	=tind_a_pro	oduct.showProductGr	oup&pgw_code=CO	-			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X13 Gen 2	Logo		
Model Number	20XH, 20XJ	Lonovo		
Issue Date	2021/3/11		Lenovo	
Additional information				

d)	year of manufacture:				2020			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
F)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when <b>a</b>	III discrete graphics	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	28						
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	NA						
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.63						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);	1	L	-1	4.05			
h)	Sleep mode power demand (Watts);				0.65			
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.65			
)	Off mode power demand (Watts);				0.46			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.46			
1)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	ige					
m)	external power supply efficiency (if appli	cable)*:						
	Average active efficiency: 65W: 89.41%	<b>6,88.62%,88.96%</b>						
	*internal note: show values for all available external pr							
0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	500 cycles			
p-1)	Measurement methodology used to dete	ermine information mer <b>NA</b>	tioned in points (I) – in	nternal PSU efficiency	:			
p-2)	Measurement methodology used to dete	ermine information mer		external PSU efficience	cy:			

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology					
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 62623:2013 measurement methodo	ology			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
	refer to power man	agement, sleep mode: ACPI system level G1/S3 ( ACPI system level G2/S5 ('soft off') s				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
	on mode.	Automatically changes to sleep after 30 r	minutes			
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		10		
(u)	•	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		10		
(w)	Information on the er	nergy-saving potential of power management function	nality:			
	User information	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all			
(x)	user information on h	ow to enable the power management functionality:				
	User information	n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all			
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instru				
	.e. e.eg.	230V/50HZ; Total Harmonic Distortion	<2 %			
Addition	Notebook Battery	Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	cup Battery					
Other:	Other:					
Additional	I information			-		
1)						

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.