



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		_			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCI IOVO,			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Server					
Commercial name *	Lenovo ThinkSystem SR250/Lenovo ThinkSystem SR258					
Model number *	7Y51, 7Y52, 7Y72, 7Y53, 7Y73					
Issue date *	Jan 31, 2020					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * Issue date *	7Y51, 7Y52, 7Y72, 7Y53, 7Y73 Jan 31, 2020	Logo	Lenovo
Product environ	mental attributes - Legal requirements		Requirement met
ltem			Yes No N/A

Product	roduct environmental attributes - Legal requirements					
Item		Yes	No	N/A		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			X		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/sustainability-resources					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes				
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			\boxtimes		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is; given in item P15 or added to this document,	\boxtimes				
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).) 🔀				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference).	ol 🔀				
P6	Comment: Legal reference has no maximum concentration values. Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
FU. I	iniornation for recycles streament facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7Y51, 7Y52, 7Y72, 7Y53, 7Y73	Logo	Lonovo
Issue date *	Jan 31, 2020		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			\boxtimes
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>Plastic</i> Material type: <i>Metal</i> Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	i 💆		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See ⁵ NOTE B2)	n 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):	$\overline{}$	\square	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y51, 7Y52, 7Y72, 7Y53, 7Y73	Logo	Lonovo
Issue date *	Jan 31, 2020		Lenovo

Product environmental attributes - Market requirements (continued)	Requi	remer	it met
Item	Yes	No	N/A

D7 01*		ostance requirements (, , , , , , , , , , , , , , , , , , ,	TE 57)			
P7.21*	Biobased plastic	material content is used	in the product (See NC) I E B /):			
	a) Of total plas	ne of the two alternatives tic parts' weight > 25 g, t by weight) is %.		·	ted as a percentage of		
	or	, , , , , , , , , , , , , , , , , , , ,					
		of the biobased plastic m					
P7.22*	U	e free from mercury, i.e. I d specify: Number of lam	, 0 !	m mercury content pe	er lamp: mg		
P7.23*	•	es an integral display, the	•				
P8	Batteries	o arr intograr diopiay, and	total moroary comone	in the integrated displic	,,g		
P8.1*		composition: Lithium M	langanese Dioxide				
P9	•	ption (See NOTE B8)	Turiguriese Dioxide				
P9.1		ne following power levels	or energy consumption	ns are renorted:			
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy		
Lifelgy ino	uc .	100 V AC	115 V AC	230 V AC	modes and test method *		
100% stres	SS	266.48 W	268.83 W	263.20 W	100% stress		
Off state		9.39 W	9.33 W	9.02 W	10 mins after AC cord in		
Idle state		106.09 W	104.76 W	103.46 W	10 mins after logging in OS		
Peak (On-i	max)	W	W	W	Full load		
Category	V						
EPS No-loa		W	W	W	T		
(External power supply /			**	••			
	gged in the wall						
outlet but d	isconnected from						
the product	i.)						
PTEC *		W	W	W			
	ergy Consumption						
ETEC *		kWh/year	kWh/year	kWh/year			
	ergy Consumption	 ency Level (International	Efficiency Marking Proj	toool\ * :			
Display res		negapixels	Efficiency Marking Pro	locoi) :			
	e to enter energy s	• •	00				
P9.2*		t the energy save function	on is provided with the p	product.			
P9.3		class (monitors only):					
P10	Emissions Noise emission	 Declared according to 	ISO 9296 (See NOTE	R9)			
P10.1	Mode	Mode description	100 3230 (000 140 12		t A-weighted sound power level, Lwa,c (B)		
1 10.1	Idle	* max configuration		* 5.12	The weighted sound power level, LWA,E (B)		
	Operation	* max configuration		* 5.44			
	Other mode	Declared A-weighted sound	d pressure level (dB) 1		sition dockton idlo)		
		Declared A-weighted sound	d pressure level (dB) I	(operator position desktop – idle)			
	Other mode $\frac{Declared A-weighted sound pressure level (dB)}{L_{pAm}}$ (operator position desktop – operating)						
	Measured accord		ECMA-74				
	Other (only if not covered by ECMA-74)						
D40.4	Electromagnetic emissions						
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	7Y51, 7Y52, 7Y72, 7Y53, 7Y73	Logo	ī	anava
Issue date *	Jan 31, 2020		L	EI IOVO.

Product	environmental attributes - Market requirement	ts (continued)		Requirement me		
Item	•	•		Yes	No	N/A
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISC	9241-307 for visual o	display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of I	SO 9995 and ISO 924	41-410.	\boxtimes		
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated can Product packaging material type(s): Recycled Expa Product packaging material type(s): PP weight (kg):	nded Polyethylene	ght (kg): 2.1 weight (kg): 0.52			
P13.2*	Product plastic primary packaging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packagin consumer recovered fiber content: 55 %		ned percentage of minimum pos	t-		
P13.4*	Specify media for user and product documentation (to Electronic, Paper, Other	ck box):				
P13.5	(Please only complete this item if paper documentation. User and product documentation on paper media is colf Yes, please specify:					
	Totally chlorine-free Elemental chlorine-free					
	Processed chlorine-free					
P14	Voluntary programs					
P14.1	The product meets the requirements of the following v	oluntary program(s):				
	ENERGY STAR® Criteria version: Eco-label: Criteria version: Eco-label: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15	Additional information (See NOTE B10)					
P9	Energy consumption of computer products; desc	ription of the tested	product configuration:			
	NOTE: Supplier makes no representations, guarathe information contained in this document. All in supplier's knowledge available at the time of cominformation. The information provided here is application Representative for more information.	ntees, assurances or formation provided k pletion, and supplier troximate and provid	warranties whether express or by supplier in this document is a shall have no obligation to upo led for informational purposes o	orovided late such	based	on
P9	See Energy Star Qualified Enterprise Servers for the https://www.energystar.gov/products/data_center					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information

Commercial name (3.1 (b))	Lenovo ThinkSystem SR250/Lenovo ThinkSystem SR258	Logo	
Contact Address (3.1 (b))	7001 Development Dr. Building 7, Morrisville, NC 27560, United		
	States		Lenovo
Model Number (3.1 (c))	7Y51, 7Y52, 7Y72, 7Y53, 7Y73		Leliovo"
Issue Date	Jan 31, 2020		
Additional information			

Product	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3				
1.a	Is the product consider to be in scope of ErP Lot 9 🔃 in scope 🗌 out of scope, product is out of scope as:				
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section				
1.c (3.1 (d))	Year of manufacture: 2019				
1.d (3.1 (p))	Product model part of a server product family? No Yes List of all model configurations that are represented by the model: http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem_SR250				
1.e (3.1 (n))	Information on the secure data deletion functionality (a) instructions on how to use the functionality: 2 methods are provided to use the functionality. 1) Use a command line tool to do the secure data deletion on the remote target system via boot up a customized Linux OS on it. Eg: OneCli.exe serase –bmc USERID:PASSWORD@xx.xx.xx.xxsftp root:password@xx.xxx.xx.xx:/home –log 5 2) Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu (b) techniques used: OS tools under Linux -> Standard Linux Open Source tool (c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize				
	OR - Reference to other information: Hdparm: https://en.wikipedia.org/wiki/Hdparm Nvme-format: https://www.mankier.com/1/nvme-format sg_sanitize: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/				
4.5	scrub: https://www.systutorials.com/docs/linux/man/1-scrub/ storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI_RefMan_revf.pd				
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:				
Recyclin	g Data				
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g less than 5 g between 5 g and 25 g above 25 g above 25 g				
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required. OR - Reference to other information: https://thinksystem.lenovofiles.com/help/index.jsp				
2.c	Firmware Reference to information on last available firmware: https://datacentersupport.lenovo.com/cn/en/products/servers/thinksystem/sr250/downloads/driver-list/				
Additional	I information				

Server family specific information Family 1

Family no. / name		1 - 1 CPU populated family					
Model number(s) / Description		Standard or low-end performance configuration:					
(3.1 (c))		Processor: G4900T(2.9GHz, 2 core), Memory: 16GB, Storage: 1TB HDD *2, PSU: 450W, NIC: n/a					
		High and marketing					
			High-end performance configuration: Processor: E2186G(3.8GHz, 6 core), Memory: 64GB, Storage: 960GB SSD *2, PSU: 450W*2, NIC: n/a				
		F10Cessor. E2100G(3.0G112,	o core), memory. 040B, Stora	ige. 9000B 33B 2, 1 30. 430W 2, Nic. II/a			
		Please refer to https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type=1					
Additional information		along with http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem SR530 for the PSU efficiency					
		details.					
		butes (EU) 2019/424 - Annex I					
F1.a	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power						
(3.1 (e))	(expressed in % and	d rounded to the first decimal place): 🔲 Multi-output 🛛 Single-output					
	0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,						
	Standard or low-end performance configuration(s): 10% 88.24 20% 92.57 50% 94.68 100% 94.02 Average 93.76						
	1070 00.24 2070 92	2.57 50% 94.08 100% 94.02	Average 93.70				
	High-end performand	ce configuration(s):					
	10% 88.24 20% 92	2.57 50% 94.68 100% 94.02	Average 93.76				
F1.b		of the rated load level	standard or low-end performance high-end performance				
(3.1 (f))	(rounded to three de-	. ,	configuration: 0.990	configuration: 0.990			
F1.c		SU rated power output standard or low-end performance high-end performance					
(3.1 (g))	(in Watts rounded to	the hearest integer)	configuration: 450 W	configuration: 450 W			
	internal note: If a product model is part of a ser	rver product family, all PSUs offered in a server					
F4 1		rver product family, all PSUs offered in a server with the information specified in (e) and (f)					
F1.d (3.1 (h))	idle state power	ad to the first decimal place)	standard or low-end performation: 24.0 M				
F1.e		ounded to the first decimal place) configuration: 34.0 W configuration: 39.1 W onents for additional idle power allowances					
(3.1 (i))	List of all component		ances				
			r low-end performance	high-end performance			
	T	configuration		configuration:			
CPU Performance		1 Sock	et (10 × PerfCPU W)	1 Socket			
1			et (7 × PerfCPU W)	2 Socket			
ents	Additional PSU	No (Yes / No)		Yes (Yes / No) #: 1			
idle power allowances adjustments during testing	HDD	Yes (Yes / No		No (Yes / No) #:			
ldju:	SDD Additional memory	No (Yes / No) Yes (Yes / No	,	Yes (Yes / No) #: 2 Yes (Yes / No) #: 60GB			
es a	Additional buffered DDF		,	No (Yes / No) #:			
ance	Additional I/O devices	none) #.	none			
ows	/ taataanan i/ o aaviooo						
du de			No Allowance	< 1 Gb/s: No Allowance			
₩e			2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port			
Dd e			and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port			
₽ġ		≥ 10 Gb/s	and < 25Gb/s: 15,0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port			
		≥ 25 Gb/s	and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port			
		≥ 50 Gb/s	26,0 W/Active Port	≥ 50 Gb/s 26,0 W/Active Port			
F1.f	maximum power		standard or low-end performan	• .			
(3.1 (j))		ed to the first decimal place)	configuration: 48.9 W	configuration: 190.8 W			
F1.g (3.1 (k))	operating condition of		standard or low-end performations				
(3.1 (K))	(as defined in Table	6 OF ETP 101 9)	configuration: ☐A1 ☐A2 ☐A3 ☐A4	configuration: ☐A1 ☐A2 ☐A3 ☐A4			
			LAI AZ LAS LA4	LAI AZ LAS LA4			
			Exception comments	Exception comments			
			soption commonto	Exception community			
F1.h	idle state power at th	ne higher boundary temperature	standard or low-end performa	nce high-end performance			
(3.1 (I))	of the declared opera	ating condition class (in Watts)	configuration: 43.0 W	configuration: 41.6 W			
F1.i		ency and the performance in	standard or low-end performa	0 1			
(3.1 (m))	active state of the se	erver;	configuration: 9.9	configuration: 23.7			