

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the stateme	nts given in this declaration.				
Type of product *	SERVER				
Commercial name *	Lenovo ThinkSystem SR570				
Model number *	7Y02, 7Y03				
Issue date *	2020-01-31				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

	umber *	7Y02, 7Y03 Logo			
Issue da	ite *	2020-01-31	Leng		Этн
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
Item			Yes	No	N/A
P1	Hazardo	ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ne 🔀		
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/sustainability-resources	\boxtimes		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	Π	
P2.5*		ternal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional e related text is present and legible on the external packaging (see legal reference)			
P3		nity verification & Eco design (ErP)			
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes		
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
DE	Dradue				
P5.1*		t packaging ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar	nd 🔽		
1 0.1		ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).	(s) 🔀		
P5.3*	The prod (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference).	ol 🔀		
	Comme	nt: Legal reference has no maximum concentration values.			
P6		ent information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		7Y02, 7Y03	Logo			
Issue dat	:e *	2020-01-31		Len	ovc	Эти
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			┝	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	╞╌
P7.5	•		wailable toole		———	<u> </u>
		arts are free from metal inlays or have inlays that can be removed with commonly a			<u> </u>	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product					
		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		ng can be done using commonly available tools		\boxtimes		<u> </u>
P7.9		arts are available after end of production for: years				<u> </u>
P7.10		s available after end of production for: years				
D7.44		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: Metal Material type: Plastic Materia	al type:			
P7.12		type: <i>Metal</i> Material type: <i>Plastic</i> Materia n materials of external electrical cables are PVC free.	ai type.			
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>	╞	╞
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1	%	┝	╞
F 7.14	weight (´ polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, ar	nd		
P7.15	Printed c	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name:	omponents): , CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in 🗌		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19		; parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	n have been			
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y02, 7Y03	Logo	
Issue date *	2020-01-31		LEIIOVO

Product environmental attributes - Market requirements (continued)

Item

Requirement metYesNoN/A

P7.21*		bstance requirements	· /							
P7.21		material content is used		-			X			
	a) Of total pla total plastic	one of the two alternative stic parts' weight > 25 g, by weight) is %.			ted as a percentage of					
	or b) The weight	of the biobased plastic n	naterial is g.							
P7.22*	.,	e free from mercury, i.e.	ě			\boxtimes				
		d specify: Number of lan		um mercury content pe	r lamp: mg					
P7.23*	If product includes an integral display, the total mercury content in the integrated display: mg									
P8	Batteries									
P8.1*	Battery chemica	I composition: Lithium N	langanese Dioxide							
P9		ption (See NOTE B8)								
P9.1		he following power level			-					
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test methods		rgy	\boxtimes		
Peak (On-I	max)	W	W	W	Full load					
Categor	<u>y</u>									
EPS No-loa		W	W	W						
	ower supply /									
	igged in the wall isconnected from									
the product										
PTEC *)	W	W	W				\boxtimes		
-	ergy Consumptior									
ETEC *		kWh/year	kWh/year	kWh/year				\square		
	ergy Consumptior									
External Po	ower Supply Effici	ency Level (International	Efficiency Marking Pro	tocol) * :				\square		
Display res	olution * :	megapixels						\boxtimes		
Default time	e to enter energy	save mode: minut	es							
P9.2*	Information about	ut the energy save function	on is provided with the	product.		\boxtimes				
P9.3	Energy efficienc	y class (monitors only):						\boxtimes		
P10	Emissions									
		 Declared according to 	ISO 9296 (See NOTE							
P10.1	Mode	Mode description			t A-weighted sound pov	ver level,	<i>Lw</i> a,c ((B)		
	Idle	* Indicates idle condit		* 5.6						
		powered on, but no di other devices idling)	sk activity and all							
	Operation * Indicates CPU and memory operating									
		condition(run PTU wit		* 5.6						
		CPU and memory sub	system							
	Other mode	Declared A-weighted sound p	(operator position desktop – idle)							
	Other mode	Declared A-weighted sound p	1	(operator posi	ition desktop – operating)					
	Measured accor	ding to: 🔀 ISO 7779 🔄 Other	ECMA-74							
l	Electromagnet		(only if not covered by							
P10.4		y meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary					
	program(s):				o lonowing voluntary					
L										

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	7Y02, 7Y03			Log	o 🚪			
Issue date *		2020-01-31					Leno	VO	
Product	environ	nental attribu	tes - Market requiremen	ts (continued)			Require	ment	met
Item							Yes	No	N/A
P12		mics for compu							
P12.1*	The disp	play meets the e	rgonomic requirements of ISC	D 9241-307 for visual	display technologies.				\mathbf{X}
P12.2*	The phy	sical input devic	e meets the requirements of	ISO 9995 and ISO 92	41-410.				\square
P13		ing and docum							
P13.1*	Product packaging material type(s): <i>Paper - Corrugated Double wall</i> weight (kg): 2.7 Product packaging material type(s): <i>Plastic - LDPE (low density polyethylene)</i> weight (kg): 0.07 Product packaging material type(s): <i>Plastic - Solid EPE (solid Expanded polyethylene)</i> weight (kg): 0.78 Product packaging material type(s): <i>Paper - Corrugated single wall</i> weight (kg): 1.6								
P13.2*	Product plastic primary packaging is free from PVC.						\square		
P13.3*	For proc	duct primary co er recovered fibe	rrugated fiberboard packagir er content: 55 %	ng, specify the contain	ined percentage of m	inimum pos			
P13.4*		media for user a ronic, XPaper,	nd product documentation (ti	ck box):					
P13.5	Ùser an		nis item if paper documentation nentation on paper media is c						
		chlorine-free al chlorine-free							
	Process	ed chlorine-free							ľ
P14	Volunta	ry programs							
P14.1	The pro	duct meets the r	equirements of the following	voluntary program(s):					
	ENERG Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product catego Product catego Product catego	ory:			
P15	Additio	nal information	(See NOTE B10)						
P9			of computer products; desc						
	the info supplie informa Accoun	rmation contai r's knowledge a tion. The inforn t Representativ	no representations, guara ned in this document. All in available at the time of com nation provided here is app ve for more information.	formation provided pletion, and supplie proximate and provid	by supplier in this do r shall have no obliga led for informational	ocument is ation to up	provided date such	based	lon
P9			fied Enterprise Servers for t r.gov/products/data_center						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information

Commercial name (3.1 (b))	Lenovo ThinkSystem SR570	Logo
Contact Address (3.1 (b))	7001 Development Dr. Building 7	
	Morrisville, NC 27560	
	United States	Lenovo
Model Number (3.1 (c))	7Y02, 7Y03	
Issue Date	2020-01-31	
Additional information		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3						
1.a	Is the product consider to be in scope of ErP Lot 9 🛛 🔀 in scope 🗌 out of scope, product is out of scope as:						
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section						
1.c	Year of manufacture: 2017						
(3.1 (d)) 1.d (3.1 (p))	Product model part of a server product family? No Yes List of all model configurations that are represented by the model: http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem SR570						
1.e	Information on the secure data deletion functionality						
(3.1 (n))	 (a) instructions on how to use the functionality: 2 methods are provided to use the functionality. 1) Use a command line tool to do the secure data deletion on the remote target system via boot up a customized Linux OS on it. Eg: OneCli.exe serase -bmc USERID:PASSWORD@xx.xx.xxsftp root:password@xx.xx.xx.x/home -log 5 2) Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu. (b) techniques used: OS tools under Linux -> Standard Linux Open Source tool (c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize OR - Reference to other information: Hdparm: https://www.mankier.com/1/nvme-format sg_sanitize: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/ scrub: https://www.systutorials.com/docs/linux/man/1-scrub/						
	storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI_RefMan_revf.pdf						
1.f (3.1 (o))	Blade servers? X No Yes list of recommended combinations with compatible chassis:						
Recycling							
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs I less than 5 g I less than 5 g I less than 5 g I between 5 g and 25 g I between 5 g and 25 g I above 25 g I above 25 g						
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required. OR - Reference to other information: https://thinksystem.lenovofiles.com/help/topic/7Y02/SR570_maintenance_manual.pdf						
2.c	Firmware Reference to information on last available firmware: https://datacentersupport.lenovo.com/cn/en/products/servers/thinksystem/sr570/7y02/downloads/driver-list/						
Additional	information						

Server family specific information Family 1

Family	no. / name	🔀 1 - 1 CPU pop	oulated fami	ly				
Model n (3.1 (c))	Model number(s) / Description Standard or low-end performance configuration: (3.1 (c)) Processor(Minimum result of core count * frequency in family): Intel Xeon Silver 4112, Storage: 1 HDD * 2, Memory: 16GB(lowest capacity in family) * 4, PSU: 550W * 1 High-end performance configuration: Processor(Maximum result of core count * frequency in family): Intel Xeon Gold 6252, Storage: 1.92TB SSD * 2, Memory: 32GB * 8, PSU: 750W * 2							
Additio	Additional information formation for the provided additional information provided additional information https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type=1 along with http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem_SR570 for the PSU efficiency details.							
Produc	ct environmental attri					/		
F1.a (3.1 (e))		rounded to the first performance config	decimal plac	d 100 % of rated output power ce):		tput		
	High-end performand 10% 91.4 20% 93 .		% <mark>93.3</mark> Ave	erage 93.8				
F1.b (3.1 (f)) F1.c (3.1 (g))	Power factor at 50 % (rounded to three de PSU rated power out (in Watts rounded to	of the rated load le cimal places) tput	evel	standard or low-end performa configuration: 0.990 standard or low-end performa configuration: 550		high-end performance configuration: <i>1.000</i> high-end performance configuration: <i>750</i>		
F1.d (3.1 (h)) F1.e	internal note: If a product model is part of a ser product family shall be reported v idle state power (in Watts and rounde List of all component	ed to the first decima	al place)	standard or low-end performa configuration: 60.7 ances	nce	high-end performance configuration: 79.3		
(3.1 (i))	CPU Performance		configuratio	low-end performance n: et (10 × PerfCPU W)	со	ph-end performance nfiguration: 1 Socket		
ts	Additional PSU			et (7 × PerfCPU W)		2 Socket		
nen	HDD		Yes #: 2			5 #. 7		
ustr	SDD		No #: 0			es #: 2		
adj	Additional memory		Yes #: 60G	В		es #: 252GB		
ces	Additional buffered DDF	R channel	No #: 0		No	o #: 0		
idle power allowances adjustments during testing	Additional I/O devices		 Z = 1 Gb/s: > 1 Gb/s a ≥ 10 Gb/s a ≥ 25 Gb/s 	No Allowance 2,0 W/Active Port and < 10 Gb/s: 4,0 W/Active Port and < 25Gb/s: 15,0 W/Active Port and < 50Gb/s: 20,0 W/Active Port 26,0 W/Active Port		none < 1 Gb/s: No Allowance = 1 Gb/s: 2,0 W/Active Port > 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port ≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port ≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port ≥ 50 Gb/s 26,0 W/Active Port		
F1.f	maximum power	I		standard or low-end performa	nce	high-end performance		
(3.1 (j)) F1.g (3.1 (k))	(in Watts and rounde operating condition c (as defined in Table (lass	al place)	configuration: 116.9 standard or low-end performa configuration: A1 A2 A3 A4 Exception comments	nce	configuration: 273.7 high-end performance configuration: A1 A2 A3 A4 Exception comments		
F1.h (3.1 (l)) F1.i	idle state power at th of the declared operative state offici	ating condition class	s (in Watts)	standard or low-end performa configuration: 132.5		high-end performance configuration: 140.2		
F 1.I (3.1 (m))	the active state efficient active state of the se			standard or low-end performa configuration: 13.8	nce	high-end performance configuration: 31.6		

Server family specific information Family 2

Family r	no. / name	🔀 2 - 2 CPUs pop u	ulated fam	nilv					
Model n	umber(s) / Description	Standard or low-end performance configuration:							
(3.1 (c))		Processor(Minimun	Processor(Minimum result of core count * frequency in family): Intel Xeon Bronze 3104 * 2, Storage:						
			1TB HDD * 2, Memory: 16GB(lowest capacity in family) * 8, PSU: 550W						
		High-end performar	High-end performance configuration: Processor(Maximum result of core count * frequency in family): Intel Xeon Gold 6252 * 2, Storage:						
		Processor(Maximul	m result o	of core count * frequency in fa	amily): Intel Xeon Gold 6252 * 2, Storage:				
Addition	nal information	Please refer to the o	comments	GB * 16, PSU: 750W * 2					
	t environmental attri								
F2.a	See family 1	bules (LO) 2019/424	- Annex n	points 5.1 and 5.5					
(3.1 (e))	Or specific to this far	nilv							
			6.50 % an	d 100 % of rated output power					
					e-output				
		performance configura							
	10% 20%	50% 1	100%	Average					
		a							
	high-end performand 10% 20%		100%	Average					
F2.b		50% 1 of the rated load leve		Average					
(3.1 (f))	(rounded to three de		1	See family 1 Or specific to this family:					
				standard or low-end performan	nce high-end performance				
				configuration:	configuration:				
F2.c	PSU rated power out	tput		See family 1					
(3.1 (g))	(in Watts rounded to	the nearest integer)		Or specific to this family:					
	internal note: If a product model is part of a ser	ver product family, all PSUs offered vith the information specified in (e) a	l in a server	standard or low-end performan					
50 1		vith the information specified in (e) a	and (f)	configuration:	configuration:				
F2.d (3.1 (h))	idle state power	ed to the first decimal p		standard or low-end performan configuration: 76.5	nce high-end performance configuration: 95.3				
F2.e		ts for additional idle po	/						
(3.1 (i))	List of all component			low-end performance	high-end performance				
			onfiguratio		configuration:				
	CPU Performance		1 Socke	et (10 × PerfCPU W)	1 Socket				
				et (7 × PerfCPU W)	2 Socket				
nts	Additional PSU		lo #: 0		Yes #: 1				
tme	HDD	Y	′es #: 2		No #: 0				
just	SDD		lo #: 0		Yes #: 2				
s ac ing	Additional memory		es #: 124	GB	Yes #: 508GB				
idle power allowances adjustments during testing	Additional buffered DDF	R channel	<u> o #: 0</u>		No #: 0				
wai	Additional I/O devices	Ļ	none		none				
allo				No Allowance	<pre>1 Gb/s: No Allowance</pre>				
ver			📉 = 1 Gb/s: 2	2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port				
ód		L	> 1 Gb/s a	and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port				
idle		L	≥ 10 Gb/s	and < 25Gb/s: 15,0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port				
		L	≥ 25 Gb/s	and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port				
			≥ 50 Gb/s	26,0 W/Active Port	≥ 50 Gb/s 26,0 W/Active Port				
F2.f	Maximum power			standard or low-end performan	a 1				
(3.1 (j))		ed to the first decimal p	olace)	configuration: 176.1	configuration: 501.4				
(3.1 (k))	Operating condition of (as defined in Table)			See family 1					
				Or specific to this family: standard or low-end performant	high and norfermance				
				configuration:	nce high-end performance configuration:				
				A1	A1				
				A2					
				A3	A3				
				A4	A4				
				Exception comments	Exception comments				
				Exception comments					
F2.h	idle state power at th	e higher boundary tem	nperature	See family 1					
(3.1 (I))	of the declared operation		-	Or specific to this family:					
	(in Watts)			standard or low-end performan					
				configuration: 130.8	configuration: 180.6				
F2.i		ency and the performa	ance in	See family 1					
(3.1 (m))	active state of the se	rver;		Or specific to this family:					
				standard or low-end performan					
				configuration: 16.3	configuration: 36.3				