

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration	ttp://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	SERVER					
Commercial name *	Lenovo ThinkSystem SR655					
Model number *	7Y00, 7Z01					
Issue date *	2020-01-31					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	7Y00, 7Z01 Logo				
Issue date *		2020-1-31	Len	Lenovo.		
Produc	t environ	mental attributes - Legal requirements	Require	men	t met	
Item			Yes	No	N/A	
P1	Hazard	ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Product hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated vl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the source of the second state o	ne 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/sustainability-resources				
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square			
P2.4*	Docume	entation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/compliance/eu-doc</u>	\boxtimes			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes			
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration				
P5	Produc	t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	nd 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material se legal reference).	(s) 🔀			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatme	ent information				
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		7Y00, 7Z01	Logo			
Issue date *		2020-1-31		Len	ovc	Этм
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A
P7.1*		Disassembly, recycling				
P7.1		t have to be treated separately are easily separable			┝	<u> </u>
P7.2 P7.3*		aterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.			┝	<u> </u>
					╞	╞
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	wailable toole		———	<u> </u>
P7.5 P7.6*					⊢⊢	<u> </u>
P7.0		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
P7.8*		ig can be done using commonly available tools			╞	<u> </u>
P7.9				\square		<u> </u>
		ints are available after end of production for: years				<u> </u>
P7.10		s available after end of production for: years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
F7.11		type: Steel Material type (e.g. plastics, mean, autimitan). Material type: PC+ABS Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.	a type:		\square	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ħ
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0,1%	6		H
	weight (' polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	d 🛄		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name:	omponents): , CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	s/preparations i	n		
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
	assigned	the following Risk phrases; and Hazard statements:				
			ee note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\bowtie	
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y00, 7Z01	Logo	
Issue date *	2020-1-31		Lei Iovo.

Product environmental attributes - Market requirements (continued)

Item

Requirement metYesNoN/A

	Material and substance requirements (continued)								
P7.21*	Biobased plastic	material content is used	in the product (See NC	DTE B7):					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or								
	b) The weight of the biobased plastic material is g.								
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
P7.23*	If product includes an integral display, the total mercury content in the integrated display: mg								
P8	Batteries								
P8.1*	Battery chemical	composition:							
P9	-	ption (See NOTE B8)							
P9.1		he following power levels	s or energy consumption	ns are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-r	max)	W	W	W	Full load				
Category	<u>y</u>								
EPS No-loa	ad	W	W	W					
	ower supply /								
	gged in the wall								
	isconnected from								
the product PTEC *)	W	W	W					
-	ergy Consumption		vv	**					
ETEC *		kWh/year	kWh/year	kWh/year					
Annual Ene	ergy Consumption	-	· y	· , · · ·					
External Po	ower Supply Efficie	ency Level (International	Efficiency Marking Prot	ocol) * :					
Display res	olution * : I	negapixels							
	e to enter energy s								
P9.2*	Information about	t the energy save function	on is provided with the p	product.					
P9.3	Energy efficiency	<pre>v class (monitors only):</pre>							
P10	Emissions	- Declared according to	ISO 9296 (See NOTE	B0)					
P10.1	Mode	Mode description	100 0200 (000 NOTE		it A-weighted sound power level, <i>L_{WA,c}</i> (B)				
	Idle	* HDD idle		* 6.4					
Operation *		* HDD Operating		* 6.5					
	Other modeDeclared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – idle)								
	Declared A-weighted sound pressure level (dB) L_{pAm}								
	Measured accord	ding to: 🔀 ISO 7779 🗌	ECMA-74	L					
	Other (only if not covered by ECMA-74)								
	Electromagnetic emissions								
P10.4	Computer displa program(s):	y meets the requirement	for low frequency elect	romagnetic fields of tl	he following voluntary				
l									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	7Y00, 7Z01				Logo			
Issue date *		2020-1-31				Lenc	Lenovo		
Product	environr	nental attribut	es - Market requiremen	ts (continued)			Require	ment	met
Item			-				Yes	No	N/A
P12		nics for compu							
P12.1*	The disp	lay meets the er	gonomic requirements of IS	O 9241-307 for vi	sual display technolo	gies.			\square
P12.2*	The phy	sical input device	e meets the requirements of	ISO 9995 and IS	O 9241-410.				
P13	Packagi	ng and docume	entation						
P13.1*	Product	packaging mater	ial type(s): Paper - Corruga ial type(s): Plastic - PE (po ial type(s): Paper - Corruga	lyethylene)	weight (kg): 3.5 weight (kg): 1.5 weight (kg): 1.02				
P13.2*			ackaging is free from PVC.	Ŭ	0 (0)		\boxtimes		
P13.3*		luct primary cor	rugated fiberboard packagir r content: %	ng, specify the c	ontained percentage	of minimum			
P13.4*		nedia for user a ronic, ⊠Paper,	nd product documentation (ti	ick box):					
P13.5	User and	<i>,</i> ,	is item if paper documentation entation on paper media is c	,					
	Totally c	hlorine-free							
	Element	al chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	luct meets the re	equirements of the following	voluntary prograr	n(s):				
		Y STAR®	Criteria version:	Date:		category:			
	Eco-labe		Criteria version:	Date:		category:			
P15	Eco-labe		Criteria version: (See NOTE B10)	Date:	Product	category:			
P9			f computer products; desc	ription of the te	sted product config	uration:			
1.0	NOTE: S the info supplied informa Accoun	Supplier makes rmation contair r's knowledge a tion. The inforn t Representativ	no representations, guara ed in this document. All in vailable at the time of com ation provided here is app e for more information.	ntees, assuranc formation provi pletion, and sup proximate and p	es or warranties wh ded by supplier in t oplier shall have no rovided for informat	ether express his document obligation to	t is provided update such	based	don
P9	See Ene https://v	ergy Star Qualifi www.energystai	ied Enterprise Servers for .gov/products/data_center	the latest inform equipment/ent	ation: erprise_servers				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information

Commercial name (3.1 (b))	Lenovo ThinkSystem SR655	Logo	
Contact Address (3.1 (b))	7001 Development Dr. Building 7,Morrisville, NC 27560, United		
	States		
Model Number (3.1 (c))	7Y00, 7Z01		Lenovo
Issue Date	2020-01-31		
Additional information			

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3							
1.a	Is the product consider to be in scope of ErP Lot 9 🛛 🔀 in scope 🗌 out of scope, product is out of scope as:							
1.b	Server type 🛛 Rack Server 🗌 High Performance Computing (HPC)							
(3.1 (a))	Tower Server Multi Node Server							
	Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section							
1.c (3.1 (d))	Year of manufacture: 2019							
1.d	Product model part of a server product family? 🛛 🗌 No 🔀 Yes							
(3.1 (p))	List of all model configurations that are represented by the model:							
1.e	http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem_SR655 Information on the secure data deletion functionality							
(3.1 (n))	-							
	 (a) instructions on how to use the functionality: 2 methods are provided to use the functionality. 							
	1) Use a command line tool to do the secure data deletion on the remote target system via boot up a customized							
	Linux OS on it.							
	 Eg: OneCli.exe serase –bmc USERID:PASSWORD@xx.xx.xx.xxsftp root:password@xx.xxx.xx./home –log 5 Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu. 							
	(b) techniques used:							
	OS tools under Linux -> Standard Linux Open Source tool (c) supported secure data deletion standard (if any):							
	Secure Erase/block Erase/Crypto Erase, Sanitize							
	OR - Reference to other information:							
	Hdparm: https://en.wikipedia.org/wiki/Hdparm							
	Nvme-format: https://www.mankier.com/1/nvme-format							
	sg_sanitize: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/							
	scrub: https://www.systutorials.com/docs/linux/man/1-scrub/							
	storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI_RefMan_revf.pdf							
1.f (3.1 (o))	Blade servers? 🛛 No 🗌 Yes							
	list of recommended combinations with compatible chassis:							
2.a	Indicative weight range at component level, of the (a) Cobalt in the batteries (b) Neodymium in the HDDs							
(3.3 (a))	following critical raw materials: (a) cobart in the batteries (b) (b) Neodymatrix in the HDDs (a) cobart in the batteries (b) Neodymatrix in the HDDs							
	between 5 g and 25 g							
	🗌 above 25 g 🛛 🖂 above 25 g							
2.b	Instructions on the disassembly operations							
(3.3 (b))	(a) the type of operation;(b) the type and number of fastening technique(s) to be unlocked;							
	 (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required. 							
2.c	OR - Reference to other information:https://thinksystem.lenovofiles.com/help/index.jsp Firmware							
2.0	Reference to information on last available firmware:							
	https://datacentersupport.lenovo.com/cn/en/products/servers/thinksystem/sr655/downloads/driver-list/							
Additional	information							

Server family specific information Family 1

Family	no. / name	1 - 1 CPU populated far	nily				
Model n (3.1 (c))	umber(s) / Description	Standard or low-end perfor Processor(Minimum result	mance configuration: of core count * frequency in fa est capacity in family) * 16, PS	mily): AMD EPYC 7262, Storage: 14TB SU: 550W * 2			
	Processor(Maximum result of core count * frequency in family): AMD EPYC 7742 , Storage: 480GB SSD * 2, Memory: 32GB * 16, PSU: 1100W * 2						
Additio	You can refer to <u>https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type</u> along with <u>http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem_SR655</u> for the PSU efficiency details.						
Produc	ct environmental attril	outes (EU) 2019/424 – Annex	Il points 3.1 and 3.3				
F1.a (3.1 (e))			and 100 % of rated output power ace): 🗌 Multi-output 🛛 Singl				
	10% 90.72% 20%	performance configuration(s): 93.51% 50% 94.62% 100%	6 93.23% Average 93.79%				
	High-end performance		(04 699/ Average 04 549/				
F1.b (3.1 (f))	Power factor at 50 % (rounded to three de	. ,	standard or low-end performa configuration: 1.000	configuration: 1.000			
F1.c (3.1 (g))	PSU rated power out (in Watts rounded to		standard or low-end performa configuration: 550	nce high-end performance configuration: 1100			
	internal note: If a product model is part of a ser product family shall be reported w	ver product family, all PSUs offered in a server vith the information specified in (e) and (f)					
F1.d (3.1 (h))	idle state power (in Watts and rounde	d to the first decimal place)	standard or low-end performa configuration: 100.5	nce high-end performance configuration: 114.3			
F1.e (3.1 (i))	List of all component	s for additional idle power allo	wances				
		standard configura	or low-end performance tion:	high-end performance configuration:			
	CPU Performance		sket (10 × PerfCPU W) sket (7 × PerfCPU W)	1 Socket 2 Socket			
ents	Additional PSU	Yes/I		Yes (Yes / No) #: 1			
stme	HDD	Yes/Yes/I		No (Yes / No) #: 0			
suļj	SDD	No(Yes / N		Yes(Yes / No) #: 2			
s ac	Additional memory		No) #: 124GB	Yes (Yes / No) #: 508GB			
esti	Additional buffered DDF	Channel No(Yes / No	o) #: 0	No (Yes / No) #: 0			
idle power allowances adjustments during testing	Additional I/O devices	= 1 Gb/	s: No Allowance s: 2,0 W/Active Port s and < 10 Gb/s: 4,0 W/Active Port o/s and < 25Gb/s: 15,0 W/Active Port	 none < 1 Gb/s: No Allowance = 1 Gb/s: 2,0 W/Active Port > 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port ≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port 			
			o/s and < 50Gb/s: 20,0 W/Active Port o/s 26,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port ≥ 50 Gb/s 26,0 W/Active Port			
F1.f (3.1 (j))		standard or low-end performance high-end performance configuration: 207.3 high-end performance configuration: 375.5					
F1.g (3.1 (k))	operating condition c (as defined in Table (standard or low-end performa configuration: A1 A2 A3 A4	nce high-end performance configuration: A1 A2 A3 A4			
			Exception comments	Exception comments			
F1.h (3.1 (l))	of the declared opera	e higher boundary temperatur ating condition class (in Watts)	configuration: 100.5	configuration: 114.3			
F1.i (3.1 (m))	the active state efficient active state of the se	ency and the performance in rver;	standard or low-end performa configuration: 15.2	nce high-end performance configuration: 59.8			