



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo		<u></u>		
Contact information *	Lenovo Global Environmental Affairs		Lenovo.		
e-mail address	Alvin L Carter		LEITOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information		·			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	ThinkVision T27q-20			
Model number *	61ED			
Issue date *	2019/11/05			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		61ED	Logo	Lara		
Issue date *		2019/11/05		Lend		<b>)</b> <sub>tm</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	∃B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference).		$\boxtimes$		
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	iaximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\square$		
		Proceedings of the contains the contains and the contains and the contains the cont	iomiatoa		ш	
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms in the	<b>&gt;</b>		
	chain co	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	),5 μg/cm²/week			
		al reference).				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	$\boxtimes$		
		ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure				
P2	Batterie				_	
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	·		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				$\boxtimes$	
D0.04	reference)					
P2.3*		and accumulators are readily removable. (See legal reference)				$\boxtimes$
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		$\boxtimes$		
P3.2*		laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	ice/eu-aoc			
P3.2		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	, ,	d information is; given in item P15 or added to this document,		$\square$		
	rtequirec	available at: https://www.lenovo.com/us/en/compliance/e	oo doclaration		ш	ш
DE	Droduct		co-declaration			
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercun	v cadmium an	d 🔽		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature or legal reference).	,	, 2	Ш	
P5.3*		fluct packaging material is free from ozone depleting substances as specified in the ${\tt N}$	√ontreal Protoco	ol 🔀		
		al reference).				
-		nt: Legal reference has no maximum concentration values.				
P6		nt information			_	_
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61ED	Logo	Lanava
Issue date *	2019/11/05		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	me <u>nt</u>	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$-\frac{\square}{\square}$	X	+
P7.2*			<u> </u>	<del>-  -  </del> -
	Plastic parts > 100 g consist of one material or of easily separable materials.		<u> </u>	-
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ.	Щ.
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	<u>Ц</u>
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7 40	Material type: ABS Material type: PC Material type: POM			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u> </u>		Щ.
P7.13	Insulation materials of internal electrical cables are PVC free.	<u> </u>		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\neg \overline{\neg}$	$\overline{\Box}$	X
	assigned the following Risk phrases; and Hazard statements:			<b>∠</b>
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\square$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 81.3%.  or  b) The weight of recycled material is 896.4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61ED	Logo	Lonovo
Issue date *	Error! Reference source not found.		Lei Iovo,

Product environmental attributes - Market requirements (continued)		Requirement me		
Item	Yes	No	n.a.	

	Material and substance requirements (continued)							
P7.21*	Biobased plastic	material content is use	d in the product (See N	OTE B7):				
	If YES; at least one of the two alternatives below shall be answered;							
		/						
	•	total plastic by weight) is <b>0</b> %.						
	or b) The weight of	of the biobased plastic	material is <b>0</b> g.					
P7.22*	, 0							
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8								
P8.1* Battery chemical composition:								
P9		otion (See NOTE B8)						
P9.1			els or energy consumpti					
Energy m	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method * ENERGY STAR® Program			
	STAR® On Mode*	16.64	16.15	16.78	Requirements for Computer			
(System I	ale)				Monitors: Ver. 8.0			
ENERGY	STAR® Low Power	0.40	0.40	0.04	ENERGY STAR® Program			
Sleep Mo		0.18	0.18	0.21	Requirements for Computer			
					Monitors: Ver. 8.0			
ENERGY	STAR® Off /	0.44	0.44	0.44	ENERGY STAR® Program			
Apparent	Off Mode*	0.11	0.11	0.14	Requirements for Computer Monitors: Ver. 8.0			
					Wormors. Vol. 0.0			
DTEC *		40.0430/	40.5510/	40.70 \\	_	_		
PTEC *	nergy Consumption	16.64 W	16.55 W	16.78 W				
ETEC *		<b>52.21</b> kWh/year	51.94 kWh/year	<b>52.64</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 +$	1		
Annual Energy Consumption		ozizi kiviiiyodi	onor kivinyodi	ozio i kiviii youi	$P_{Sleep} \times 0.1 + P_{Idle} \times 0.3$	ı		
External F	Power Supply Efficie	ncy Level (Internationa	al Efficiency Marking Pro	otocol) * :	×			
					ENERGY STAR® Program			
Display re	esolution* : <b>2560*1</b> 4	40 megapixels			Requirements for Computer			
					Monitors: Ver. 8.0			
Default tir	ma ta antar anaray a	ava mada: 15 agganda			ENERGY STAR® Program Requirements for Computer			
Delault til	ne to enter energy s	ave mode: 15 seconds	5		Monitors: Ver. 8.0			
P9.2*	Information about	the energy save funct	tion is provided with the	product.		Π		
P9.3*		0,	•	•		╁		
. 0.0	P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: ES V8.0 Product category: Display.					_		
P10	) Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1				Statistical upper limi	it A-weighted sound power level, L <sub>WA,c</sub> (B)			
	Idle	* HDD: Idle		*	lacksquare			
	Operation	* HDD: Operating		*	×	Γ		
	Other mode ${\it Declared A-weighted sound pressure level (dB)} L_{\it pAm}$			(operator po	sition desktop – idle)			
			nd pressure level (dB) $L_{pAn}$					
	<u> </u>	ing to: X ISO 7779	ECMA-74	<u> </u>		_		
	Other (only if not covered by ECMA-74)							
1	Other (only if not covered by LowA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		61ED	Logo	Len	21/0	
Issue date *		Error! Reference source not found.		Len		тм
Product	environn	nental attributes - Market requirements (continued)		Requir	ement	met
Item				Yes	No	n.a.
	Electron	nagnetic emissions				
P10.4	Compute	er display meets the requirement for low frequency electromagnetic fields of the f	ollowing volun	tary		$\boxtimes$
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	ologies.			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13	Packagi	ng and documentation				
P13.1*	Product Product Product	packaging material type(s): EPS (Cushion) weight (kg): 0.462 packaging material type(s): Paper (Cushion weight (kg): 1.586 packaging material type(s): LDPE/EPE weight (kg): 0.030 packaging material type(s): weight (kg):				
P13.2*	Product	plastic primary packaging is free from PVC.		$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 91%					
P13.4*		nedia for user and product documentation (tick box): ronic, ⊠Paper, □Other				
P13.5	Ùser and	only complete this item if paper documentation used) I product documentation on paper media is chlorine-free: ease specify:				
	•	hlorine-free				
	Elementa	al chlorine-free				
	Processe	ed chlorine-free				
P14		ry programs				
P14.1	ENERGY Eco-labe Eco-labe	el: Criteria version: Date: Produc el: Criteria version: Date: Produc	ct category: <b>LC</b> ct category: ct category:	CD Monitor		
P15		nal information (See NOTE B10)				
P9		consumption of specific configuration may vary; description of the tested				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					ion
P9		rgy Star Qualified Monitors & Displays for the latest information: ww.energystar.gov/products/office_equipment/displays				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1