

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	V5030, V5030F			
Model number *	6536			
Issue date *	01/15/2020			
Intended market *	🛛 Global 🛛 Europe 🛛 Asia, Pacific & Japan 🖾 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 - P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	6536 Logo				
Issue date *		01/15/2020	Leng	Lenovo		
Produc	t environ	mental attributes - Legal requirements	Require	men	t met	
Item			Yes	No	N/A	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	< 🖂			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/us/en/sustainability-resources	\boxtimes			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	I 🛛			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\times			
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Ē		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes			
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\square			
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	id 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se legal reference).	s) 🔀			
P5.3*	The prod (see leg	Juct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀			
P6	Treatme	nt information				
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	6536 Logo			
Issue date *		01/15/2020	Len	OV(D
Product	t environ	mental attributes - Market requirements (See General NOTE GN below)			
		nmental conscious design	Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7.1*	Parts tha	Disassembly, recycling t have to be treated separately are easily separable			
P7.2*		laterials in covers/housing have no surface coating.		╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.		╞	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		╞	$- \blacksquare$
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		╞	⊢⊢
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		╞	╶╞┤╴
	Product				
P7.7*		ig can be done e.g. with processor, memory, cards or drives	\square		
P7.8*	Upgradir	g can be done using commonly available tools		Ħ	Ē
P7.9	Spare pa	irts are available after end of production for: 5 years			Ē
P7.10	Service i	s available after end of production for: 5 years			Ē
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12		type: <i>Metal (Steel)</i> Material type: <i>PC ABS</i> Material type: n materials of external electrical cables are PVC free.	<u> </u>	\square	
P7.12		n materials of internal electrical cables are PVC free.	<u> </u>		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1	1%		╞
	weight (* polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, a chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containi n 25% post-consumer recycled content.	nd 🗖		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halog ed in IEC 61249-2-21. (See ⁵ NOTE B2)	en	\square	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): (additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			\boxtimes
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	in		
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\square
	0	the following Risk phrases; and Hazard statements:			
P7.20*		cce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6):	<u> </u>		
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %.	;		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	6536 01/15/2020	Logo	Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement me

Requirement metYesNoN/A

	Material and sul	ostance requirements	(continued)					
P7.21*		material content is used		OTE B7):				
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is %.							
	or							
DT 0.01	/	of the biobased plastic r						
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P7.23*		s an integral display, th		um mercury content pe	er lamp: mg ay: mg 🗌 🕅 🔀			
P8	Batteries	o an integral display, in						
P8.1*		composition: Lithium M	Manganese Dioxide					
P9	,	ption (See NOTE B8)						
P9.1		ne following power level	s or energy consumption	ons are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy			
		-48 V DC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	421 W	403 W	389 W	Full load			
Cotogor								
Categor EPS No-loa		W	W	W	1			
	au ower supply /	vv	vv	vv				
· ·	ligged in the wall							
	lisconnected from							
the product	t.)							
PTEC *		W	W	W				
	ergy Consumption							
ETEC * Annual Energy Consumption		kWh/year	kWh/year	kWh/year				
		ncy Level (International	I Ffficiency Marking Pro	l htocol) * :				
Display res		negapixels						
	e to enter energy s	3 ·	tee					
P9.2*	8,			product				
-		t the energy save function	on is provided with the	product.				
P9.3		class (monitors only):						
P10	Emissions	 Declared according to 		B0)				
P10.1		Mode description	0100 9290 (See NOTE		it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
	Idle	* Idle		* 6.2				
	Operation	* Typical loading		* 6.2				
		Declared A-weighted soun	d pressure level (dB) L	(operator po	sition desktop – idle)			
		Declared A-weighted soun			sition desktop – operating)			
	I		ECMA-74	·	-			
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							
1	Electromagnetic	c emissions		, 				
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary							
<u> </u>	program(s).							

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	Imber *	6536				Logo			
Issue dat	te *	01/15/2020				Lenc	Lenovo		
Product	environ	nental attribu	tes - Market requiren	nents (continued)			Require	ment	met
Item							Yes	No	N/A
P12		mics for compu							
P12.1*	The disp	lay meets the e	rgonomic requirements o	of ISO 9241-307 for v	isual display technolo	gies.			\boxtimes
P12.2*	The phy	sical input devic	e meets the requirements	s of ISO 9995 and IS	O 9241-410.				\square
P13	Packagi	ing and docum	entation						
P13.1*	Product Product Product	packaging mate packaging mate packaging mate	rial type(s): Corrugate rial type(s): Paper rial type(s): Wood rial type(s): LDPE rial type(s): EPE	weight (kg): 3.20 weight (kg): 0.10 weight (kg): 4.00 weight (kg): 0.05 weight (kg): 1.15					
P13.2*			backaging is free from PV				\boxtimes		
P13.3*			rrugated fiberboard pack	aging, specify the c	contained percentage	of minimu			
P13.4*		media for user a ronic, 🔀Paper,	nd product documentatic	on (tick box):					
P13.5	User an		nis item if paper documer nentation on paper media						
	,	hlorine-free al chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	duct meets the r	equirements of the follow	ving voluntary program	m(s):				
	ENERG Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product o Product o Product o				
P15			(See NOTE B10)						
P9	NOTE: S the info supplied informa	Supplier makes rmation contail r's knowledge a tion. The inforr	of computer products; of no representations, gui ned in this document. A available at the time of of mation provided here is re for more information.	arantees, assurand All information prov completion, and su approximate and p	ces or warranties wh ided by supplier in t pplier shall have no	ether expre his docume obligation	ent is provided to update such	based	lon
P9	See Ene	ergy Star Qualit	fied Enterprise Servers r.gov/products/data_ce	for the latest inforn					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	V5030, V5030F	Logo	
Contact Address (3.1 (b))			
Model Number (3.1 (c))	6536		Lenovo
Issue Date	01/15/2020		
Additional information			

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is the product consider to be in scope of ErP Lot 9 🔄 in scope 🗌 out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family? No Yes List of all model configurations that are represented by the model:
1.e (3.1 (n))	Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recycling	g Data
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs I less than 5 g I less than 5 g I less than 5 g I between 5 g and 25 g I between 5 g and 25 g I above 25 g I above 25 g
2.b (3.3 (b))	 Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additional	information
1	

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	V5030, V5030F	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c))	6536	
Issue Date	01/15/2020	
Additional information		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.1	Is the product consider to be in scope of ErP Lot 9 🔀 in scope 🗌 out of scope Product is out of scope as:
A.2	Data Storage type 🛛 🛛 Online Data Storage Product 🗌 Small Data Storage Product
(3.2 (a))	Large Data Storage Product Other:
A.3 (3.2 (d))	Year of manufacture: 2017
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(3.2 (e))	(expressed in % and rounded to the first decimal place): Multi-output Single-output 50% 91.9 50% 94.3 100% 92.7 Average
A.5 (3.2 (f))	Power factor at 50 % of the rated load level 0.974
A.6 (3.2 (g))	Operating condition class A1 A2 A3 A4 (as defined in Table 6 or ErP lot 9)
	Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6	Information on the secure data deletion tool(s)
(3.2 (h))	(a) instructions on how to use the functionality:
	Crypto-key removal, drives are encrypted and unreadable (b) techniques used:
	Crypto-key removal
	(c) supported secure data deletion standard (if any):
	OR - Reference to other information:
RECYCL	ING DATA
B.1 (3.3 (a))	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs
(3.3 (a))	level, of the following critical raw materials:
	materials: between 5 g and 25 g between 5 g and 25 g between 5 g and 25 g
B.2	above 25 above 25
(3.3 (b))	(a) the type of operation;
	(b) the type and number of fastening technique(s) to be unlocked;
	(c) the tool(s) required.
	OR - Reference to other information: IBM Knowledge center: Storwize V5000 gen2 series: Removing and replacing parts:
	https://www.ibm.com/support/knowledgecenter/en/STHGUJ_8.3.0/com.ibm.storwize.tb5.830.doc/tbrd_rmvrplparts_1955
	wm.html
B.3	Firmware
	Reference to information on last available firmware:
	https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/v5030/6536/downloads/driver-list/
	After EOL'ed, firmware would be available at:
	https://download.lenovo.com/eol/index.html
Additional	information